



Strathcon


Maintenance & Repair Products

Table of Contents

3 - 10

Electrical


- ShrinkTerm - Nylon
- Heat Shrink Fuses



12 - 21

Cutting Tools


- Thread Repair, Reamers
- Drills & Taps, Burrs



22 - 27

Blind Fasteners


- Rivets, Tools
- GripRite Rivnuts



28 - 42

Imperial Fasteners


- Grade 5 & 8 Hx
- Galvanized Threaded Rod



43 - 48

Stainless Steel


- Hx - Soc Cap - Button
- Nuts - Washers -



49 - 58

Screws


- Sheet Metal - Teks - S/S
- Machine - Deck - Security



59 - 68

Metric Fasteners


- 10.9 & 8.8 Hex
- Nuts, Washers, Rod



65 - 72

Building Fasteners


- Concrete, Wedge Anchor
- Hollow wall, Toggles



73 - 78

Welding & Fabrication


- Weld-on Hinges
- Abrasives



79 - 90

Shop Supplies - Paint

- Pins, Assortments, Hose Clamp
- Safety, Drive Bits, Never Seize



SEYMOUR

Version 03/01/17

www.strathcon.com

Important Information

- **Minimum Line item purchase value is \$2.00/ Minimum invoice \$5.00**
- **Customers are welcome to purchase the quantity of their choice of any product.**
- **You will improve your purchase value if you increase the quantity to Standard Package Quantity.**
- **Please email sales@strathcon.com for a quote on quantity purchases.**

Most products in this catalog are stock items ready for same day shipping if ordered before 2:00 p.m.

Unit 1-2663 Kilpatrick Ave
Courtenay BC
V9N 7C8

O 250 338 4266
F 250 338 7391

Strathcon provides services as well as products. We offer stocking programs, bolt bins, custom assortments, call today if you would like an account manager to contact you.

Our knowledgeable agents can also assist in fastening solutions, thread repair solutions, electrical corrosion issues and much more.

Is your shop disorganized? Do you spend 15 minutes digging through cans and bins looking for that bolt, let us provide a solution and save you time and money.

We serve all of Western Canada and ship anywhere in North America



Electrical

Nylon Butt Connectors

- Non Flared
- Seamless



Ga.	Part #	Any Qty
22-18	ED0202	1
16-14	ED0205	1
12-10	ED0210	1

Nylon Butt Connectors

- Flared
- Seamless



Ga.	Part #	Any Qty
22-18	ED0310	1
16-14	ED0305	1
12-10	ED0302	1

Nylon Butt Connectors

- Funnel Entry
- Seamless
- 4 Piece With Support Sleeve



Ga.	Part #	Any Qty
22-18	ED0402	1
16-14	ED0405	1
12-10	ED0410	1

Nylon Bullets

- Tin Plated Copper
- Note (.195 size is Vinyl and generally not as common as (.157)



Size	Part #	Any Qty
16-14 Ga. Wire Size		
Female (.157)	ED2014	1
Male (.157)	ED2015	1
Female (.195)	ED2017	1
Male (.195)	ED2019	1
12-10 Ga. Wire Size		
Female	ED2024	1
Male	ED2025	1



Strathcon Industries is committed to 100% customer satisfaction

- Order product in any quantities
- No restocking fee on returned product
- Order product email, phone, fax or agent
- Phone today 250 338 4266

Nylon Quick Disconnect


- Non-Encapsulated
- Electro-Tin Plated Brass
- 3 Piece Funnel Entry
- .110 & .187 are vinyl



Type	Tab Size	Part #	Any Qty
22-18 Ga. Wire Size			
Female	.250	ED2510	1
Male	.250	ED2511	1
Female	.187	ED2513	1
Male	.187	ED2514	1
Female	.110	ED2516	1
Male	.110	ED2517	1
16-14 Ga. Wire Size			
Female	.250	ED2520	1
Male	.250	ED2521	1
Female	.187	ED2524	1
Male	.187	ED2525	1
12-10 Ga. Wire Size			
Female	.250	ED2530	1
Male	.250	ED2531	1

Nylon Quick Disconnects

- Fully Encapsulated
- Electro-Tin Plated Brass
- 3 Piece Funnel Entry




Type	Tab Size	Part #	Any Qty
22-18 Ga. Wire Size			
Female	.250	ED2810	1
Male	.250	ED2811	1
16-14 Ga. Wire Size			
Female	.250	ED2820	1
Male	.250	ED2821	1
12-10 Ga. Wire Size			
Female	.250	ED2830	1
Male	.250	ED2831	1

Nylon Electrical


- Our Terminals are Electro Tin Plated for Exceptional Corrosion Resistance
 - Mill Spec
 - Mil-T10727C Type 1
 - ASTM 545 B
 - .0001-.00025 Thick

Nylon Ring Terminals

- Tin Plated Copper
- Seamless
- 3 Piece Funnel Entry



Ring Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#6	ED0520	1
#8	ED0522	1
#10	ED0525	1
1/4"	ED0527	1
5/16"	ED0528	1
3/8"	ED0530	1
16-14 Ga. Wire Size (blue)		
#6	ED0532	1
#8	ED0533	1
#10	ED0535	1
1/4"	ED0537	1
5/16"	ED0539	1
3/8"	ED0544	1
1/2"	ED0548	1
12-10 Ga. Wire Size (yellow)		
#8	ED0553	1
#10	ED0555	1
1/4"	ED0557	1
5/16"	ED0559	1
3/8"	ED0564	1
1/2"	ED0568	1



Nylon Spade Terminals

- Tin Plated Copper
- Seamless
- 3 Piece Funnel Entry



Spade Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#10	ED1225	1
16-14 Ga. Wire Size (blue)		
#10	ED1235	1
12-10 Ga. Wire Size (yellow)		
#10	ED1245	1

Nylon Block Spade Terminals

- Tin Plated Copper
- Seamless
- 3 Piece Funnel Entry



Spade Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#10	ED1325	1
16-14 Ga. Wire Size (blue)		
#10	ED1335	1
12-10 Ga. Wire Size (yellow)		
#10	ED1345	1

High Temperature

- Nickel Plated Steel
- Up to 482°C (900°F)



Type	Tab Size	Part #	Any Qty
16-14 Ga. Wire Size			
Female	.250	EA2510	1
12-10 Ga. Wire Size			
Female	.250	EA2515	1

Nylon Hook Terminals


- Tin Plated Copper
- Seamless
- 3 Piece Funnel Entry



Hook Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#10	ED1525	1
16-14 Ga. Wire Size (blue)		
#10	ED1535	1
12-10 Ga. Wire Size (yellow)		
#10	ED1545	1

Nylon Flag Terminals

- Tin Plated Copper
- Seamless
- 3 Piece Funnel Entry
- Female



Tab Size	Part #	Any Qty
16-14 Ga. Wire Size (blue)		
.250	ED2335	1
12-10 Ga. Wire Size (yellow)		
.250	ED2345	1

High Temperature

- Nickel Plated Steel
- Up to 482°C (900°F)



Ring Size	Part #	Any Qty
16-14 Ga. Wire Size		
#10	EA2414	1
1/4"	EA2416	1
12-10 Ga. Wire Size		
#10	EA2424	1
1/4"	EA2426	1

Electrical

Non Insulated Butt Connectors


- Tin Plated Copper
- Seamless



Size	Part #	Any Qty
22-18 Ga.	EA1502	1
16-14 Ga.	EA1505	1
12-10 Ga.	EA1510	1
8 Ga.	EA1513	1
6 Ga.	EA1514	1
4 Ga.	EA1515	1
2 Ga.	EA1516	1
1 Ga.	EA1517	1
1/0 Ga.	EA1518	1
2/0 Ga.	EA1519	1
3/0 Ga.	EA1520	1
4/0 Ga.	EA1521	1

Non Insulated Ring Terminals

- Tin Plated Copper
- Brazed Seam



Ring Size	Part #	Any Qty
22-18 Wire Size		
#6	EA1020	1
#8	EA1022	1
#10	EA1024	1
#1/4	EA1026	1
16-14 Wire Size		
#10	EA1030	1
1/4"	EA1032	1
5/16"	EA1034	1
12-10 Wire Size		
#10	EA1038	1
1/4"	EA1040	1
5/16"	EA1042	1
3/8"	EA1044	1
1/2"	EA1046	1



Non Insulated Ring Terminals

- Tin Plated Copper
- Seamless



Ring Size	Part #	Any Qty
8 Ga. Wire Size		
#10	EA0503	1
1/4"	EA0504	1
5/16"	EA0505	1
3/8"	EA0506	1
1/2"	EA0508	1
6 Ga. Wire Size		
#10	EA0510	1
1/4"	EA0512	1
5/16"	EA0514	1
3/8"	EA0516	1
1/2"	EA0518	1
4 Ga. Wire Size		
#10	EA0522	1
1/4"	EA0524	1
5/16"	EA0526	1
3/8"	EA0528	1
1/2"	EA0530	1
2 Ga. Wire Size		
1/4"	EA0534	1
5/16"	EA0536	1
3/8"	EA0538	1
1/2"	EA0540	1
1 Ga. Wire Size		
1/4"	EA0544	1
5/16"	EA0546	1
3/8"	EA0548	1
1/2"	EA0550	1

Non Insulated Ring Terminals


- Tin Plated Copper
- Seamless



Ring Size	Part #	Any Qty
1/0 Ga. Wire Size		
1/4"	EA0554	1
5/16"	EA0556	1
3/8"	EA0558	1
1/2"	EA0560	1
2/0 Ga. Wire Size		
5/16"	EA0564	1
3/8"	EA0566	1
1/2"	EA0568	1
3/0 Ga. Wire Size		
3/8"	EA0570	1
1/2"	EA0572	1
4/0 Ga. Wire Size		
3/8"	EA0574	1
1/2"	EA0576	1

Non Insulated Ring Terminals

- Tin Plated Copper
- Brazed Seam



Ring Size	Ga.	Part #	Any Qty
#10	10	EA1055	10
#10	8	EA1060	10
#10	6	EA1065	10

Electrical (cont.)

Ty-Wraps

- Available with #8 & #10 Mounting holes for convenient fastening.



Black UV Resistant

Breaking Strength	Size	Part #
18	4.2" X .100	EH0208
18	6.3" X .100	EH0212
50	7" X .140	EH0214
50	7" X .187	EH0218
50	11.2" X .190	EH0224
50	14.4" X .187	EH0235
120	14.4" X .300	EH0245
120	24" X .300	EH0250
30	6" X .190 #8 Mounting Hole	EH0305
40	11" X .190 #10 Mounting Hole	EH0309
40	5.6" X .140 S/S Tooth	EH0411
50	7.5" X .186 S/S Tooth	EH0425
120	14" X .296 S/S Tooth	EH0427

Natural Color

Breaking Strength	Size	Part #
15 lbs	6.5" X .1	EH0211
50 lbs	8" X .187	EH0213
50 lbs	11" X .187	EH0225
50 lbs	14" X .187	EH0232
30 lbs	6" X .190 #8 Mounting Hole	EH0304
40 lbs	11" X .190 #10 Mounting Hole	EH0308

Tie Wrap Mounts

- Adhesive Mount
- Screw Mount



Size	Color	Part #
1" Adhesive	White	EH1001
3/4" Adhesive	White	EH1002
1" Screw	White	EH1000

Tie-Wrap Screw Mount

- Screw Mount
- #10 Screw
- smaller sizes available
- Part # EH1215**



Battery Terminals

Battery Terminals

- Marine
- Lead Terminal



Size	Type	Part #
3/8" Terminal	Positive	EA3520
5/16" Terminal	Negative	EA3521

- Color Coded
- Lead Terminal
- Epoxy Painted



Type	Part #
Positive	EA3715
Negative	EA3717



Battery Terminal

- Lead Free

Size	Color	Part #
8-6-4 Ga.	Positive	EA3924
8-6-4 Ga.	Negative	EA3925
2-1 Ga.	Positive	EA3926
2-1 Ga.	Negative	EA3927


ANL Fuse Holder Kit

- S/S bolts
- Terminal Protectors
- Part # EI3555**



Heavy Crimp Battery Terminals

- Cast Copper
- Tin Plated



Straight Clamp


Gauge	Product	Part #
4	Negative	EA3003
4	Positive	EA3004
2	Negative	EA3005
2	Positive	EA3006
1	Negative	EA3007
1	Positive	EA3008
1/0	Negative	EA3009
1/0	Positive	EA3010
2/0	Negative	EA3011
2/0	Positive	EA3012



Left Elbow

Right Elbow

Gauge	Product	Left	Right
1	Negative	EA3105	EA3106
1	Positive	EA3107	EA3108
1/0	Negative	EA3109	EA3110
1/0	Positive	EA3111	EA3112
2/0	Negative	EA3113	EA3114
2/0	Positive	EA3115	EA3116



Flag

Gauge	Product	Part #
1	Negative	EA3207
1	Positive	EA3208
1/0	Negative	EA3209
1/0	Positive	EA3210
2/0	Negative	EA3211
2/0	Positive	EA3212

Electrical

Description	Part #	Item
3M 3 Wire Connector with Sealant	EG0221	
Inline Fuse Holder	EG0224	
Instant Tap Connector 18-14 With Stops	EG0222	
Instant Tap Connector 12-10 With Stops	EG0322	
Instant Tap Connector 18-14 With Sealant	EG0223	

ANL Fuse

- Amp Ratings 100 to 300



Amp Rating	Product	Part #
100	ANL fuse	EI0440
150	ANL fuse	EI0441
200	ANL fuse	EI0442
250	ANL fuse	EI0443
300	ANL fuse	EI0444

Inline Fuse Holders

- With Snap on Cover
- 12" of Wire
- Made of Durable PVC
- Use ATO Fuses



Gauge	Amp Rating	Part #	Any Qty
12	30	EI0612	1
14	20	EI0614	1
16	10	EI0616	1

Inline Fuse Holders


- With Snap on Cover
- 12" of Wire
- Made of Durable PVC
- Use Mini fuses



Gauge	Amp Rating	Part #	Any Qty
12	30	EI0712	1
14	20	EI0714	1
16	10	EI0716	1

Fuses

- Maxi



Amps	Maxi	Color
30	EI0130	green
40	EI0140	orange
50	EI0150	red
60	EI0160	blue
80	EI0180	clear

Add a Circuit

- Add a Circuit is a labour saving professional method for tapping existing electrical circuits through the fuse panel.
- Up to 10 Amp circuit draw, ideal for radios, control circuits, items needing ignition control.



Description	Part #
ATO/ATC	EI1001
ATM - Mini	EI1002


Description	Part #	Item
Chair Adapter	EE1030	
3-Way Adapter	EE1010	
Double Male Single Female	EE1040	
2-Way Bullet Receptacle	EE0240	
Fuse Tap	EE1050	
Mini Fuse Tap	EE1055	
Glass Fuse Tap	EE1053	

Inline Fuse Holders

- With Snap on Cover
- 12" of Wire
- Use Maxi fuses



Gauge	Amps	Part #	Any Qty
8	60	EI0860	1
10	40	EI0840	1



Amps	Micro	Mini	Standard	Color
3		EI0203	EI0303	violet
4		EI0204	EI0304	pink
5	EI0281	EI0205	EI0305	tan
7.5	EI0282	EI0207	EI0307	brown
10	EI0283	EI0210	EI0310	red
15	EI0284	EI0215	EI0315	blue
20	EI0285	EI0220	EI0320	yellow
25	EI0286	EI0225	EI0325	clear
30	EI0287	EI0230	EI0330	green
35		N/A	EI0335	purple
40		N/A	EI0340	orange

Heavy Crimp Tool

- 6 thru 4/0 Gauge
- Length 24"
- Part #HT0912

**Ratchet Crimp Tool**

- 22 10 Gauge
- Designed for Heatshrink Terminals
- Part #HT0910

**ShrinkTerm Electrical****Heat Shrink Butt Connectors**

- Adhesive Lined
- Seamless



Ga.	Color	Part #	Pkg.
24-20	White	EC0201	1
22-18	Red	EC0202	1
16-14	Blue	EC0205	1
12-10	Yellow	EC0210	1

Step Down Butt Connectors

- Step down connector
- 4 Piece With Support Sleeve
- Adhesive lined Heat Shrink



Wire Size	Part #	Any Qty
16-14 to 22-18	EC0315	1
12-10 to 16-14	EC0319	1
12-10 to 8 ga.	EC0321	1

Heat Shrink Butts With Solder

- Adhesive Lined
- W/ Solder, low temperature (480 F) provides the quality of soldered connection with the speed of a crimp terminal



Ga.	Part #	Any Qty
22-18	EC0402	1
16-14	EC0405	1
12-10	EC0410	1

Strathcon Industries distributes
High Quality Heat Shrink Electrical Terminal.

The benefit of a properly applied heat shrink terminal is the elimination of corrosion, this is especially true with ring terminals and butt connectors. Quick Disconnects and Bullets will benefit if the mechanic applies a corrosion inhibitor paste or dielectric grease.

To assure proper crimping, it must be done with a blunt crimper so as not to damage the heat shrink.

Strathcon can supply a crimping tool specifically designed for heat shrink terminals

**Heat Shrink Rings with Solder**

- Terminal has built in solder, solder melts at 480°F, the heat shrink can tolerate 600°F
- Tin Plated Copper



Ring Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#10	EC1025	1
1/4"	EC1027	1
5/16"	EC1028	1
3/8"	EC1030	1
16-14 Ga. Wire Size (blue)		
#10	EC1035	1
1/4"	EC1038	1
3/8"	EC1040	1
12-10 Ga. Wire Size (yellow)		
#10	EC1050	1
1/4"	EC1054	1
3/8"	EC1064	1

Heat Shrink Bullets

- Tin Plated Copper
- .157 Pin Size



Size	Part #	Any Qty
22-18 Ga. Wire Size		
Female	EC2004	1
Male	EC2005	1
16-14 Ga. Wire Size		
Female	EC2014	1
Male	EC2015	1
12-10 Ga. Wire Size		
Female	EC2024	1
Male	EC2025	1

Heat Shrink Ring Terminals

- Tin Plated Copper
- Seamless
- Adhesive lined Heat-shrink



Ring Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#6	EC0520	1
#8	EC0522	1
#10	EC0525	1
1/4"	EC0527	1
5/16"	EC0528	1
3/8"	EC0530	1
16-14 Ga. Wire Size (blue)		
#6	EC0532	1
#8	EC0533	1
#10	EC0535	1
1/4"	EC0538	1
5/16"	EC0539	1
3/8"	EC0540	1
1/2"	EC0544	1
12-10 Ga. Wire Size (yellow)		
#10	EC0550	1
1/4"	EC0554	1
5/16"	EC0558	1
3/8"	EC0564	1
1/2"	EC0568	1

ShrinkTerm (cont)

Heat Shrink Quick Disconnect

- Non-Encapsulated
- Electro-Tin Plated Copper
- Funnel Entry



Type	Tab	Part #	Any Qty
22-18 Ga. Wire Size			
Female	.250	EC2510	1
Male	.250	EC2511	1
16-14 Ga. Wire Size			
Female	.250	EC2520	1
Male	.250	EC2521	1
12-10 Ga. Wire Size			
Female	.250	EC2530	1
Male	.250	EC2531	1

Heat Shrink Quick Disconnects


- Fully Encapsulated
- Electro-Tin Plated Copper
- Funnel Entry



Type	Tab	Part #	Any Qty
22-18 Ga. Wire Size			
Female	.250	EC2810	1
Male	.250	EC2811	1
16-14 Ga. Wire Size			
Female	.250	EC2820	1
Male	.250	EC2821	1
12-10 Ga. Wire Size			
Female	.250	EC2830	1
Male	.250	EC2831	1

Clamps

- Nylon clamps in Black & White



Size	Black	White	Pkg
1/8"	N/A	EG3101	1
3/16"	EG3002	EG3102	1
1/4"	EG3004	EG3104	1
3/8"	EG3005	EG3105	1
1/2"	EG3006	EG3106	1
5/8"	EG3007	N/A	1
3/4"	EG3008	N/A	1



Heat Shrink Spade Connectors

- Adhesive lined Heatshrink
- Tin Plated Copper



Ring Size	Part #	Any Qty
22-18 Ga. Wire Size (red)		
#6	EC1220	1
#8	EC1222	1
#10	EC1225	1
16-14 Ga. Wire Size (blue)		
#8	EC1233	1
#10	EC1235	1
1/4"	EC1238	1
12-10 Ga. Wire Size (yellow)		
#8	EC1248	1
#10	EC1250	1
1/4"	EC1254	1

Heat Shrink Tubing

- 3:1 Shrink Ratio
- Dual Wall
- Adhesive Lined
- Waterproofing Quality

Diameter	48"
Clear	
1/8"	N/A
3/16"	EF1202
1/4"	EF1203
3/8"	EF1204
1/2"	EF1205

Heat Shrink Tubing

- 3:1 Shrink Ratio
- Dual Wall
- Adhesive Lined
- Waterproofing Quality



Black

Diameter	6"	48"
1/8"	EF0101	N/A
3/16"	EF0102	EF1002
1/4"	EF0103	EF1003
3/8"	EF0104	EF1004
1/2"	EF0105	EF1005
3/4"	EF0107	EF1007
1"	EF0109	EF1009
1-1/2"	N/A	EF1011
Red		
1/8"	EF0201	N/A
3/16"	EF0202	EF2002
1/4"	EF0203	EF2003
3/8"	EF0204	EF2004
1/2"	EF0205	EF2005
3/4"	EF0207	EF2007
1"	EF0209	EF2009
1-1/2"	N/A	EF2011

Electrical (Wire)

Primary Wire

- Stranded
- available in 1000 foot Rolls

100 Foot Rolls



Gauge	Part #	Part #	Part #	Part#	Part#	Part#	Part#	Part#
	Yellow	Orange	Green	Brown	Blue	Black	White	Red
20	EL1370	EL1360	EL1350	EL1340	EL1330	EL1320	EL1310	EL1300
18	EL1270	EL1260	EL1250	EL1240	EL1230	EL1220	EL1210	EL1200
16	EL1170	EL1160	EL1150	EL1140	EL1130	EL1120	EL1110	EL1100
14	EL1070	EL1060	EL1050	EL1040	EL1030	EL1020	EL1010	EL1000
12	EL0970	EL0960	EL0950	EL0940	EL0930	EL0920	EL0910	EL0900
10	N/A	N/A	N/A	EL0840	EL0830	EL0820	EL0810	EL0800

Trailer Cable 4 or 6 Conductor

- Exceeds SAE Standards
- PVC Insulated
- Available in Rolls 1/500



Gauge	Part #	Conductors
16	EM2510	4
14	EM2515	4
16	EM2520	6
14	EM2525	6

Trailer Cable 7 Conductor

- Exceeds SAE Standards
- PVC Insulated
- Available in Rolls 1/500



AWG	Part #	Conductors
Multi	EM2500	14/4-12/1-10/2
Multi	EM2502	14/6-12/1
Multi	EM2504	12/6-10/1

Battery Cable

- Exceeds SAE Standards
- PVC Insulated
- Sold by the Foot



Gauge	Part #	Part #
	Black	Red
8	EM1910	EM1911
6	EM1920	EM1921
4	EM1930	EM1931
2	EM1940	EM1941
1	EM1950	EM1951
1/0	EM1960	EM1961
2/0	EM1970	EM1971
3/0	EM1980	EM1981
4/0	EM1990	EM1991

Rubber CabTire Wire

- Color Black

Gauge	Part #	Conductors
SJ00W - 300 Volt		
16	EL0425	3
16	EL0426	4
14	EL0438	2
14	EL0440	3
12	EL0450	3
SOOW - 600 Volt		
10	EL0460	3

Welding Cable


- Fine Strands
- Very Flexible
- Synthetic Rubber
- Sold by the Foot



Gauge	Part #	Part #
	Black	Red
6	EM1820	EM1821
4	EM1830	EM1831
2	EM1840	EM1841
1	EM1850	EM1851
1/0	EM1860	EM1861
2/0	EM1870	EM1871
3/0	EM1880	EM1881
4/0	EM1890	Special order

Clamps (Stainless Steel)

- Strong and will look great for years




Size	Part #	Bag	Any
1/4"	EG3211	10	1
3/8"	EG3213	10	1
1/2"	EG3225	10	1
5/8"	EG3227	10	1
3/4"	EG3232	10	1
7/8	EG3236	10	1
1"	EG3244	10	1
1-1/8"	EG3248	10	1
1-1/4"	EG3261	10	1
1-3/8"	EG3263	10	1
1-1/2"	EG3265	10	1
1-3/4"	EG3267	10	1
2"	EG3270	10	1

Tinned Marine (Wire)**Tinned Duplex Wire - (Marine)**

- Standard Roll Length is 100 ft
- Order cut Lengths
- Yellow is Ground
- Red is + Positive

**Red & Yellow** Conductors**Tinned Marine (Wire)****Tinned Duplex Wire - (Marine)**

- Standard Roll Length is 100 ft
- Order cut Lengths
- Used For AC Circuits
- White Neutral Black Hot

**White & Black** Conductors**Tinned Marine (Wire)****Tinned Duplex Wire - (Marine)**

- Standard Roll Length is 100 ft
- Order cut Lengths
- Multi Conductor
- Corrosion resistant

**Red & Black** Conductors**Gauge Part # Conductors**

18	EM0440	2
16	EM0450	2
14	EM0460	2
12	EM0470	2
10	EM0480	2
14	N/A	3

Gauge Part # Conductors

16	N/A	2
14	N/A	2
14	EM0590	3
12	EM0594	3
10	EM0596	3

Gauge Part # Conductors

18	EM0540	2
16	EM0550	2
14	EM0560	2
12	EM0570	2
10	EM0580	2
8	EM0590	2

Tinned Stranded Marine Wire

- 8, 10, 12 Gauge cut to any length.
- 14 & 16 Gauge 100 foot spool
- TEW 105° / 600 volt

Corrosion Resistant

**Battery Cable (Tinned)**

- Exceeds SAE Standards
- PVC Insulated
- Sold by the Foot



Gauge	Part #	Part #	Part #	Part#	Part#	Part#	Part#	Part#
	Yellow	Orange	Green	Brown	Blue	Black	White	Red
18	EM1060	N/A	N/A	EM1050	EM1059	EM1052	EM1056	EM1054
16	EM1110	EM1103	EM1105	EM1108	EM1107	EM1102	EM1106	EM1104
14	EM1115	EM1113	EM1115	EM1118	EM1117	EM1112	EM1116	EM1114
12	EM1125	N/A	EM1125	EM1128	EM1127	EM1122	EM1126	EM1124
10	EM1135	N/A	N/A	N/A	N/A	EM1132	EM1136	EM1134
8	EM1145	N/A	N/A	N/A	N/A	EM1142	N/A	EM1144

Gauge	Part #	Part #
	Black	Red
Tinned Battery Cable		
8	EM1142	EM1144
6	EM1201	EM1202
4	EM1203	EM1204
2	EM1205	EM1206
1/0	EM1209	EM1210
2/0	EM1211	EM1212
3/0	EM1213	EM1214
4/0	EM1215	EM1216

Cutting Tools

Aircraft Bits (12" long)

•HSS Premium Quality

Size	Part #	Length
#7	DA0007	12"
#10	DA0010	12"
#11	DA0011	12"
#17	DA0017	12"
#20	DA0020	12"
#30	DA0030	12"
#40	DA0040	12"
1/8"	DA1000	12"
1/4"	DA1008	12"
5/16"	DA1012	12"
3/8"	DA1016	12"

Aircraft Bits (6" long)

•HSS Premium Quality

Size	Part #	Length
#11	DA1311	6"
#20	DA1320	6"
#21	DA0121	6"
#30	DA0130	6"
#40	DA0140	6"
1/8"	DA1406	6"
5/32	DA1408	6"
3/16"	DA1410	6"
1/4"	DA1414	6"
5/16"	DA1416	6"
3/8"	DA1421	6"

Drill Indexes

Brute Platinum

**29 Pc Tri-Shank
Brute**

**Mechanics Length
Index (a best seller)**

- **Never spins in Chuck**
- **Drill Size never rubs off Bit**
- **Shorter- less Breakage**
- **1/16" - 1/2" X 64 th**

Part # DB1050



- **All Brute cutting tools are designed to cut the follow materials**

- Martensitic Stainless 403, 410 416, 420, 430, 440, 431
- Precipitation Hardening Stainless PH-15-7, 17-7PH, AM-355, 17-4PH, AM-350
- Austenitic Stainless 301, 302, 303, 304, 310, 316 iron base
- Alloys A-286, 19-9DL, N-155, Haynes 56, Timken16-1-6 Discaloy
- Low Alloy & Die Steel 4130, 4135, 4140, 4340, Hy-Tuf, Vasco Jet 1000 Thermold J
- Titanium Alloys, Carbon Steels, Copper, Brass, Bronze, and Nickel Silver

Drill Indexes

- American Made (Champion Cutting)
- 135 Split Point (Easy Starting)
- Ideal for drilling Stainless, and other often difficult material.
- We Guarantee Satisfaction

Jobber Length Indexes

Size	Part #	Pieces
1/16"-1/2" X 32nd	DB1001	15
1/16"-1/2" X 64th	DB1004	29
A - Z	DB1007	26
#1 - #60	DB1006	60
#61 - #80	DB1025	20
9/16" - 1" X 16th	DB1035	8
1/2" - 1" X 64th	DB1030	33
1 mm - 10 mm X .5	DB1040	19

Alignment Reamers

- 1/2" Shank, High Speed Steel, 3 Flattened Shank
- Ideal for Maintenance & Repair



Size	Part #	LOA
3/8"	DG1010	3"
1/2"	DG1020	3"
9/16"	DG1030	3-15/16"
5/8"	DG1040	4-1/2"
11/16"	DG1050	4-1/2"
3/4	DG1060	4-15/16"
13/16"	DG1070	4-15/16"
7/8"	DG1080	5-3/16"
15/16"	DG1090	5-3/16"
1"	DG1110	5-3/16"


Cutting Tools

Brute Platinum 135° Split Point

- Premium Grade HSS Steel
- Mechanics Length -longer than screws machine length, shorter than Jobber length
- Never Spins in the chuck
- Drill size always remains legible
- Tri Shank
- **Strathcon guarantees Brute Drills out perform the competition - these drills will cut stainless steel.**



Size	Decimal Equivalent	Part #	LOA
1/16"	0.0625	DB0304	1-7/8
5/64"	0.0781	DB0305	2
3/32"	0.0938	DB0306	2-1/4
7/64"	0.1094	DB0307	2-3/8
1/8"	0.1250	DB0308	2-1/2
9/64"	0.1406	DB0309	2-5/8
5/32"	0.1562	DB0310	2-3/4
11/64"	0.1719	DB0311	2-7/8
3/16"	0.1875	DB0312	3
13/64"	0.2031	DB0313	3-1/8
7/32"	0.2188	DB0314	3-1/4
15/64"	0.2234	DB0315	3-3/8
1/4"	0.2500	DB0316	3-1/2
17/64"	0.2656	DB0317	3-5/8
9/32"	0.2812	DB0318	3-3/4
19/64"	0.2969	DB0319	3-7/8
5/16"	0.3125	DB0320	4
21/64"	0.3281	DB0321	4-1/16
11/32"	0.3438	DB0322	4-1/8
23/64"	0.3594	DB0323	4-3/16
3/8"	0.3750	DB0324	4-1/4
1/64"	0.3906	DB0325	4-5/16
13/32"	0.4062	DB0326	4-3/8
27/64"	0.4219	DB0327	4-7/16
7/16"	0.4375	DB0328	4-1/2
29/64"	0.4531	DB0329	4-5/8
15/32"	0.4688	DB0330	4-3/4
31/64"	0.4844	DB0331	4-7/8
1/2"	0.5000	DB0332	5



Double End Body Bit

- 135° Split Point Black Oxide
- Premium Grade HSS Steel
- Popular for Rivet Drilling applications
- Recommended use in sheet metal



Size	Decimal Equivalent	Part #	LOA
7/64"	0.1094	DB2502	1-7/8
1/8"	0.1250	DB2503	2
9/64"	0.1406	DB0504	2
5/32"	0.1562	DB2505	2-1/16
3/16"	0.1875	DB2506	2-3/16
7/32"	0.2188	DB2508	2-3/8
1/4"	0.2500	DB2509	2-1/2
#30	0.1285	DB2501	2

Left Hand Drill Bits

- Premium Grade HSS Steel
- Many other sizes in stock

Size	Part #	LOA
1/8"	DB3006	2-7/8
3/16"	DB3010	3-1/2
1/4"	DB3014	4
5/16"	DB3018	4-1/2
3/8"	DB3022	5

Black Gold 135° Split Point

- Premium Grade HSS Steel
- Jobber Length
- Unique Spiral Flute design improves chip ejection and coolant flow to the point
- Heavy Duty Core guarantees increased strength and reduced breakage



Size	Decimal Equivalent	Part #	LOA
1/16"	0.0625	DB0204	1-7/8
5/64"	0.0781	DB0205	2
3/32"	0.0938	DB0206	2-1/4
7/64"	0.1094	DB0207	2-5/8
1/8"	0.1250	DB0208	2-3/4
9/64"	0.1406	DB0209	2-7/8
5/32"	0.1562	DB0210	3-1/8
11/64"	0.1719	DB0211	3-1/4
3/16"	0.1875	DB0212	3-1/2
13/64"	0.2031	DB0213	3-5/8
7/32"	0.2188	DB0214	3-3/4
15/64"	0.2234	DB0215	3-7/8
1/4"	0.2500	DB0216	4
17/64"	0.2656	DB0217	4-1/8
9/32"	0.2812	DB0218	4-1/4
19/64"	0.2969	DB0219	4-3/8
5/16"	0.3125	DB0220	4-1/2
21/64"	0.3281	DB0221	4-5/8
11/32"	0.3438	DB0222	4-3/4
23/64"	0.3594	DB0223	4-7/8
3/8"	0.3750	DB0224	5
25/64"	0.3906	DB0225	5-1/8
13/32"	0.4062	DB0226	5-1/4
27/64"	0.4219	DB0227	5-3/8
7/16"	0.4375	DB0228	5-1/2
29/64"	0.4531	DB0229	4-5/8
15/32"	0.4688	DB0230	5-3/4
31/64"	0.4844	DB0231	5-7/8
1/2"	0.5000	DB0232	6

Cutting Tools

Silver & Deming 118° Split Point

- Premium Grade HSS Steel
- Heavy Duty Construction
- Not Designed to enlarge existing holes



Size	Decimal Equivalent	Part #	LOA
33/64	0.5156	DB0233	6"
17/32	0.5312	DB0234	6"
35/64	0.5469	DB0235	6"
9/16	0.5625	DB0236	6"
37/64	0.5781	DB0237	6"
19/32	0.5938	DB0238	6"
39/64	0.6094	DB0239	6"
5/8	0.6250	DB0240	6"
41/64	0.6406	DB0241	6"
21/32	0.6562	DB0242	6"
43/64	0.6719	DB0243	6"
11/16	0.6875	DB0244	6"
45/64	0.7031	DB0245	6"
23/32	0.7188	DB0246	6"
47/64	0.7344	DB0247	6"
3/4	0.7500	DB0248	6"
49/64	0.7656	DB0249	6"
25/32	0.7812	DB0250	6"
51/64	0.7969	DB0251	6"
13/16	0.8125	DB0252	6"
53/64	0.8281	DB0253	6"
27/32	0.8438	DB0254	6"
55/64	0.8594	DB0255	6"
7/8	0.8750	DB0256	6"
57/64	0.8906	DB0257	6"
29/32	0.9062	DB0258	6"
59/64	0.9219	DB0259	6"
15/16	0.9375	DB0260	6"
61/64	0.9531	DB0261	6"
31/32	0.9688	DB0262	6"
63/64	0.9844	DB0263	6"
1	1.0000	DB0264	6"
1-1/16"	1.0625	DB0268	6"
1-1/8"	1.1250	DB0264	6"
1-1/4"	1.2500	DB0274	6"

Black Gold 135° Split Point

• Letter Size Bits

- Premium Grade HSS Steel
- Jobber Length
- Heavy Duty Core guarantees increased strength and reduced breakage



Size	Decimal Equivalent	Part #	LOA
A	0.2340	DB0601	3-7/8
B	0.2380	DB0602	4
C	0.2420	DB0603	4
D	0.2460	DB0604	4
E	0.2500	DB0605	4
F	0.2570	DB0606	4-1/8
G	0.2610	DB0607	4-1/8
H	0.2660	DB0608	4-1/8
I	0.2720	DB0609	4-1/8
J	0.2770	DB0610	4-1/8
K	0.2810	DB0611	4-1/4
L	0.2900	DB0612	4-1/4
M	0.2950	DB0613	4-3/8
N	0.3020	DB0614	4-3/8
O	0.3160	DB0615	4-1/2
P	0.3230	DB0616	4-5/8
Q	0.3320	DB0617	4-3/4
R	0.3390	DB0618	4-3/4
S	0.3480	DB0619	4-7/8
T	0.3580	DB0620	4-7/8
U	0.3680	DB0621	5
V	0.3770	DB0622	5
W	0.3860	DB0623	5-1/8
X	0.3970	DB0624	5-1/8
Y	0.4040	DB0625	5-1/4
Z	0.4130	DB0626	5-1/4

Black Gold 135° Split Point

- HSS Steel



Size	Decimal	Part #	LOA
60	0.0400	DB0160	1-5/8
59	0.0410	DB0159	1-5/8
58	0.0420	DB0158	1-5/8
57	0.0430	DB0157	1-3/4
56	0.0465	DB0156	1-3/4
55	0.0520	DB0155	1-7/8
54	0.0550	DB0154	1-7/8
53	0.0595	DB0153	1-7/8
52	0.0635	DB0152	1-7/8
51	0.0670	DB0151	2
50	0.0700	DB0150	2
49	0.0730	DB0149	2
48	0.0760	DB0148	2
47	0.0785	DB0147	2
46	0.0810	DB0146	2-1/8
45	0.0820	DB0145	2-1/8
44	0.0860	DB0144	2-1/8
43	0.0890	DB0143	2-1/4
42	0.0935	DB0142	2-1/4
41	0.0960	DB0141	2-3/8
40	0.0980	DB0140	2-3/8
39	0.0995	DB0139	2-3/8
38	0.1015	DB0138	2-1/2
37	0.1040	DB0137	2-1/2
36	0.1065	DB0136	2-1/2
35	0.1100	DB0135	2-5/8
34	0.1110	DB0134	2-5/8
33	0.1130	DB0133	2-5/8
32	0.1160	DB0132	2-3/4
31	0.1200	DB0131	2-3/4
30	0.1285	DB0130	2-3/4
29	0.1360	DB0129	2-7/8
28	0.1405	DB0128	2-7/8
27	0.1440	DB0127	3
26	0.1470	DB0126	3
25	0.1495	DB0125	3
24	0.1520	DB0124	3-1/8
23	0.1540	DB0123	3-1/8
22	0.1570	DB0122	3-1/8
21	0.1590	DB0121	3-1/4
20	0.1610	DB0120	3-1/4
19	0.1660	DB0119	3-1/4
18	0.1695	DB0118	3-1/4
17	0.1730	DB0117	3-3/8
16	0.1770	DB0116	3-3/8
15	0.1800	DB0115	3-3/8
14	0.1820	DB0114	3-3/8
13	0.1850	DB0113	3-1/2
12	0.1890	DB0112	3-1/2
11	0.1910	DB0111	3-1/2
10	0.1935	DB0110	3-5/8
9	0.1960	DB0109	3-5/8
8	0.1990	DB0108	3-5/8
7	0.2010	DB0107	3-5/8
6	0.2040	DB0106	3-3/4
5	0.2055	DB0105	3-3/4
4	0.2090	DB0104	3-3/4
3	0.2130	DB0103	3-3/4
2	0.2210	DB0102	3-7/8
1	0.2280	DB0101	3-7/8

Cutting Tools

Cobalt Drills 135 split point

•M42 HSS



Size	Decimal Equivalent	Part #	LOA
1/16"	0.0625	ZX6504	1-7/8
5/64"	0.0781	ZX6505	2
3/32"	0.0938	ZX6506	2-1/4
7/64"	0.1094	ZX6507	2-5/8
1/8"	0.1250	ZX6508	2-3/4
9/64"	0.1406	ZX6509	2-7/8
5/32"	0.1562	ZX6510	3-1/8
11/64"	0.1719	ZX6511	3-1/4
3/16"	0.1875	ZX6512	3-1/2
7/32"	0.2188	ZX6514	3-3/4
1/4"	0.2500	ZX6516	4
9/32"	0.2812	ZX6518	4-1/4
5/16"	0.3125	ZX6520	4-1/2
3/8"	0.3750	ZX6524	5
13/32"	0.4062	ZX6526	5-1/4
7/16"	0.4375	ZX6528	5-1/2
15/32"	0.4688	ZX6530	5-3/4
1/2"	0.5000	ZX6532	6

Counter Sinks

- Center Reamer /Countersink
- 82° High Speed Steel
- (other styles available)



Diameter	Flutes	Shank Diameter	Part #
1/4"	3	1/4"	DC1003
3/8"	3	1/4"	DC1007
1/2"	3	1/4"	DC1012
5/8"	3	3/8"	DC1017
3/4"	3	1/2"	DC1022
1"	3	1/2"	DC1027
1-1/4"	4	1/2"	DC1202

Screw Extractors

Bolt Range	Drill Size	Part #
3/16" - 1/4"	5/64"	DA2800
1/4" - 5/16	7/64"	DA2801
5/16 - 7/16	5/32"	DA2802
7/16 - 9/16	1/4"	DA2803
9/16 - 3/4	19/64"	DA2804
3/16" - 1/4"	5/64"	DA2812
1/4" - 5/16	7/64"	DA2813
5/16 - 7/16	5/32"	DA2814
7/16 - 9/16	1/4"	DA2815

HSS Drill & Tap

- Premium Grade HSS Steel
- Never look for the correct size tapping drill again.
- Tap in 1/5 the time
- Precision Ground for Precise Thread



Size	Part #	Thread Limit
6-32	DF4323	H3
8-32	DF4324	H3
10-32	DF4326	H3
10-24	DF4325	H3
1/4-20	DF4328	H3
1/4-28	DF4329	H3
5/16-18	DF4330	H3
5/16-24	DF4331	H3
3/8-16	DF4332	H3
3/8-24	DF4333	H3
7/16-14	DF4334	H3
7/16-20	DF4335	H3
1/2-13	DF4336	H3
1/2-20	DF4336	H3

Step Drills

- The easy way to drill or enlarge holes in sheet metal or thin material
- Cuts clean burr free holes



Size	Part #	Steps
#1 - 1/8" to 1/2"	DB0750	13
#2 - 3/16" to 1/2"	DB0752	6
#3 - 1/4" to 3/4"	DB0756	9
#4 - 3/16 to 7/8"	DB0758	12
1/4" to 1-1/2"	DB0772	10
3/4" to 1-3/8"	DB0768	11
7/16" to 1-1/8"	DB0760	12


Counter Sinks

- Fluteless Countersink
- 82° High Speed Steel
- For use in Metal, Plastic, or Wood.
- (other types available)



Diameter of Cut	Shank Diameter	Part #
.073 to 15/64	1/4"	DC2010
3/16 to 17/32	1/4"	DC2015
.307 to 1/32	1/4"	DC2016
.431 to 7/8"	1/4"	DC2018
1/2 to 1-15/32	1/4"	DC2019

T-Handle Tap Wrench



Strong & Designed
for Accurate
threading cutting

Size	Part #	Pieces
0 - 1/4"	HT1620	1
1/4" - 1/2"	HT1640	1

Cutting Tools

HSS Spiral Point Taps

- Premium Grade HSS Steel
- Prevents thread damage by forcing chips ahead of the cutting action, reducing chip loading in the flutes
- Precision Ground for Precise Thread



Size	Drill Size	Tapper	Thread Limit
6-32	F	DF0820	H3
8-32	#36	DF0830	H3
10-32	#29	DF0841	H3
10-24	#1	DF0840	H3
1/4-20	#7	DF0850	H3
1/4-28	#36	DF0851	H3
5/16-18	F	DF0855	H3
5/16-24	I	DF0856	H3
3/8-16	5/16	DF0860	H3
3/8-24	Q	DF0861	H3
7/16-14	U	DF0865	H3
7/16-20	1/64	DF0866	H3
1/2-13	27/64	DF0870	H3
1/2-20	29/64	DF0871	H3

HSS Taps

- Premium Grade HSS Steel
- Heavy Duty Construction
- Champion Brand

Straight Flute Hand Tap - Coarse Thread



Size	Drill Size	Tapper	Plug	Bottom	Thread Limit
4-40	#43	DF0046	DF0047	DF0048	H3
6-32	#36	DF0060	DF0061	DF0062	H3
8-32	#29	DF0070	DF0071	DF0072	H3
10-24	#1	DF0080	DF0081	DF0082	H3
1/4-20	#7	DF0090	DF0091	DF0092	H3
5/16-18	F	DF0100	DF0101	DF0102	H3
3/8-16	5/16	DF0110	DF0111	DF0112	H3
7/16-14	U	DF0120	DF0121	DF0122	H3
1/2-13	27/64	DF0130	DF0131	DF0132	H3
9/16-12	31/64	DF0140	DF0141	DF0142	H3
5/8-11	17/32	DF0150	DF0151	DF0152	H3
3/4-10	21/32	DF0160	DF0161	DF0162	H3
7/8-9	49/64	DF0170	DF0171	DF0172	H4
1-8	7/8	DF0180	DF0181	DF0182	H4

Carbon Steel Re-Thread Hex Dies



Size	Part #	Size	Part #
1/4-20	DE1009	1/4-28	DE1010
5/16-18	DE1011	5/16-24	DE1012
3/8-16	DE1013	3/8-24	DE1014
7/16-14	DE1015	7/16-20	DE1016
1/2-13	DE1018	1/2-20	DE1019
9/16-12	DE1021	9/16-18	DE1022
5/8-11	DE1027	5/8-18	DE1028
3/4-10	DE1031	3/4-16	DE1032
7/8-9	DE1038	7/8-14	DE1041
1-8	DE1042	1-14 NF	DE1047
		1-12	DE1046

Straight Flute Hand Tap - Fine Thread



Size	Drill Size	Tapper	Plug	Bottom	Thread Limit
6-40	33	DF0360	DF0361	DF0362	H3
8-36	29	DF0370	DF0371	DF0372	H3
10-32	21	DF0380	DF0381	DF0382	H3
1/4-28	3	DF0390	DF0391	DF0392	H3
5/16-24	I	DF0400	DF0401	DF0402	H3
3/8-24	Q	DF0410	DF0411	DF0412	H3
7/16-20	W	DF0420	DF0421	DF0422	H3
1/2-20	29/64	DF0430	DF0431	DF0432	H3
9/16-18	33/64	DF0440	DF0441	DF0442	H3
5/8-18	37/64	DF0450	DF0451	DF0452	H3
3/4-16	11/16	DF0460	DF0461	DF0462	H3
7/8-14	13/16	DF0470	DF0471	DF0472	H4
1-14	59/64	DF0480	DF0481	DF0482	H4

Cutting Tools

Straight Flute Hand Tap - Metric Taps



Size	Drill Size	Tapper Tap HSS	Plug Tap HSS	Bottom Tap HSS	Thread Limit	Plug Tap Carbon Steel
M4-.7	.1378	DF2214	DF2215	DF2216	H3	DF2011
M5-.8	.1653	DF2220	DF2221	DF2222	H3	DF2021
M6-1.0	.2047	DF2227	DF2228	DF2229	H3	DF2041
M8-1.25	.2716	DF2237	DF2238	DF2239	H3	DF2051
M10-1.5	.3425	DF2248	DF2249	DF2250	H3	DF2061
M12-1.75	.4134	DF2255	DF2256	DF2257	H3	DF2071
M14-2.0	.4823	DF2269	DF2270	DF2271	H3	DF2081
M16-2.0	.5590	DF2280	DF2281	DF2282	H3	DF2091
M18-2.5	.6102	DF2287	DF2288	DF2289	H3	DF2095
M20-2.5	.6889	DF2294	DF2295	DF2296	H3	order
M22-2.5	.7677	DF2301	DF2302	DF2303	H3	order
M24-3.0	.8267	DF2310	DF2311	DF2312	H3	order



Straight Flute Hand Tap - Metric Taps Fine

Size	Drill Size	Tapper Tap HSS	Plug Tap HSS	Bottom Tap HSS	Thread Limit
M8-1.00	.2716	DF2233	DF2234	DF2235	
M10-1.25	.3504	DF2243	DF2244	DF2245	
M12-1.25	.4291	DF2259	DF2260	DF2261	
M14-1.50	.5000	DF2265	DF2266	DF2267	
M16-1.5	.5787	DF2275	DF2276	DF2277	
M18-1.5	.6614	DF2284	DF2285	DF2286	

Metric Die Nuts



Used to repair damaged threads

Size	Carbon Steel
M8-1.25	DE1236
M10 - 1.25	DE1239
M10 - 1.50	DE1240
M12 - 1.50	DE1243
M12 - 1.75	DE1244
M14 - 1.25	DE1246
M14 - 1.50	DE1248
M16 - 1.50	DE1252
M16 - 2.00	DE1254
M18 - 1.50	DE1256
M18 - 2.50	DE1258

Straight Flute Hand Tap - Metric Taps Fine Carbon Steel (low cost)



Size	Drill Size	Plug Tap Carbon Steel
M10-1.25	.3504	DF2060
M12-1.50	.4213	DF2070
M14-1.25	.5039	DF2080
M16-1.5	.5787	DF2090
M18-1.5	.6614	DF2094

Cutting Tools

Hole Saw Arbors

Part # DB2002

- 7/16" Shank
- Use with 9/16" - 1-3/16"



Part # DB2004

- 3/8" Shank
- Use with 1-1/4" & Larger Hole Saws



Part # DB2008

- 7/16" Shank
- Use with 1-1/4" & Larger Hole Saws



Pilot Bit for Hole Saw

• 1/4"

•Part # DB0880

Jig Saw Blades

- Bi-Metal
- 5 Packs (unless noted)



Length	Part #	TPI	Notes
4"	DB2469	10	
3"	DB2470	10	downcut)
3"	DB2471	6	
4"	DB2474	8	(non Ferrous)
3"	DB2476	8	
4"	DB2496	10	

Brute Cutting Fluid

- For use on all metals
- Does not contain Sulfur, Oil or toxic chemicals
- Extend Tool life



Size	Part #	Pkg
118 ml	LA2024	1
473 ml	LA2026	1
3.78 Litres	LA2028	1
56 grams Wax	LA2030	1
481 grams Wax	LA2032	1

Reciprocating Saw Blades

- Bi-Metal



TPI	Size	Part #	Pkg.
6	6 x .050	DB2212	5
8	9 x .062	DB2215	5
6	12" x .050	DB2217	5
8-11	9 x .050	DB2219	5
6	9 x .050	DB2225	5
10-14	12" x .050	DB2227	5
10-14	6" x .035	DB2229	5
10-14	9" x .035	DB2230	5
8-11	9" x .035	DB2231	5
Carbide Grit	6" x .035	DB2241	5
	9" x .035	DB2244	5

Hole Saws

- Heavy Duty Bi-Metal
- 1-9/16" cutting depth
- Variable Tooth Spacing



Size	Bi-Metal	Carbide tipped
3/4	DB2012	DB2112
13/16"	DB2013	DB2113
7/8	DB2015	DB2115
15/16"	DB2016	DB2116
1"	DB2017	DB2117
1-1/16"	DB2018	DB2118
1-1/8"	DB2019	DB2119
1-3/16"	DB2021	DB2121
1-1/4"	DB2023	DB2123
1-5/16"	DB2025	DB2125
1-3/8"	DB2027	DB2127
1-7/16"	DB2029	DB2129
1-1/2"	DB2031	DB2131
1-5/8"	DB2033	DB2133
1-11/16"	DB2034	
1-3/4"	DB2035	DB2135
1-13/16"	DB2036	DB2136
1-7/8"	DB2037	DB2137
2"	DB2039	DB2139
2-1/16"	DB2040	
2-1/8"	DB2041	DB2141
2-1/4"	DB2043	DB2143
2-3/8"	DB2045	DB2145
2-1/2"	DB2047	DB2147
2-9/16"	DB2048	DB2148
2-5/8"	DB2049	DB2149
2-3/4"	DB2051	DB2151
2-7/8"	DB2053	DB2153
3"	DB2055	DB2155
3-1/8"	DB2057	DB2157
3-1/4"	DB2059	DB2159
3-3/8"	DB2060	DB2160
3-1/2"	DB2062	DB2162
3-5/8"	DB2064	DB2164
3-3/4"	DB2066	DB2166
3-7/8"	DB2067	DB2167
4	DB2068	DB2168
4-1/2"	DB2072	DB2172
5"	DB2076	DB2176
5-1/2"	DB2080	DB2180
6"	DB2084	DB2184

Annular Cutters

Annular Cutters - XL Series Brute

• High Speed Steel Cutters -

- 1", 2", 3" cutting depths available



Size	XL100 1"	XL200 2"	Pkg
9/16"	DK1002	DK1402	1
5/8"	DK1003	DK1403	1
11/16"	DK1005	DK1405	1
3/4"	DK1007	DK1407	1
13/16"	DK1009	DK1409	1
7/8"	DK1010	DK1410	1
15/16"	DK1011	DK1411	1
1"	DK1012	DK1412	1
1-1/16"	DK1013	DK1413	1
1-1/8"	DK1014	DK1414	1
1-3/16"	DK1015	DK1415	1
1-1/4"	DK1016	DK1416	1
1-5/16"	DK1017	DK1417	1
1-3/8"	DK1018	DK1418	1
1-7/16"	DK1019	DK1419	1
1-1/2"	DK1020	DK1420	1
1-9/16"	DK1021	DK1421	1
1-5/8"	DK1022	DK1422	1
1-11/16"	DK1023	DK1423	1
1-3/4"	DK1024	DK1424	1
1-13/16"	DK1025	DK1425	1
1-7/8"	DK1027	DK1427	1
1-15/16"	DK1028	DK1428	1
2"	DK1029	DK1429	1
2-1/16"	DK1030	DK1430	1
2-1/8"	DK1031	DK1431	1
2-3/16"	DK1032	DK1432	1



Pilot Pins for carbide tipped

- Pilots for Roto-Brute Carbide Cutter

Size	Part #
1-3/8 x 5/16" for CT150 Cutters	DK3021
1-3/8 x 5/16" for CT150 -9/16 & 5/8 Cutters	DK3020
2" x 5/16" for CT200 Cutters	DK3031
2" x 5/16" for CT200 9/16" & 5/8" Cutters	DK3030

Pilot Pins for High Speed Steel

- Pilots for XL Series Cutters

Size	Part #
XL100P 1/4" for XL100 Cutters	DK3061
XL100P Pilot pin for 7/16" cutters	DK3060
XL200P 1/4" for XL200 Cutters	DK3071
XL200P Pilot pin for 7/16" cutters	DK3070
XL300P 1/4" for XL300 Cutters	DK3080

Annular Cutters Roto-Brute

- **Carbide Tipped** Cutters - many diameters are stock items in 1-3/8" cutting depth":
- 2", 3" & 4" depths available
- Carbide cutters are more cost effective than HSS & Cobalt
- Independent Test: 256% over HSS, ask about details- over 1000 -1" holes in 1-1/4" Construction Steel per cutter




Size	CT150 1-3/8"	CT200 2"	Pkg
9/16"	DK2000	DK2017	1
5/8"	DK2001	DK2018	1
11/16"	DK2002	DK2019	1
3/4"	DK2003	DK2020	1
13/16"	DK2004	DK2021	1
7/8"	DK2005	DK2022	1
15/16"	DK2006	DK2023	1
1"	DK2007	DK2024	1
1-1/16"	DK2008	DK2025	1
1-1/8"	DK2009	DK2026	1
1-3/16"	DK2010	DK2027	1
1-1/4"	DK2011	DK2028	1
1-5/16"	DK2012	DK2029	1
1-3/8"	DK2013	DK2030	1
1-7/16"	DK2014	DK2031	1
1-1/2"	DK2015	DK2032	1
1-9/16"	DK2016	DK2033	1
1-5/8"	N/A	DK2034	1
1-11/16"	N/A	DK2035	1
1-3/4"	N/A	DK2036	1
1-13/16"	N/A	DK2037	1
1-7/8"	N/A	DK2038	1
1-15/16"	N/A	DK2039	1
2"	N/A	DK2040	1

Cutting Tools

Carbide Hole Cutters CT3

- Perfect for Battery Powered
- Ejector spring
- Safety collar stop
- Fast clean cuts every time
- Up to 150 holes with each cutter in stainless steel.




A five piece Set in Metal case available, 5/8, 3/4, 7/8, 1, 1-1/8

Size	Part #
5/8"	DB1711
11/16"	DB1712
3/4"	DB1713
13/16"	DB1714
7/8"	DB1715
15/16"	DB1716
1"	DB1717
1-1/16"	DB1718
1-1/8"	DB1719
1-3/16"	DB1720
1-1/4"	DB1721

Carbide Hole Cutters CT5

- One Piece Construction
- Perfect clean holes
- Ejector spring
- Safety collar stop
- For cutting steel plate, iron, aluminum, copper, cast Iron, stainless steel, FRP (Fiberglass) and Plastics up to 3/16" thick



Spin Slow - Cut Fast
(read speed chart)

Carbide Tipped Hole Cutters

- The perfect, portable tool for the Professional electrician, plumber, mechanic. and general contractor. An Extremely productive tool that outperforms bi-metal by a factor of 25:1


Pilot Bit for Carbide Cutter

- CT3-DK3000
- CT5-DK3005
- CT5 Carbide DK3008
- CT7-DK3010
- CT7 Carbide DK3013

Speed Recommendations

Size	Steel (rpm)	Stainless (rpm)
9/16" to 13/16	700-1000	300-700
7/8" to 1-13/16	500-800	200-450
1-1/4 - 1-9/16	300-600	175-315
1-5/8 - 2	200-500	120-225
2-1/16 - 2-3/8	200-400	95-195
2-7/16 - 3	150-300	80-150
3-1/16 - 6	100-200	60-120

Carbide Hole Cutters CT7



- Cut up to 1" thick Steel
- Ejector spring
- Safety collar stop
- Fast clean cuts every time
- CT7 features two sets of three cutting blades with different geometries for reduced vibration and smooth cutting

Size	Part #	Size	Part #
5/8"	DB1811	1-3/8"	DB1823
11/16"	DB1812	1-1/2"	DB1825
3/4"	DB1813	1-5/8"	DB1827
13/16"	DB1814	1-3/4"	DB1829
7/8"	DB1815	2"	DB1833
15/16"	DB1816	2-1/4"	DB1837
1"	DB1817	2-1/2"	DB1841
1-1/16"	DB1818	2-3/4"	DB1844
1-1/8"	DB1819	3"	DB1848
1-3/16"	DB1820	3-1/4"	DB1852
1-1/4"	DB1821	3-1/2"	DB1856
1-5/16"	DB1822	4"	DB1864

Size	Part #	Size	Part #
9/16"	DB1908	2-1/4"	DB1936
5/8"	DB1909	2-3/8"	DB1938
11/16"	DB1910	2-7/16"	DB1939
3/4"	DB1911	2-1/2"	DB1940
13/16"	DB1912	2-5/8"	DB1942
7/8"	DB1913	2-11/16"	DB1943
15/16"	DB1914	2-3/4"	DB1944
1"	DB1915	2-13/16"	DB1945
1-1/16"	DB1916	2-7/8"	DB1946
1-1/8"	DB1917	2-15/16"	DB1947
1-3/16"	DB1918	3"	DB1948
1-1/4"	DB1920	3-1/8"	DB1950
1-5/16"	DB1921	3-1/4"	DB1952
1-3/8"	DB1922	3-3/8"	DB1954
1-7/16"	DB1923	3-1/2"	DB1956
1-1/2"	DB1924	3-5/8"	DB1958
1-9/16"	DB1925	3-3/4"	DB1960
1-5/8"	DB1926	3-7/8"	DB1962
1-11/16"	DB1927	4"	DB1964
1-3/4"	DB1928	4-1/8"	DB1966
1-7/8"	DB1930	4-1/4"	DB1968
1-15/16"	DB1931	4-3/8"	DB1970
2"	DB1932	4-1/2"	DB1972
2-1/8"	DB1934	4-3/4"	DB1976
2-3/16"	DB1935	5"	DB1980

Cutting Tools

Solid Carbide Burs, Double Cut, 1/4" Shank

- TIN Coated
- Produces Smooth finish for general purpose applications
- Faster penetration and stock removal with minimal bounce or chatter

SA Series (cylinder)



Diameter	Length	Style	Part #
1/4"	5/8"	SA-1	DH1001
3/8"	3/4"	SA-3	DH1003
1/2"	1"	SA-5	DH1005
3/4"	1"	SA-7	DH1007

SB Series (cylinder with End cut)



Diameter	Length	Style	Part #
1/4"	5/8"	SB-1	DH1101
3/8"	3/4"	SB-3	DH1103
1/2"	1"	SB-5	DH1105
3/4"	1"	SB-7	DH1107

SC Series (cylinder with Radius, Ball)



Diameter	Length	Style	Part #
1/4"	5/8"	SC-1	DH1201
3/8"	3/4"	SC-3	DH1203
1/2"	1"	SC-5	DH1205
5/8"	1"	SC-6	DH1206

SD Series (Ball)



Diameter	Length	Style	Part #
1/4"	1/4"	SD-1	DH1301
3/8"	3/8"	SD-3	DH1303
1/2"	1/2"	SD-5	DH1305

SE Series (Oval)



Diameter	Length	Style	Part #
1/4"	3/8"	SE-1	DH1401
3/8"	5/8"	SE-3	DH1403
1/2"	7/8"	SE-5	DH1405
3/4"	1"	SE-6	DH1406

SF Series (Tree with radius)



Diameter	Length	Style	Part #
1/4"	5/8"	SF-1	DH1501
3/8"	3/4"	SF-3	DH1503
1/2"	1"	SF-5	DH1505
3/4"	1"	SF-7	DH1507

SG Series (Tree)



Diameter	Length	Style	Part #
1/4"	5/8"	SG-1	DH1601
3/8"	3/4"	SG-3	DH1603
1/2"	1"	SG-5	DH1605

SH Series (Flame)



Diameter	Length	Style	Part #
1/4"	5/8"	SH-1	DH1701
1/2"	1"	SH-5	DH1705

SJ Series (60° Cone)



Diameter	Length	Style	Part #
1/4"	3/16"	SJ-1	DH1801
3/8"	1/4"	SJ-3	DH1803
1/2"	7/16"	SJ-5	DH1805

SK Series (90° Cone)



Diameter	Length	Style	Part #
1/4"	1/8"	SK-1	DH1901
3/8"	3/16"	SK-3	DH1903
1/2"	1/4"	SK-5	DH1905

SL Series (14° Taper)



Diameter	Length	Style	Part #
1/4"	5/8"	SL-1	DH2001
3/8"	1-1/16"	SL-3	DH2003
1/2"	1-1/8"	SL-4	DH2004
5/8"	1-3/16"	SL-5	DH2005

Double Cut Kits

Part# ZY2518

The most popular bur sizes SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4 (BK8P)



Double Cut Kits

Part# ZY2519

The most popular Automotive bur sizes SD3, SD1, SC1, SC3, SA3, SA5, SF3, SF5 (BK8P-RE)



Non-Ferrous Kit

Part# ZY2517

The popular Automotive bur sizes SA5NF, SC3NF, SC5NF, SD5NF, SF3NF (BK5PT-NF)



Non Ferrous burrs are used on soft material, aluminum, plastic, Brass, Hard rubber, and more.

Burrs manufactured in the USA

Thread Repair

Perfect solution in virtually any material.....Aluminum, Magnesium, cast iron, Cold rolled Steel, Plastic.

Also a solution to increase the thread pullout strength in aluminum with out increasing fastener size, and reduces galvanic corrosion

THREAD REPAIR PRODUCTS Metric Thread

Diameter	Drill	Tap	Part #
M5	H	M8-1.25	IT5005
M6	S	M10-1.25	IT5006
M8	27/64	M12-1.25	IT5008
M10	1/2"	M14-1.5	IT5010
M12	37/64"	M16-1.5	IT5012
M14	47/64"	M20-1.5	IT5014
M16	51/64	M22-1.5	IT5016
M18	57/64	M24-1.5	IT5018
M20	28 mm	M30-2.0	IT5020

GripRite Re-Thread Inserts

- Positive Mechanical lock against rotation
- Impossible to Cross Thread
- No Tang to break off
- One Length per size provides maximum pull out strength
- Fails a Grade 8 Cap Screw
- Simple to Use
- No Pre Wind Tool required
- Installs with Standard Taps and Drills



THREAD REPAIR PRODUCTS Coarse Thread S.A.E.

Diameter	Drill	Tap	Part #
8-32	#29	1/4-28	IT0232
10-24	I	5/16-18	IT0424
1/4-20	Q	3/8-16	IT0620
5/16-18	X	7/16-14	IT0718
3/8-16	29/64	1/2-13	IT0816
7/16-14	33/64	9/16-12	IT0914
1/2-13	37/64	5/8-11	IT1013
9/16-12	45/64	3/4-16	IT1112
5/8-11	53/64	7/8-14	IT1211
3/4-10	1-1/16	1-1/8-12	IT1410
7/8-9	1-3/16	1-1/4-12	IT1609
1-8	1-5/16	1-3/8-12	IT1808

THREAD REPAIR PRODUCTS Fine Thread S.A.E.

Diameter	Drill	Tap	Part #
10-32	I	5/16-18	IT0432
1/4"-28	Q	3/8-16	IT0628
5/16"-24	X	7/16-14	IT0724
3/8"-24	29/64	1/2-13	IT0824
7/16"-20	33/64	9/16-12	IT0920
1/2"-20	37/64	5/8-11	IT1020
9/16"-18	45/64	3/4-16	IT1118
5/8"-18	53/64	7/8-14	IT1218
3/4"-16	1-1/16	1-1/8-12	IT1416
1"-14	1-5/16	1-3/8-12	IT1812

This Kit includes the following Q - I - X - H - S - drills.

The Drills are Professional Quality HSS.

This kit includes a Metal Tray DS21

Taps not included



Part Number KT1020

Diameter	Item	Quantity	Part #
10-32	insert	2	IT0432
1/4-28	insert	2	IT0628
5/16-24	insert	2	IT0724
3/8-24	insert	2	IT0824
7/16-20	insert	2	IT0920
1/2-20	insert	2	IT1020
5/8-18	insert	1	IT1218
10-24	insert	2	IT0424
1/4-20	insert	2	IT0620
5/16-18	insert	2	IT0718
3/8-16	insert	2	IT0816
7/16-14	insert	2	IT0914
1/2-13	insert	2	IT1013
5/8-11	insert	2	IT1211
M5-.8	insert	2	IT5005
M6-1.0	insert	2	IT5006
M8-1.25	insert	2	IT5008
M10-1.50	insert	2	IT5010
M12-1.50	insert	2	IT5012
Q	Drill	1	DB0617
I	Drill	1	DB0609
X	Drill	1	DB0624
H	Drill	1	DB0608
S	Drill	1	DB0619

Rivets & Inserts

GripRite Rivet - Dome Head

- Aluminum Rivet -Steel Mandrel
- Exceptional Shear Strength
- Swells to fill oversize hole



Diameter	Grip Range	Part #	Pkg
1/8"	.031 - .187	GQ0120	100
1/8"	.125 - .312	GQ0125	100
1/8"	.187 - .375	GQ0130	100
5/32	.046 - .250	GQ0220	100
5/32	.156 - .375	GQ0225	100
5/32	.250 - .500	GQ0230	100
3/16"	.062 - .250	GQ0320	50
3/16"	.125 - .375	GQ0325	50
3/16"	.187 - .437	GQ0330	50
3/16"	.250 - .500	GQ0335	50
3/16"	.500 - .781	GQ0340	50

T-Rivet - Dome Head

- Aluminum Body -Steel Mandrel
- High Clamp up
- Hardened Lock in Place Mandrel



Diameter	Grip Range	Part #	Pkg
3/16"	.010 - .250	GM0340	1
1/4"	.010 - .188	GM0430	1
1/4"	.188 - .250	GM0435	1
1/4"	.438 - .519	GM0440	1
1/4"	.520 - .620	GM0445	1

GripRite Rivet - Countersunk Head

- Aluminum Rivet -Steel Mandrel
- Exceptional Shear Strength
- Swells to fill oversize hole



Diameter	Grip Range	Part #	Pkg
1/8"	.096 - .250	GP2306	100
1/8"	.155 - .312	GP2308	100
1/8"	.187 - .375	GP2310	100
3/16"	.125 - .375	GP2325	100
3/16"	.187 - .437	GP2330	100
3/16"	.250 - .500	GP2335	100

Note
You may order
any quantity of
Rivets

GripRite Rivet - Brazier Head

- Aluminum Rivet -Steel Mandrel
- Exceptional Shear Strength
- Swells to fill over size hole



Diameter	Grip Range	Part #	Pkg
3/16"	.062 - .250	GR0215	1
3/16"	.250 - .500	GR0216	1

GripRite Rivet - Large Flange

- Aluminum Rivet -Steel Mandrel
- Exceptional Shear Strength
- Swells to fill oversize hole



Diameter	Grip Range	Part #	Pkg
1/8"	.031 - .187	GR0120	100
1/8"	.125 - .312	GR0125	100
3/16"	.062 - .250	GR0320	1
3/16"	.250 - .500	GR0335	1
3/16"	.500 - .781	GR0340	1

Back Up Washers

- Used with thin or brittle material

Diameter	Material	Part #	Pkg
1/8"	Aluminum	GX0301	100
1/8"	Steel	GX0501	100
1/8"	Stainless	GX0302	100
3/16"	Aluminum	GX0401	100
3/16"	Steel	GX0502	100
3/16"	Stainless	GX0402	100

GripRite Rivet - Large Head

Stainless Steel Mandrel

- Aluminum Rivet -18-8 S/S Mandrel
- Exceptional Shear Strength
- Swells to fill over size hole



Diameter	Grip Range	Part #	Pkg
3/16"	.187 - .437	GQ1330	1
3/16"	.250 - .500	GQ1335	1

Rivets & Inserts

Griplock Rivet

- Large Blind Side Foot Print
- Internal locking Mandrel
- Solid material in shear plane



Diameter	Grip Range	Part #	Pkg
All Steel 3820 lbs Shear 2090 lbs Tensile			
1/4"	.110 - .189	GC0413	1
1/4"	.189 - .268	GC0415	1
1/4"	.268 - .346	GC0417	1
1/4"	.346 - .425	GC0419	1
1/4"	.425 - 504	GC0421	1
All Aluminum 1500 lbs Shear 700 lbs Tensile			
1/4"	.110 - .189	GC1413	1
1/4"	.189 - .268	GC1415	1
1/4"	.268 - .346	GC1417	1
1/4"	.346 - .425	GC1419	1
1/4"	.425 - 504	GC1421	1

Drive Rivet - Large Flange

- Steel
- Street Sign Rivet
- Plated



Diameter	Grip Range	Part #	Pkg
3/8"	.205 - .330	GW0850	1

PermaBolt (Button Head) Steel

- Uniform Installed values
- Grade 2 Permanent Fastener



Diameter	Grip Range	Part #	Pkg
1/4"	.062 - .625	GD0524	1
1/4"	.312 - 1.250	GD0525	1

RivBolt -


- Exceptional Shear Strength



Diameter	Grip Range	Aluminum	Stainless Steel	Steel	Pkg
3/16"	.064 - .270	GB1420	GB0420	GB0320	1
3/16"	.064 - .437	GB1425	GB0425	GB0325	1
1/4"	.080 - .375	GB1430	GB0430	GB0330	1
1/4"	.080 - .625	GB1435	GB0435	GB0335	1

PermaBolt (Mushroom) Steel

- Uniform Installed values
- Grade 2 Permanent Fastener



Diameter	Grip Range	Part #	Pkg
1/4"	.062 - .625	GD0727	1

PermaBolt Collars (Steel)



Size	Material	Part #	B
3/16"	Steel	GD1440	0.375
3/16"	Steel	GD1441	0.510
3/16"	Steel	GD1442	0.665
1/4"	Steel	GD1450	0.500
1/4"	Steel	GD1451	0.700
1/4"	Steel	GD1452	0.885
3/16"	Aluminum	GD1430	0.372
3/16"	Aluminum	GD1432	0.700
1/4"	Aluminum	GD1434	0.500

PermaBolt (Truss Head) Stainless Steel


- Used in Grilles & other Decorative locations
- Polished Stainless Steel



Diameter	Grip Range	Part #	Pkg
3/16"	.125 - .250	GD1002	1
3/16"	.250 - .375	GD1003	1
3/16"	.375 - .500	GD1004	1
3/16"	.500 - .625	GD1006	1
3/16"	.687 - .812	GD1008	1

PermaBolt (Truss Head) Steel

- Uniform installed values
- Grade 2 Permanent Fastener



Diameter	Grip Range	Part #	Pkg
3/16"	.062 - .625	GD0418	1
3/16"	.312 - 1.250	GD0419	1
1/4"	.062 - .625	GD0427	1
1/4"	.312 - 1.250	GD0429	1

Rivets & Inserts

Stainless Rivet - Dome Head

- S/S Rivet -S/S Mandrel
- High Shear Strength
- 18-8 (304)



Diameter	Grip Range	Part #	Pkg
1/8"	.062 - .125	GS0101	100
1/8"	.062 - .187	GS0102	100
1/8"	.126 - .250	GS0103	100
1/8"	.188 - .312	GS0104	100
1/8"	.251 - .375	GS0106	100
1/8"	.376 - .500	GS0108	100
5/32	.062 - .250	GS0111	50
5/32	.188 - .250	GS0113	50
5/32	.251 - .375	GS0117	50
3/16"	.062 - .187	GS0124	25
3/16"	.126 - .250	GS0128	25
3/16"	.251 - .375	GS0133	25
3/16"	.376 - .500	GS0138	25

Rivet - Closed End

- Aluminum Rivet -Steel Mandrel
- Sealing & Water Proof if installed in new drilled hole
- Moderate Strength



Diameter	Grip Range	Part #	Pkg
1/8"	.062 - .125	GG0110	100
3/16"	.126 - .250	GG0135	100
3/16"	.251 - .375	GG0140	100
3/16"	.376 - .500	GG0145	100
1/4"	.126 - .250	GG0160	25
1/4"	.251 - .375	GG0165	25
1/4"	.376 - .500	GG0170	25

Rivet - Dome Head

- Aluminum Rivet -Aluminum Mandrel
- Low cost
- Low Strength



Diameter	Grip Range	Part #	Pkg
1/8"	.062 - .125	GJ0120	100
1/8"	.126 - .250	GJ0125	100
1/8"	.251 - .375	GJ0130	100
5/32	.062 - .125	GJ0220	100
5/32	.251 - .375	GJ0230	100
3/16"	.126 - .250	GJ0325	100
3/16"	.251 - .375	GJ0330	100
3/16"	.376 - .500	GJ0335	100
3/16"	.501 - .625	GJ0340	25
3/16"	.626 - .750	GJ0345	25
3/16"	.751 - .875	GJ0350	25
3/16"	.876 - 1.00	GJ0355	25

Rivet - Large Flange

- Aluminum Rivet -Aluminum Mandrel
- Low cost
- Low Strength



Diameter	Grip Range	Part #	Pkg
3/16"	.251 - .375	GK0330	25
3/16"	.376 - .500	GK0335	25
3/16"	.501 - .625	GK0340	25
3/16"	.626 - .750	GK0345	25
3/16"	.751 - .875	GK0350	25
3/16"	.876 - 1.00	GK0355	25

Stainless GripRite Countersunk



Diameter	Grip Range	Part #	Pkg
3/16"	.137 - .236	GS2130	1
3/16"	.236 - .334	GS2135	1

Stainless GripRite Dome Head



- 100% Stainless Steel
- High Clamp Up High Shear
- Finished look on both sides
- A High Performing Rivet used in demanding applications "racing, high commercial use products, marine environment."

Diameter	Grip Range	Part #	Pkg
1/8"	.039 - .118	GS2010	25
1/8"	.118 - .196	GS2012	25
1/8"	.196 - .275	GS2014	25
3/16"	.059 - .137	GS2025	25
3/16"	.137 - .236	GS2030	25
3/16"	.236 - .334	GS2035	25

TriFold -

- Ideal for low strength material such as aluminum, fiberglass & Plastic



Diameter	Grip Range	Part #	Pkg
3/16"	.040 - .157	GO0319	25
3/16"	.040 - .354	GO0325	25
3/16"	.157 - .422	GO0330	25
3/16"	.500 - .750	GO0345	25

TriFold - Oly

- Water tight sealant, suitable for oversize holes
- Ideal for low strength material such as aluminum, fiberglass & Plastic



Diameter	Grip Range	Part #	Pkg
3/16" aluminum	.050 - .500	GL0335	1
1/4" aluminum	.050 - .500	GL0355	1
1/4" steel	.050 - .500	GL0360	1

Rivets & Inserts

GripRite Insert

- Large Flange
- Yellow Zinc Plated
- Use to quickly install machine thread in thin material
- Installed in a blind hole (do not need access to the back side)



Rivet - Solid Aluminum


- Brazier Head



Diameter	Length	Part #	Pkg
3/16"	3/8"	GV0705	1
3/16"	1/2"	GV0710	1
3/16"	3/4"	GV0715	1

GripRite Insert

- Aluminum
- Use to quickly install machine thread in material of thickness over .030 min
- Installed in a blind hole (do not need access to the back side)



Metric

Thread	Grip Range	Part #	Drill
M4	.5 - 2.0 mm	BF1002	17/64
M5	.5 - 3.3 mm	BF1012	17/64
M6	.7 - 4.2 mm	BF1022	25/64
M8	.7 - 4.2 mm	BF1032	17/32
M10	.7 - 4.2 mm	BF1042	17/32
M12	1.6-4.2 mm	BF1040	11/16

GripRite Insert

- 304 Stainless Steel
- Use to quickly install strong machine thread in thin material
- Installed in a blind hole (do not need access to the back side)



Thread	Grip Range	Part #	Drill
10-24	.020 - .130	BC0640	19/64
1/4-20	.027 - .165	BC0650	25/64
5/16-18	.027 - .150	BC0660	17/32
3/8-16	.027 - .150	BC0670	17/32

GripRite Insert

- Small Flange
- Yellow Zinc Plated



Thread	Grip Range	Part #	Drill
1/4-20	.027 - .165	BE1050	25/64

GripRite Insert

- Large Flange
- Aluminum



Thread	Grip Range	Part #	Pkg
1/4-20	.027 - .200	BE1550	1
5/16-18	.035 - .230	BE1560	1

Hand Tools

GripRite Insert Hand Tool

Part # HT0208 (imperial)

Part # HT0209 (metric)

- PTN210 A high quality hand tool, designed to insert Nuts up to 1/2"
- Tool includes 5 mandrels sizes 10-32, 10-24, 1/4-20, 5/16-18, 3/8-16
- Metric includes 6, 8, 10, 12 mm



Medium Duty Tool ML100

- A Quality tool for the professional



Part # HT0724 (imperial) ML100

3/32, 1/8" - 5/32" - 3/16" Rivets
6-32, 8-32, 10-24, 1/4"-20, 5/16-18 Riv-Nuts

Part # HT0725 (metric) ML100

3/32, 1/8" - 5/32" - 3/16" Rivets
M3, M4, M5, M6 M8 Riv-Nuts

GripRite Rivet Assortment

- 974 Piece Kit
- Kit includes a quantity of GripRite rivets from 1/8" to 3/16 in button head and large flange, a sample of an all Stainless Steel high shear GripRite rivet.
- This assortment ships in a steel tray. For complete kit Information click ?

Part # KD1621



Max Duty Flex Tool



- A Quality tool for the professional
- This tool is available in three choices
- Rivet only, Riv-nuts only or both
- Strathcon stocks only the Duo, the other types can be ordered.

The Max Duo imperial will insert 1/8" - 1/4" Rivets & also insert 8-32, 10-24, 1/4"-20, 5/16-18, 3/8"-16 & 1/2"-13
Part number - **HT0734** Imperial kit

The Max Duo Metric will insert 1/8" - 1/4" Rivets & also insert M4, M5, M6, M8, M10 & M12

Part number - **HT0735** Metric kit

Bulletin

Strathcon Industries Stocks the largest selection of Rivets (175 different sku's) on Vancouver Island

250 338 4266

GripRite Insert Assortment

- 172 Piece Kit
- Kit includes 20 6-32, 40 8-32, 1 10-24, 1 1/4-20, 2 1/4-20 S/S, and 10 each of infinite thickness inserts 6-32, 8-32, 10-24, 1/4-20

Part # KQ1655



Riv-Nut Insert & Rivet Hand Tool

Installs both rivets & Rivet nuts

Part # HT0704 (imperial)

3/32, 1/8" - 5/32" - 3/16" Rivets
6-32, 8-32, 10-24, 1/4"-20 Riv-Nuts

Part # HT0705 (metric)

3/32, 1/8" - 5/32" - 3/16" Rivets
M3, M4, M5, M6 Riv-Nuts



Swivel Head Tool

A Quality tool for the professional Duo indicates tool will pull both rivets and riv-nuts

Part # HT0780 Rivets Only S306

3/32, 1/8" - 5/32" - 3/16" Rivets

Part # HT0781 (imperial) SH360 Duo

3/32, 1/8" - 5/32" - 3/16" Rivets
6-32, 8-32, 10-24, 1/4"-20, Riv-Nuts

Part # HT0782 (metric) SH360 Duo

3/32, 1/8" - 5/32" - 3/16" Rivets
M3, M4, M5, M6 Riv-Nuts

Nuts

Finished Hex Nuts

- Grade 2
- Coarse Thread
- Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	20	OF0605	1
5/16"	18	OF0610	1
3/8"	16	OF0615	1
7/16"	14	OF0620	1
1/2"	13	OF0625	1
9/16"	12	OF0630	1
5/8"	11	OF0635	1
3/4"	10	OF0640	1
7/8"	9	OF0645	1
1"	8	OF0650	1

Finished Hex Nuts

- Grade 2
- Coarse Thread
- Plain Finish



Size	TPI	Part #	Any Qty
1-1/8"	7	OF0655	1
1-1/4"	7	OF0660	1
1-1/2"	6	OF0665	1

Finished Hex Nuts

- Grade 8
- Fine Thread
- Yellow Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	28	OF0905	1
5/16"	24	OF0910	1
3/8"	24	OF0915	1
7/16"	20	OF0920	1
1/2"	20	OF0925	1
9/16"	18	OF0930	1
5/8"	18	OF0935	1
3/4"	16	OF0940	1
7/8"	14	OF0945	1
1"	12	OF0950	(UNF) 1
1"	14	OF0952	(UNS)1
1-1/8"	12	OF0955	1
1-1/4"	12	OF0960	1

Finished Hex Nuts

- Grade 2
- Fine Thread
- Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	28	OF0705	1
5/16"	24	OF0710	1
3/8"	24	OF0715	1
7/16"	20	OF0720	1
1/2"	20	OF0725	1
9/16"	18	OF0730	1
5/8"	18	OF0735	1
3/4"	16	OF0740	1
7/8"	14	OF0745	1
1"	12	OF0750	1
1-1/8"	7	OF0755	1
1-1/4"	7	OF0760	1
1-1/2"	6	OF0765	1

Finished Hex Nuts

- Grade 8
- Coarse Thread
- Yellow Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	20	OF0805	1
5/16"	18	OF0810	1
3/8"	16	OF0815	1
7/16"	14	OF0820	1
1/2"	13	OF0825	1
9/16"	12	OF0830	1
5/8"	11	OF0835	1
3/4"	10	OF0840	1
7/8"	9	OF0845	1
1"	8	OF0850	1
1-1/8"	7	OF0855	1
1-1/4"	7	OF0860	1
1-1/2"	6	OF0865	1

Heavy Hex Nuts

- A194-2H
- Coarse Thread
- Plain Finish



Size	TPI	Part #	Any Qty
1/2"	13	OF1325	1
5/8"	11	OF1335	1
3/4"	10	OF1340	1
7/8"	9	OF1345	1
1"	8	OF1350	1
1-1/8"	7	OF1355	1
1-1/4"	7	OF1360	1
1-1/2"	6	OF1365	1

Galvanized Hex Nuts

- Grade 2
- Coarse Thread



Size	TPI	Part #	Any Qty
1/4"	20	QF0605	1
5/16"	18	QF0610	1
3/8"	16	QF0615	1
7/16"	14	QF0620	1
1/2"	13	QF0625	1
5/8"	11	QF0635	1
3/4"	10	QF0640	1
7/8"	9	QF0645	1
1"	8	QF0650	1
1-1/8"	7	QF0655	1
1-1/4"	7	QF0560	1

Flange Nuts

- Serrated
- Hardened
- Zinc Plated




Size	TPI	Part #	Any Qty
10	24	OF1404	1
1/4"	20	OF1405	1
5/16"	18	OF1410	1
3/8"	16	OF1415	1
1/2"	13	OF1425	1
5/8"	11	OF1435	1
3/4"	10	OF1440	1

Nuts (Continued)

Nylon Lock Nuts

- Grade 8
- Coarse Thread
- Yellow Zinc Plated



Nylon Lock Nut

- Coarse Thread
- Zinc Plated



Nylon Lock Nut

- Fine Thread
- Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	20	OG0805	1
5/16"	18	OG0810	1
3/8"	16	OG0815	1
7/16"	14	OG0820	1
1/2"	13	OG0825	1
9/16"	12	OG0830	1
5/8"	11	OG0835	1
3/4"	10	OG0840	1
7/8"	9	OG0845	1
1"	8	OG0850	1

Jam Nuts

- Fine Thread
- Plain Finish



Size	TPI	Part #	Any Qty
1/4"	28	OF1205	1
5/16"	24	OF1210	1
3/8"	24	OF1215	1
7/16"	20	OF1220	1
1/2"	20	OF1225	1
9/16"	18	OF1230	1
5/8"	18	OF1235	1
3/4"	16	OF1240	1
7/8"	14	OF1245	1
1"	12	OF1250	1
1"-1/4	12	OF1260	1
1"-1/2	12	OF1270	1

Machine Nuts

- Coarse Thread
- Zinc Plated



Size	TPI	Part #	Any Qty
4	40	OF0600	1
6	32	OF0601	1
8	32	OF0602	1
10	24	OF0603	1
10	32	OF0503	1

Size	TPI	Part #	Any Qty
6	32	OG0602	1
8	32	OG0603	1
10	24	OG0604	1
1/4"	20	OG0605	1
5/16"	18	OG0610	1
3/8"	16	OG0615	1
7/16"	14	OG0620	1
1/2"	13	OG0625	1
9/16"	12	OG0630	1
5/8"	11	OG0635	1
3/4"	10	OG0640	1
7/8"	9	OG0645	1
1"	8	OG0650	1
1-1/8"	7	OG0655	1
1-1/4"	7	OG0660	1
1-1/2"	6	OG0670	1

Jam Nuts

- Coarse Thread
- Plain Finish



Size	TPI	Part #	Any Qty
1/4"	20	OF1005	1
5/16"	18	OF1010	1
3/8"	16	OF1015	1
7/16"	14	OF1020	1
1/2"	13	OF1025	1
9/16"	12	OF1030	1
5/8"	11	OF1035	1
3/4"	10	OF1040	1
7/8"	9	OF1045	1
1"	8	OF1050	1
1"-1/4	7	OF1060	1
1"-1/2	6	OF1070	1

Size	TPI	Part #	Any Qty
10	32	OG0704	1
1/4"	28	OG0705	1
5/16"	24	OG0710	1
3/8"	24	OG0715	1
7/16"	20	OG0720	1
1/2"	20	OG0725	1
9/16"	18	OG0730	1
5/8"	18	OG0735	1
3/4"	16	OG0740	1
7/8"	14	OG0745	1
1"	12	OG0750	1
1-1/4"	12	OG0760	1
1-1/2"	12	OG0770	1

Tee Nuts

- Used in Wood
- Plain Finish



Size	Barrel Length	Part #	Any Qty
10-24	5/16"	OF1504	1
1/4"	5/16"	OF1505	1
5/16"	3/8"	OF1510	1
3/8"	7/16"	OF1515	1

Kep Nuts

- Vibration resistant
- Zinc



Size	TPI	Part #	Any Qty
6	32	OF2001	1
8	32	OF2002	1
10	24	OF2003	1
10	32	OF2000	1
1/4"	20	OF2005	1
5/16"	18	OF2010	1
3/8"	16	OF2015	1

Nuts (Continued)**Wing Nuts**

- Cold Forged
- Zinc Plated



Size	TPI	Part #	Any Qty
8	32	OJ1302	1
10	24	OJ1303	1
10	32	OJ1304	1
1/4"	20	OJ1305	1
5/16"	18	OJ1315	1
3/8"	16	OJ1330	1
1/2"	13	OJ1330	1

Coupling Nuts

- Coarse Thread
- Long Length
- Zinc



Size	Length	Part #	Any Qty
1/4"	1-3/4"	OF1105	1
5/16"	1-3/4"	OF1110	1
3/8"	1-3/4"	OF1115	1
7/16"	1-3/4"	OF1120	1
1/2"	1-3/4"	OF1125	1
5/8"	2-1/8"	OF1130	1
3/4"	2-1/4"	OF1140	1
7/8"	2-1/2"	OF1145	1
1"	2-1/2"	OF1150	1

Well Nuts

- Blind Installation
- Vibration Dampening



Size	Size d x l	Part #	Any Qty
6-32	.240 x .554	OF5621	1
8-32	.312 x .438	OF5622	1
10-32	.375 x 1.05	OF5625	1
10-32	.374 x .665	OF5629	1
1/4-20	.500 x .630	OF5631	1
1/4-20	.500 x .829	OF5632	1

Grip Lock (Top)

- Coarse Thread
- Zinc Plated
- Grade "C"
- grade 8 equivalent



Size	TPI	Part #	Any Qty
1/4"	20	OH0805	1
5/16"	18	OH0810	1
3/8"	16	OH0815	1
7/16"	14	OH0810	1
1/2"	13	OH0825	1
9/16"	12	OH0830	1
5/8"	11	OH0835	1
3/4"	10	OH0840	1
7/8"	9	OH0845	1
1"	8	OH0850	1

Grip Lock (Top)

- Fine Thread
- Zinc Plated
- Grade "C"
- grade 8 equivalent



Size	TPI	Part #	Any Qty
1/4"	28	OH0905	1
5/16"	24	OH0910	1
3/8"	24	OH0915	1
7/16"	20	OH0910	1
1/2"	20	OH0925	1
9/16"	18	OH0930	1
5/8"	18	OH0935	1
3/4"	16	OH0940	1
7/8"	14	OH0945	1
1"	12	OH0950	1

Jack Nuts

- Blind Installation
- Vibration Dampening



Size	Description	Part #	Any Qty
1/4"-20	Short Flange is rubber coated	OF3615	1
1/4"-20	Long	OF3610	1

Slotted Nuts

- Coarse Thread
- Bare



Size	TPI	Part #	Any Qty
3/8"	16	OF1815	1
7/16"	14	OF1820	1
1/2"	13	OF1825	1
5/8"	11	OF1830	1
3/4"	10	OF1840	1
7/8"	9	OF1845	1
1"	8	OF1850	1

Slotted Nuts

- Fine Thread
- Bare



Size	TPI	Part #	Any Qty
1/2"	20	OF1725	1
5/8"	18	OF1730	1
3/4"	16	OF1740	1
7/8"	14	OF1745	1
1"	12	OF1750	1

Acorn Nuts

- Coarse Thread
- Nickel Plated



Size	TPI	Part #	Any Qty
8	32	OJ0602	1
10	24	OJ0603	1
1/4"	32	OJ0605	1
5/16"	32	OJ0610	1
3/8"	32	OJ0615	1

Washers

S.A.E. Flat Washer

- Low Carbon
- Zinc Plated



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
#8	3/16	7/16	OC1302	1
#10	7/32	1/2	OC1303	1
1/4"	9/32	5/8	OC1305	1
5/16"	11/32	11/16	OC1310	1
3/8"	13/32	13/16	OC1315	1
7/16"	15/32	59/64	OC1320	1
1/2"	17/32	1-1/16	OC1325	1
9/16"	19/32	1-3/16	OC1330	1
5/8"	21/32	1-5/16	OC1335	1
3/4"	13/16	1-1/2	OC1340	1
7/8"	15/16	1-3/4	OC1345	1
1"	1-1/16	2-1/8	OC1350	1
1-1/8"	1-3/16	2-1/4	OC1355	1
1-1/4"	1-5/16	2-1/2	OC1360	1

Lock Washer

- Hot Dipped Galvanized



Size	Part #	Any Qty
1/4"	QF0405	1
5/16"	QF0410	1
3/8"	QF0415	1
1/2"	QF0425	1
5/8"	QF0430	1
3/4"	QF0440	1
1"	QF0450	1

HDG Timber Washer



Size	Part #	Any Qty
1/2"	QF0725	1
5/8"	QF0735	1
3/4"	QF0740	1

U.S.S. Flat Washer

- Low Carbon
- Zinc Plated "B" = bare



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
3/16"	1/4	9/16	OB1303	1
1/4"	5/16	3/4	OB1305	1
5/16"	3/8	7/8	OB1310	1
3/8"	7/16	1	OB1315	1
7/16"	1/2	1-1/4	OB1320	1
1/2"	9/16	1-3/8	OB1325	1
9/16"	5/8	1-1/2	OB1330	1
5/8"	11/16	1-3/4	OB1335	1
3/4"	13/16	2	OB1340	1
7/8"	15/16	2-1/4	OB1345	1
1"	1-1/16	2-1/2	OB1350	1
1-1/8"	1-1/4	2-3/4	OB1355	1
1-1/4"	1-3/8	3	OB1360	1
1-1/2"	1-5/8"	3-1/2"	OB1370	(B)2
1-3/4"	1-7/8	4	OB1375	(B)2
2"	2-1/8	4-1/2	OB1380	(B)2

U.S.S. Flat Washer

- Hot Dipped Galvanized



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
1/4"	5/16	3/4	QF0505	1
5/16"	3/8	7/8	QF0510	1
3/8"	7/16	1	QF0515	1
1/2"	9/16	1-3/8	QF0525	1
5/8"	11/16	1-3/4	QF0530	1
3/4"	13/16	2	QF0540	1
1"	1-1/16"	2-5/16	QF0550	1
1-1/4"	1-3/8"	3"	QF0550	1

Fender Washer

- Zinc Plated



Size	Nom O.D.	Part #	Any Qty
3/16"	1"	OE1303	1
1/4"	1-1/4"	OE1305	1
5/16"	1-1/2"	OE1310	1
3/8"	1-1/4"	OE1313	1
3/8"	1-1/2"	OE1315	1
1/2"	1-3/4"	OE1325	1

Medium Lock Washer

- Zinc Plated



Size	Part #	Any Qty
#6	OD1301	1
#8	OD1302	1
3/16"	OD1303	1
1/4"	OD1305	1
5/16"	OD1310	1
3/8"	OD1315	1
7/16"	OD1320	1
1/2"	OD1325	1
9/16"	OD1330	1
5/8"	OD1335	1
3/4"	OD1340	1
7/8"	OD1345	1
1"	OD1350	1
1-1/8" (bare)	OD1355	1
1-1/4" (bare)	OB1360	1
1-1/2" (bare)	OB1370	1

Washers Continued**S.A.E. Flat Washer**

- Hard High Strength
- Yellow Zinc Plated



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
#8	3/16	7/16	OC1202	1
#10	7/32	1/2	OC1203	1
1/4"	9/32	5/8	OC1205	1
5/16"	11/32	11/16	OC1210	1
3/8"	13/32	13/16	OC1215	1
7/16"	15/32	59/64	OC1220	1
1/2"	17/32	1-1/16	OC1225	1
9/16"	19/32	1-3/16	OC1230	1
5/8"	21/32	1-5/16	OC1235	1
3/4"	13/16	1-1/2	OC1240	1
7/8"	15/16	1-3/4	OC1245	1
1"	1-1/16	2-1/8	OC1250	1
1-1/8"	1-3/16	2-1/4	OC1255	1
1-1/4"	1-5/16	2-1/2	OC1260	1
1-1/2"	1-5/8	3	OC1270	1

**Thick Steel Washer
Zinc Plated**

Size	Nom. I.D.	Nom. O.D.	Thick	Part #	Pk Qty
1/4"	.257	.662	.118	OE1605	1
5/16"	.339	.823	.160	OE1610	1
3/8"	.423	.968	.160	OE1615	1
1/2"	.520	1.168	.235	OE1625	1
9/16"	.602	1.407	.240	OE1630	1
5/8"	.678	1.561	.250	OE1635	1
3/4"	.741	1.695	.300	OE1640	1
7/8"	.984	1.940	.393	OE1645	1

U.S.S. Flat Washer

- Hard High Strength
- Yellow Zinc Plated



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
1/4"	5/16	3/4	OB1205	1
5/16"	3/8	7/8	OB1210	1
3/8"	7/16	1	OB1215	1
7/16"	1/2	1-1/4	OB1220	1
1/2"	9/16	1-3/8	OB1225	1
9/16"	5/8	1-1/2	OB1230	1
5/8"	11/16	1-3/4	OB1235	1
3/4"	13/16	2	OB1240	1
7/8"	15/16	2-1/4	OB1245	1
1"	1-1/16	2-1/2	OB1250	1
1-1/8"	1-1/4	2-3/4	OB1255	1
1-1/4"	1-3/8	3	OB1260	1
1-1/2"	1-5/8	3-1/2	OB1270	1

High Alloy Lock Washer

- Yellow Zinc Plated



Size	Part #	Any Qty.
1/4"	OD1205	1
5/16"	OD1210	1
3/8"	OD1215	1
7/16"	OD1220	1
1/2"	OD1225	1
9/16"	OD1230	1
5/8"	OD1235	1
3/4"	OD1240	1
7/8"	OD1245	1
1"	OD1250	1
1-1/8"	OD1255	1
1-1/4"	OD1260	1
1-1/2"	OD1270	1

Internal Star Washer

- Zinc Plated



Size	Part #	Any Qty
#8	OE1402	1
#10	OE1403	1
1/4"	OE1405	1
5/16"	OE1410	1
3/8"	OE1415	1
7/16"	OE1420	1
1/2"	OE1425	1
9/16"	OE1430	1
5/8"	OE1435	1
3/4"	OE1440	1

External Star Washer

- Zinc Plated



Size	Part #	Any Qty
#8	OE1502	1
#10	OE1503	1
1/4"	OE1505	1
5/16"	OE1510	1
3/8"	OE1515	1
7/16"	OE1520	1
1/2"	OE1525	1
9/16"	OE1530	1
5/8"	OE1535	1
3/4"	OE1540	1

Bevel Washer

- Bare Metal
- Used on I-Beam



Size	Part #	Pkg.
1/2"	OE1725	1
5/8"	OE1735	1
3/4"	OE1740	1
1"	OE1750	1

Bolts**Hex Cap Screws**

- Grade 5
- Zinc Plated
- Coarse Thread



Size	Length	Part #	Any Qty
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	1/2"	PR0605	1
1/4"	5/8"	PR0606	1
1/4"	3/4"	PR0607	1
1/4"	1"	PR0609	1
1/4"	1-1/4"	PR0610	1
1/4"	1-1/2"	PR0611	1
1/4"	1-3/4"	PR0612	1
1/4"	2"	PR0613	1
1/4"	2-1/4"	PR0614	1
1/4"	2-1/2"	PR0615	1
1/4"	3"	PR0617	1
1/4"	3-1/2"	PR0619	1
1/4"	4"	PR0621	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	3/4"	PR0707	1
5/16"	1"	PR0709	1
5/16"	1-1/4"	PR0710	1
5/16"	1-1/2"	PR0711	1
5/16"	1-3/4"	PR0712	1
5/16"	2"	PR0713	1
5/16"	2-1/2"	PR0715	1
5/16"	3"	PR0717	1
5/16"	3-1/2"	PR0719	1
5/16"	4"	PR0721	1
5/16"	4-1/2"	PR0722	1
5/16"	5"	PR0723	1
5/16"	5-1/2"	PR0724	1
5/16"	6"	PR0725	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3/4"	PR0807	1
3/8"	1"	PR0809	1
3/8"	1-1/4"	PR0810	1
3/8"	1-1/2"	PR0811	1
3/8"	2"	PR0813	1
3/8"	2-1/2"	PR0815	1
3/8"	3"	PR0817	1
3/8"	3-1/2"	PR0819	1
3/8"	4"	PR0821	1
3/8"	4-1/2"	PR0822	1
3/8"	5"	PR0823	1
3/8"	5-1/2"	PR0824	1
3/8"	6"	PR0825	1

Size	Length	Part #	Any Qty
7/16" - 14 Thread - 5/8" Wrench Size			
7/16"	3/4"	PR0907	1
7/16"	1"	PR0909	1
7/16"	1-1/4"	PR0910	1
7/16"	1-1/2"	PR0911	1
7/16"	1-3/4"	PR0912	1
7/16"	2"	PR0913	1
7/16"	2-1/2"	PR0915	1
7/16"	3"	PR0917	1
7/16"	3-1/2"	PR0919	1
7/16"	4"	PR0921	1
7/16"	4-1/2"	PR0922	1
7/16"	5"	PR0923	1
7/16"	5-1/2"	PR0924	1
7/16"	6"	PR0925	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	1"	PR1009	1
1/2"	1-1/4"	PR1010	1
1/2"	1-1/2"	PR1011	1
1/2"	2"	PR1013	1
1/2"	2-1/2"	PR1015	1
1/2"	3"	PR1017	1
1/2"	3-1/2"	PR1019	1
1/2"	4"	PR1021	1
1/2"	4-1/2"	PR1022	1
1/2"	5"	PR1023	1
1/2"	5-1/2"	PR1024	1
1/2"	6"	PR1025	1
1/2"	7"	PR1027	1
1/2"	8"	PR1029	1
9/16" - 12 Thread - 13/16" Wrench Size			
9/16"	1"	PR1109	1
9/16"	1-1/2"	PR1111	1
9/16"	2"	PR1113	1
9/16"	2-1/2"	PR1115	1
9/16"	3"	PR1117	1
9/16"	3-1/2"	PR1119	1
9/16"	4"	PR1121	1
9/16"	4-1/2"	PR1122	1
9/16"	5"	PR1123	1
9/16"	5-1/2"	PR1124	1
9/16"	6"	PR1125	1
5/8" - 11 Thread - 15/16" Wrench Size			
5/8"	1"	PR1209	1
5/8"	1-1/4"	PR1210	1
5/8"	1-1/2"	PR1211	1
5/8"	2"	PR1213	1
5/8"	2-1/2"	PR1215	1

Size	Length	Part #	Any Qty
5/8"	3"	PR1217	1
5/8"	3-1/2"	PR1219	1
5/8"	4"	PR1221	1
5/8"	4-1/2"	PR1222	1
5/8"	5"	PR1223	1
5/8"	5-1/2"	PR1224	1
5/8"	6"	PR1225	1
5/8"	7"	PR1227	1
5/8"	8"	PR1229	1
3/4" - 10 Thread - 1-1/8" Wrench Size			
3/4"	1-1/2"	PR1311	1
3/4"	2"	PR1313	1
3/4"	2-1/2"	PR1315	1
3/4"	3"	PR1317	1
3/4"	3-1/2"	PR1319	1
3/4"	4"	PR1321	1
3/4"	4-1/2"	PR1322	1
3/4"	5"	PR1323	1
3/4"	5-1/2"	PR1324	1
3/4"	6"	PR1325	1
3/4"	6-1/2"	PR1326	1
3/4"	7"	PR1327	1
3/4"	8"	PR1329	1
7/8" - 9 Thread - 1-5/16" Wrench Size			
7/8"	2"	PR1413	1
7/8"	2-1/2"	PR1415	1
7/8"	3"	PR1417	1
7/8"	3-1/2"	PR1419	1
7/8"	4"	PR1421	1
7/8"	4-1/2"	PR1422	1
7/8"	5"	PR1423	1
7/8"	5-1/2"	PR1424	1
7/8"	6"	PR1425	1
1" - 8 Thread - 1-1/2" Wrench Size			
1"	2"	PR1513	1
1"	2-1/2"	PR1515	1
1"	3"	PR1517	1
1"	3-1/2"	PR1519	1
1"	4"	PR1521	1
1"	4-1/2"	PR1522	1
1"	5"	PR1523	1
1"	5-1/2"	PR1524	1
1"	6"	PR1525	1
1"	7"	PR1527	1
1"	8"	PR1529	1

Bolts Continued**Hex Cap Screws**

- Grade 5
- Zinc Plated
- Fine Thread



Size	Length	Part #	Any Qty
1/4" - 28 Thread - 7/16" Wrench Size			
1/4"	1/2"	PO0605	1
1/4"	5/8"	PO0606	1
1/4"	3/4"	PO0607	1
1/4"	1"	PO0609	1
1/4"	1-1/4"	PO0610	1
1/4"	1-1/2"	PO0611	1
1/4"	1-3/4"	PO0612	1
1/4"	2"	PO0613	1
5/16" - 24 Thread - 1/2" Wrench Size			
5/16"	3/4"	PO0707	1
5/16"	1"	PO0709	1
5/16"	1-1/4"	PO0710	1
5/16"	1-1/2"	PO0711	1
5/16"	1-3/4"	PO0712	1
5/16"	2"	PO0713	1
5/16"	2-1/2"	PO0715	1
5/16"	3"	PO0717	1
3/8" - 24 Thread - 9/16" Wrench Size			
3/8"	3/4"	PO0807	1
3/8"	1"	PO0809	1
3/8"	1-1/4"	PO0810	1
3/8"	1-1/2"	PO0811	1
3/8"	2"	PO0805	1
3/8"	2-1/2"	PO0815	1
3/8"	3"	PO0817	1
7/16" - 20 Thread - 5/8" Wrench Size			
7/16"	3/4"	PO0907	1
7/16"	1"	PO0909	1
7/16"	1-1/4"	PO0910	1
7/16"	1-1/2"	PO0911	1
7/16"	1-3/4"	PO0912	1
7/16"	2"	PO0913	1
7/16"	2-1/2"	PO0915	1
7/16"	3"	PO0917	1

Size	Length	Part #	Any Qty
1/2" - 20 Thread - 3/4" Wrench Size			
1/2"	1"	PO1009	1
1/2"	1-1/4"	PO1010	1
1/2"	1-1/2"	PO1011	1
1/2"	2"	PO1013	1
1/2"	2-1/2"	PO1015	1
1/2"	3"	PO1017	1
1/2"	3-1/2"	PO1019	1
1/2"	4"	PO1021	1
5/8" - 18 Thread - 15/16" Wrench Size			
5/8"	1"	PO1209	1
5/8"	1-1/4"	PO1210	1
5/8"	1-1/2"	PO1211	1
5/8"	2"	PO1213	1
5/8"	2-1/2"	PO1215	1
5/8"	3"	PO1217	1
5/8"	3-1/2"	PO1219	1
5/8"	4"	PO1221	1
3/4" - 16 Thread - 1-1/8" Wrench Size			
3/4"	1-1/2"	PO1311	1
3/4"	2"	PO1313	1
3/4"	2-1/2"	PO1315	1
3/4"	3"	PO1317	1
3/4"	3-1/2"	PO1319	1
3/4"	4"	PO1321	1
1" - 14 Thread - 1-1/2" Wrench Size			
1"	2"	PO1513	1
1"	2-1/2"	PO1515	1
1"	3"	PO1517	1
1"	3-1/2"	PO1519	1
1"	4"	PO1521	1

Tap bolts (full thread)


- Zinc Plated
- Coarse Thread



Size	Length	Part #	Any Qty
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	2"	PI0713	1
5/16"	3"	PI0717	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3"	PI0811	1
3/8"	4"	PI0813	1
3/8"	6"	PI0825	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	2-1/2"	PI1015	1
1/2"	3-1/2"	PI1019	1
1/2"	4"	PI1021	1
1/2"	6"	PI1025	1

Serrated Flange Bolts

- Zinc Plated
- Grade 5



Size	Length	Part #	Any Qty
10-24 - Thread - 5/16" Wrench Size			
10	3/4"	PK0407	1
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	3/4"	PK0607	1
1/4"	1"	PK0609	1
1/4"	1-1/4"	PK0610	1
1/4"	1-1/2"	PK0611	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	1/2"	PK0705	1
5/16"	3/4"	PK0707	1
5/16"	1"	PK0709	1
5/16"	1-1/4"	PK0710	1
5/16"	1-1/2"	PK0711	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	1/2"	PK0805	1
3/8"	3/4"	PK0807	1
3/8"	1"	PK0809	1
3/8"	1-1/4"	PK0810	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	1-1/2"	PK1011	1
1/2"	2"	PK1013	1

Bolts Continued**Hex Cap Screws**

- Grade 8
- Coarse Thread
- Yellow Zinc Plated



Size	Length	Part #	Any Qty
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	1/2"	PQ0605	1
1/4"	5/8"	PQ0606	1
1/4"	3/4"	PQ0607	1
1/4"	1"	PQ0609	1
1/4"	1-1/4"	PQ0610	1
1/4"	1-1/2"	PQ0611	1
1/4"	1-3/4"	PQ0612	1
1/4"	2"	PQ0613	1
1/4"	2-1/4"	PQ0614	1
1/4"	2-1/2"	PQ0615	1
1/4"	3"	PQ0617	1
1/4"	3-1/2"	PQ0619	1
1/4"	4"	PQ0621	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	3/4"	PQ0707	1
5/16"	1"	PQ0709	1
5/16"	1-1/4"	PQ0710	1
5/16"	1-1/2"	PQ0711	1
5/16"	1-3/4"	PQ0712	1
5/16"	2"	PQ0713	1
5/16"	2-1/2"	PQ0715	1
5/16"	3"	PQ0717	1
5/16"	3-1/2"	PQ0719	1
5/16"	4"	PQ0721	1
5/16"	4-1/2"	PQ0722	1
5/16"	5"	PQ0723	1
5/16"	5-1/2"	PQ0724	1
5/16"	6"	PQ0725	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3/4"	PQ0807	1
3/8"	1"	PQ0809	1
3/8"	1-1/4"	PQ0810	1
3/8"	1-1/2"	PQ0811	1
3/8"	2"	PQ0813	1
3/8"	2-1/2"	PQ0815	1
3/8"	3"	PQ0817	1
3/8"	3-1/2"	PQ0819	1
3/8"	4"	PQ0821	1
3/8"	4-1/2"	PQ0822	1
3/8"	5"	PQ0823	1
3/8"	5-1/2"	PQ0824	1
3/8"	6"	PQ0825	1

Size	Length	Part #	Any Qty
7/16" - 14 Thread - 5/8" Wrench Size			
7/16"	3/4"	PQ0907	1
7/16"	1"	PQ0909	1
7/16"	1-1/4"	PQ0910	1
7/16"	1-1/2"	PQ0911	1
7/16"	1-3/4"	PQ0912	1
7/16"	2"	PQ0913	1
7/16"	2-1/2"	PQ0915	1
7/16"	3"	PQ0917	1
7/16"	3-1/2"	PQ0919	1
7/16"	4"	PQ0921	1
7/16"	4-1/2"	PQ0922	1
7/16"	5"	PQ0923	1
7/16"	5-1/2"	PQ0924	1
7/16"	6"	PQ0925	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	1"	PQ1009	1
1/2"	1-1/4"	PQ1010	1
1/2"	1-1/2"	PQ1011	1
1/2"	2"	PQ1013	1
1/2"	2-1/2"	PQ1015	1
1/2"	3"	PQ1017	1
1/2"	3-1/2"	PQ1019	1
1/2"	4"	PQ1021	1
1/2"	4-1/2"	PQ1022	1
1/2"	5"	PQ1023	1
1/2"	5-1/2"	PQ1024	1
1/2"	6"	PQ1025	1
1/2"	7"	PQ1027	1
1/2"	8"	PQ1029	1
9/16" - 12 Thread - 13/16" Wrench Size			
9/16"	1"	PQ1109	1
9/16"	1-1/2"	PQ1111	1
9/16"	2"	PQ1113	1
9/16"	2-1/2"	PQ1115	1
9/16"	3"	PQ1117	1
9/16"	3-1/2"	PQ1119	1
9/16"	4"	PQ1121	1
9/16"	4-1/2"	PQ1122	1
9/16"	5"	PQ1123	1
9/16"	5-1/2"	PQ1124	1
9/16"	6"	PQ1125	1
5/8" - 11 Thread - 15/16" Wrench Size			
5/8"	1"	PQ1209	1
5/8"	1-1/4"	PQ1210	1
5/8"	1-1/2"	PQ1211	1
5/8"	2"	PQ1213	1
5/8"	2-1/2"	PR1215	1

Size	Length	Part #	Any Qty
5/8"	3"	PQ1217	1
5/8"	3-1/2"	PQ1219	1
5/8"	4"	PQ1221	1
5/8"	4-1/2"	PQ1222	1
5/8"	5"	PQ1223	1
5/8"	5-1/2"	PQ1224	1
5/8"	6"	PQ1225	1
5/8"	7"	PQ1227	1
5/8"	8"	PQ1229	1
3/4" - 10 Thread - 1-1/8" Wrench Size			
3/4"	1-1/2"	PQ1311	1
3/4"	2"	PQ1313	1
3/4"	2-1/2"	PQ1315	1
3/4"	3"	PQ1317	1
3/4"	3-1/2"	PQ1319	1
3/4"	4"	PQ1321	1
3/4"	4-1/2"	PQ1322	1
3/4"	5"	PQ1323	1
3/4"	5-1/2"	PQ1324	1
3/4"	6"	PQ1325	1
3/4"	7"	PQ1327	1
3/4"	8"	PQ1329	1
7/8" - 9 Thread - 1-5/16" Wrench Size			
7/8"	2"	PQ1413	1
7/8"	2-1/2"	PQ1415	1
7/8"	3"	PQ1417	1
7/8"	3-1/2"	PQ1419	1
7/8"	4"	PQ1421	1
7/8"	4-1/2"	PQ1422	1
7/8"	5"	PQ1423	1
7/8"	5-1/2"	PQ1424	1
7/8"	6"	PQ1425	1
1" - 8 Thread - 1-1/2" Wrench Size			
1"	2"	PQ1513	1
1"	2-1/2"	PQ1515	1
1"	3"	PQ1517	1
1"	3-1/2"	PQ1519	1
1"	4"	PQ1521	1
1"	4-1/2"	PQ1522	1
1"	5"	PQ1523	1
1"	5-1/2"	PQ1524	1
1"	6"	PQ1525	1
1"	7"	PQ1527	1
1"	8"	PQ1529	1

Bolts Continued**1-1/8" - 7 Thread - 1-11/16" Wrench Size**

1-1/8" - 7	2-1/2	PQ1615	1
1-1/8" - 7	3"	PQ1617	1
1-1/8" - 7	4"	PQ1621	1
1-1/8" - 7	4-1/2"	PQ1622	1
1-1/8" - 7	5"	PQ1623	1
1-1/8" - 7	5-1/2"	PQ1624	1

1-1/4" - 7 Thread - 1-7/8" Wrench Size

1-1/4" - 7	4"	PQ1721	1
1-1/4" - 7	5"	PQ1723	1
1-1/4" - 7	6"	PQ1725	1
1-1/4" - 7	7"	PQ1727	1
1-1/4" - 7	8"	PQ1729	1
1-1/4" - 7	9"	PQ1731	1
1-1/4" - 7	10"	PQ1733	1

Hex Cap Screws

- Grade 8
- Fine Thread
- Yellow Zinc Plated



Size	Length	Part #	Any Qty
1/4" - 28 Thread - 7/16" Wrench Size			
1/4"	1/2"	PP0605	1
1/4"	3/4"	PP0607	1
1/4"	1"	PP0609	1
1/4"	1-1/4"	PP0610	1
1/4"	1-1/2"	PP0611	1
1/4"	2"	PP0613	1
1/4"	2-1/4"	PP0614	1
1/4"	2-1/2"	PP0615	1
1/4"	3"	PP0617	1
1/4"	3-1/2"	PP0619	1
1/4"	4"	PP0621	1
5/16" - 24 Thread - 1/2" Wrench Size			
5/16"	3/4"	PP0707	1
5/16"	1"	PP0709	1
5/16"	1-1/4"	PP0710	1
5/16"	1-1/2"	PP0711	1
5/16"	2"	PP0713	1
5/16"	2-1/2"	PP0715	1
5/16"	3"	PP0717	1
5/16"	3-1/2"	PP0719	1
5/16"	4"	PP0721	1

Size	Length	Part #	Any Qty
3/8" - 24 Thread - 9/16" Wrench Size			
3/8"	3/4"	PP0807	1
3/8"	1"	PP0809	1
3/8"	1-1/4"	PP0810	1
3/8"	1-1/2"	PP0811	1
3/8"	2"	PP0805	1
3/8"	2-1/2"	PP0815	1
3/8"	3"	PP0817	1
3/8"	3-1/2"	PP0819	1
3/8"	4"	PP0821	1
3/8"	4-1/2"	PP0822	1
3/8"	5"	PP0823	1
3/8"	5-1/2"	PP0824	1
3/8"	6"	PP0825	1
7/16" - 20 Thread - 5/8" Wrench Size			
7/16"	3/4"	PP0907	1
7/16"	1"	PP0909	1
7/16"	1-1/4"	PP0910	1
7/16"	1-1/2"	PP0911	1
7/16"	2"	PP0913	1
7/16"	2-1/2"	PP0915	1
7/16"	3"	PP0917	1
7/16"	3-1/2"	PP0919	1
7/16"	4"	PP0921	1
1/2" - 20 Thread - 3/4" Wrench Size			
1/2"	1"	PP1009	1
1/2"	1-1/4"	PP1010	1
1/2"	1-1/2"	PP1011	1
1/2"	2"	PP1013	1
1/2"	2-1/2"	PP1015	1
1/2"	3"	PP1017	1
1/2"	3-1/2"	PP1019	1
1/2"	4"	PP1021	1
1/2"	4-1/2"	PP1022	1
1/2"	5"	PP1023	1
1/2"	5-1/2"	PP1024	1
1/2"	6"	PP1025	1

Size	Length	Part #	Any Qty
5/8" - 18 Thread - 15/16" Wrench Size			
5/8"	1"	PP1209	1
5/8"	1-1/4"	PP1210	1
5/8"	1-1/2"	PP1211	1
5/8"	2"	PP1213	1
5/8"	2-1/2"	PP1215	1
5/8"	3"	PP1210	1
5/8"	3-1/2"	PP1211	1
5/8"	4"	PP1213	1
5/8"	4-1/2"	PP1215	1
5/8"	5"	PP1223	1
5/8"	5-1/2"	PP1224	1
5/8"	6"	PP1225	1
3/4" - 16 Thread - 1-1/8" Wrench Size			
3/4"	1-1/2"	PP1311	1
3/4"	2"	PP1313	1
3/4"	2-1/2"	PP1315	1
3/4"	3"	PP1317	1
3/4"	3-1/2"	PP1319	1
3/4"	4"	PP1321	1
3/4"	4-1/2"	PP1322	1
3/4"	5"	PP1323	1
3/4"	5-1/2"	PP1324	1
3/4"	6"	PP1325	1
1" - 12 Thread - 1-1/2" Wrench Size			
1"	2"	PP1513	1
1"	2-1/2"	PP1515	1
1"	3"	PP1517	1
1"	3-1/2"	PP1519	1
1"	4"	PP1521	1
1"	4-1/2"	PP1522	1
1"	5"	PP1523	1
1"	5-1/2"	PP1524	1
1"	6"	PP1525	1

Flanged Frame Bolts

- High Strength 130,000 lb
- Fine Thread
- Bare



Size	Length	Part #	Any Qty
1/2" - 20 Thread - 3/4" Wrench Size			
1/2"	1-1/4"	PF1010	1
1/2"	1-1/2"	PF1011	1
1/2"	1-3/4"	PF1012	1
1/2"	2"	PF1013	1
1/2"	2-1/2"	PF1015	1
1/2"	2-3/4"	PF1016	1
5/8" - 18 Thread - 15/16" Wrench Size			
5/8"	1-1/2"	PF1211	1
5/8"	1-3/4"	PF1212	1
5/8"	2"	PF1213	1
5/8"	2-1/4"	PF1214	1
5/8"	2-1/2"	PF1215	1
5/8"	2-3/4"	PF1216	1
5/8"	3"	PF1217	1
5/8"	3-1/2"	PF1219	1
5/8"	4"	PF1221	1
3/4" - 16 Thread - 1-1/8" Wrench Size			
3/4"	2"	PF1313	1
3/4"	2-1/4"	PF1314	1
3/4"	2-1/2"	PF1315	1
3/4"	2-3/4"	PF1316	1
3/4"	3"	PF1317	1
3/4"	3-1/2"	PF1319	1

Flange Frame Nuts

- Fine Thread
- Hardened
- Locking



Size	TPI	Part #	Any Qty
1/2"	20	OF7625	1
5/8"	18	OF7635	1
3/4"	16	OF7640	1

Flange Bolts

- Case Hardened
- Coarse Thread
- Zinc Plated
- Serrated under Head



Size	Length	Part #	Any Qty
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	1/2"	PK0605	1
1/4"	3/4"	PK0607	1
1/4"	1"	PK0609	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	3/4"	PK0707	1
5/16"	1"	PK0709	1
5/16"	1-1/2"	PK0711	1
5/16"	2"	PK0713	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3/4"	PK0807	1
3/8"	1"	PK0809	1
3/8"	1-1/4"	PK0810	1
3/8"	1-1/2"	PK0811	1
3/8"	2"	PK0813	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	1-1/2"	PK1011	1
1/2"	2"	PK1013	1

Flange Nuts

- Coarse Thread
- Serrated
- Hardened
- Zinc Plated



Size	TPI	Part #	Any Qty
1/4"	20	OF1405	1
5/16"	18	OF1410	1
3/8"	16	OF1415	1
1/2"	13	OF1425	1
5/8"	11	OF1435	1
3/4"	10	OF1440	1

Plow Bolts

A9 High Tensile

- Minimum 170,000 lb Tensile, leaving the competition behind with 135,000 (Grade 8)
- More Sizes Available

Size	Length	Part #	Any Qty
5/8" - 11 Thread #3 Dome Head			
5/8"	2"	QU2225	1
5/8"	2-1/4"	QU2226	1
5/8"	2-1/2"	QU2227	1
5/8"	3"	QU2229	1
5/8"	3-1/2"	QU2231	1
5/8"	4"	QU2233	1
5/8"	4-1/2"	QU2235	1
3/4" - 10 Thread #3 Dome Head			
3/4"	2"	QU2265	1
3/4"	2-1/4"	QU2266	1
3/4"	2-1/2"	QU2267	1
3/4"	3"	QU2269	1
3/4"	3-1/2"	QU2271	1
1" - 8 Thread #3 Dome Head			
1"	3"	QU2277	1
1"	3-1/4"	QU2278	1
1"	3-1/2"	QU2279	1
1"	4"	QU2281	1
1"	4-1/2"	QU2284	1

**Purchasing larger quantities
will always improve the price.**

SOCKET CAP**Socket Cap Screws**

- High Strength
- Fine Thread
- Black Finish



Size	Length	Part #	Any Qty
10-32 Thread - 5-32" Hex Key			
10-32	3/8"	PS5304	1
10-32	1/2"	PS5305	1
10-32	5/8"	PS5306	1
10-32	3/4"	PS5307	1
10-32	7/8"	PS5308	1
10-32	1"	PS5309	1
10-32	1-1/4"	PS5310	1
10-32	1-1/2"	PS5311	1
10-32	2"	PS5313	1
10-32	2-1/2"	PS5315	1
10-32	3"	PS5317	1
1/4"-28 Thread - 3/16" Hex Key			
1/4"	3/8"	PS5604	1
1/4"	1/2"	PS5605	1
1/4"	5/8"	PS5606	1
1/4"	3/4"	PS5607	1
1/4"	1"	PS5609	1
1/4"	1-1/4"	PS5610	1
1/4"	1-1/2"	PS5611	1
1/4"	2"	PS5613	1
5/16-24 Thread - 1/4" Hex Key			
5/16"	5/8"	PS5706	1
5/16"	3/4"	PS5707	1
5/16"	1"	PS5709	1
5/16"	1-1/4"	PS5710	1
5/16"	1-1/2"	PS5711	1
3/8-24 Thread - 5/16" Hex Key			
3/8"	3/4"	PS5807	1
3/8"	1"	PS5809	1
3/8"	1-1/4"	PS5810	1
3/8"	1-1/2"	PS5811	1
3/8"	2"	PS5813	1
3/8"	2-1/2"	PS5815	1

Size	Length	Part #	Pkg Qty
1/2"-20 Thread - 3/8" Hex Key			
1/2"	1"	PS6009	1
1/2"	1-1/4"	PS6010	1
1/2"	1-1/2"	PS6011	1
1/2"	2"	PS6013	1
1/2"	2-1/2"	PS6015	1
1/2"	3"	PS6017	1
5/8"-18 Thread - 1/2" Hex Key			
5/8"	1"	PS6209	1
5/8"	1-1/4"	PS6210	1
5/8"	1-1/2"	PS6211	1
5/8"	2"	PS6213	1
5/8"	2-1/2"	PS6215	1
5/8"	3"	PS6217	5

Flat Head Socket Cap Screws

- High Strength
- Coarse Thread
- Black Finish



Size	Length	Part #	Any Qty
10-24 Thread - 1/8" Hex Key			
10-24	3/8"	PT0304	1
10-24	1/2"	PT0305	1
10-24	5/8"	PT0306	1
10-24	3/4"	PT0307	1
10-24	7/8"	PT0308	1
10-24	1"	PT0309	1
10-24	1-1/4"	PT0310	1
10-24	1-1/2"	PT0311	1
10-24	2"	PT0313	1
1/4-20 Thread - 5/32" Hex Key			
1/4"	3/8"	PT0604	1
1/4"	1/2"	PT0605	1
1/4"	5/8"	PT0606	1
1/4"	3/4"	PT0607	1
1/4"	1"	PT0609	1
1/4"	1-1/4"	PT0610	1
1/4"	1-1/2"	PT0611	1

Size	Length	Part #	Any Qty
5/16-18 Thread - 3/16" Hex Key			
5/16	1/2"	PT0705	1
5/16	5/8"	PT0706	1
5/16	3/4"	PT0707	1
5/16	7/8"	PT0708	1
5/16	1"	PT0709	1
5/16	1-1/4"	PT0710	1
5/16	1-1/2"	PT0711	1
5/16	2"	PT0713	1
3/8-16 Thread - 7/32" Hex Key			
3/8"	3/8"	PT0804	1
3/8"	1/2"	PT0805	1
3/8"	5/8"	PT0806	1
3/8"	3/4"	PT0807	1
3/8"	1"	PT0809	1
3/8"	1-1/4"	PT0810	1
3/8"	1-1/2"	PT0811	1
1/2-13 Thread - 5/16" Hex Key			
1/2"	5/8"	PT1006	1
1/2"	3/4"	PT1007	1
1/2"	1"	PT1009	1
1/2"	1-1/4"	PT1010	1
1/2"	1-1/2"	PT1011	1
1/2"	2"	PT1013	1
1/2"	2-1/2"	PT1015	1
1/2"	3"	PT1017	1
5/8-11 Thread - 3/8" Hex Key			
5/8"	1-1/2"	PT1211	1
5/8"	2"	PT1213	1
5/8"	2-1/2"	PT1215	1
5/8"	3"	PT1217	1

SOCKET CAP**Socket Cap Screws**

- High Strength
- Coarse Thread
- Black Finish



Size	Length	Part #	Any Qty
6-32 Thread - 7/64" Hex Key			
6-32	3/8"	PS0204	1
6-32	1/2"	PS0205	1
6-32	5/8"	PS0206	1
6-32	3/4"	PS0207	1
6-32	1"	PS0209	1
6-32	1-1/4"	PS0210	1
6-32	1-1/2"	PS0211	1
8-32 Thread - 9/64" Hex Key			
8-32	3/8"	PS0304	1
8-32	1/2"	PS0305	1
8-32	5/8"	PS0306	1
8-32	3/4"	PS0307	1
8-32	1"	PS0309	1
8-32	1-1/4"	PS0310	1
8-32	1-1/2"	PS0311	1
8-32	2"	PS0313	1
10-24 Thread - 5-32" Hex Key			
10-24	3/8"	PS0404	1
10-24	1/2"	PS0405	1
10-24	5/8"	PS0406	1
10-24	3/4"	PS0407	1
10-24	7/8"	PS0408	1
10-24	1"	PS0409	1
10-24	1-1/4"	PS0410	1
10-24	1-1/2"	PS0411	1
10-24	2"	PS0413	1
10-24	2-1/2"	PS0415	1
10-24	3"	PS0417	1

Size	Length	Part #	Any Qty
1/4"-20 Thread - 3/16" Hex Key			
1/4"	3/8"	PS0604	1
1/4"	1/2"	PS0605	1
1/4"	5/8"	PS0606	1
1/4"	3/4"	PS0607	1
1/4"	1"	PS0609	1
1/4"	1-1/4"	PS0610	1
1/4"	1-1/2"	PS0611	1
1/4"	2"	PS0613	1
1/4"	2-1/4"	PS0614	1
1/4"	2-1/2"	PS0615	1
1/4"	3"	PS0617	1
1/4"	3-1/2"	PS0619	1
1/4"	4"	PS0621	1
5/16-18 Thread - 1/4" Hex Key			
5/16"	5/8"	PS0706	1
5/16"	3/4"	PS0707	1
5/16"	1"	PS0709	1
5/16"	1-1/4"	PS0710	1
5/16"	1-1/2"	PS0711	1
5/16"	2"	PS0713	1
5/16"	2-1/2"	PS0715	1
5/16"	3"	PS0717	1
5/16"	3-1/2"	PS0719	1
5/16"	4"	PS0721	1
3/8"-16 Thread - 5/16" Hex Key			
3/8"	3/4"	PS0807	1
3/8"	1"	PS0809	1
3/8"	1-1/4"	PS0810	1
3/8"	1-1/2"	PS0811	1
3/8"	2"	PS0805	1
3/8"	2-1/2"	PS0815	1
3/8"	3"	PS0817	1
3/8"	3-1/2"	PS0819	1
3/8"	4"	PS0821	1
3/8"	4-1/2"	PS0822	1
3/8"	5"	PS0823	1
3/8"	5-1/2"	PS0824	1
3/8"	6"	PS0825	1

Size	Length	Part #	Any Qty
7/16"-14 Thread - 3/8" Hex Key			
7/16"	1"	PS0909	1
7/16"	1-1/4"	PS0910	1
7/16"	1-1/2"	PS0911	1
7/16"	2"	PS0913	1
7/16"	2-1/2"	PS0915	1
7/16"	3"	PS0917	1
1/2"-13 Thread - 3/8" Hex Key			
1/2"	1"	PS1009	1
1/2"	1-1/4"	PS1010	1
1/2"	1-1/2"	PS1011	1
1/2"	2"	PS1013	1
1/2"	2-1/2"	PS1015	1
1/2"	3"	PS1017	1
1/2"	3-1/2"	PS1019	1
1/2"	4"	PS1021	1
1/2"	4-1/2"	PS1022	1
1/2"	5"	PS1023	1
1/2"	5-1/2"	PS1024	1
1/2"	6"	PS1025	1
5/8"-11 Thread - 1/2" Hex Key			
5/8"	1"	PS1209	1
5/8"	1-1/4"	PS1210	1
5/8"	1-1/2"	PS1211	1
5/8"	2"	PS1213	1
5/8"	2-1/2"	PS1215	1
5/8"	3"	PS1217	1
5/8"	3-1/2"	PS1219	1
5/8"	4"	PS1221	1
5/8"	4-1/2"	PS1222	1
5/8"	5"	PS1223	1
5/8"	5-1/2"	PS1224	1
5/8"	6"	PS1225	1
3/4" - 16 Thread - 5/8" Hex Key			
3/4"	1-1/2"	PS1311	1
3/4"	2"	PS1313	1
3/4"	2-1/2"	PS1315	1
3/4"	3"	PS1317	1
3/4"	3-1/2"	PS1319	1
3/4"	4"	PS1321	1

Carriage Bolts

Carriage Bolts

- Galvanized or Zinc Plated Steel
- Order any quantity



Size	Length	Hot Dipped Galvanized	Plated
1/4"-20 Thread			
1/4"	3/4"	N/A	PY0607
1/4"	1"	QK0609	PY0609
1/4"	1-1/4"	QK0610	PY0610
1/4"	1-1/2"	QK0611	PY0611
1/4"	2"	QK0613	PY0613
1/4"	2-1/2"	QK0615	PY0615
1/4"	3"	QK0617	PY0617
1/4"	3-1/2"	QK0619	PY0619
1/4"	4"	QK0621	PY0621
1/4"	4-1/2"	QK0622	PY0622
1/4"	5"	QK0623	PY0623
1/4"	5-1/2"	QK0624	PY0624
1/4"	6"	QK0625	PY0625
5/16"-18 Thread			
5/16"	1"	QK0709	PY0709
5/16"	1-1/4"	QK0710	PY0710
5/16"	1-1/2"	QK0711	PY0711
5/16"	2"	QK0713	PY0713
5/16"	2-1/2"	QK0715	PY0715
5/16"	3"	QK0717	PY0717
5/16"	3-1/2"	QK0719	PY0719
5/16"	4"	QK0721	PY0721
5/16"	4-1/2"	QK0722	PY0722
5/16"	5"	QK0723	PY0723
5/16"	5-1/2"	QK0724	PY0724
5/16"	6"	QK0725	PY0725
5/16"	7	QK0727	N/A
5/16"	8	QK0729	N/A

Size	Length	Hot Dipped Galvanized	Plated
3/8"-16 Thread			
3/8"	1-1/4"	QK0810	PY0810
3/8"	1-1/2"	QK0811	PY0811
3/8"	2"	QK0805	PY0805
3/8"	2-1/2"	QK0815	PY0815
3/8"	3"	QK0817	PY0817
3/8"	3-1/2"	QK0819	PY0819
3/8"	4"	QK0821	PY0821
3/8"	4-1/2"	QK0822	PY0822
3/8"	5"	QK0823	PY0823
3/8"	5-1/2"	QK0824	PY0824
3/8"	6"	QK0825	PY0825
3/8"	6-1/2"	QK0826	Special
3/8"	7"	QK0827	Special
3/8"	8"	QK0829	Special
3/8"	10"	QK0833	Special
1/2"-13 Thread			
1/2"	1-1/2"	QK1011	PY1011
1/2"	2"	QK1013	PY1013
1/2"	2-1/2"	QK1015	PY1015
1/2"	3"	QK1017	PY1017
1/2"	3-1/2"	QK1019	PY1019
1/2"	4"	QK1021	PY1021
1/2"	4-1/2"	QK1022	PY1022
1/2"	5"	QK1023	PY1023
1/2"	5-1/2"	QK1024	PY1024
1/2"	6"	QK1025	PY1025
1/2"	7"	QK1027	Special
1/2"	8"	QK1029	Special
1/2"	10"	QK1033	Special
1/2"	12"	QK1037	Special
5/8"-11 Thread			
5/8"	3"	QK1217	PY1217
5/8"	3-1/2"	QK1219	PY1219

Size	Length	Hot Dipped Galvanized	Plated
5/8"-11 Thread (Continued)			
5/8"	4"	QK1221	PY1221
5/8"	4-1/2"	QK1222	PY1222
5/8"	5"	QK1223	PY1223
5/8"	5-1/2"	QK1224	PY1224
5/8"	6"	QK1225	PY1225
5/8"	8"	QK1229	Special
5/8"	10"	QK1233	Special
5/8"	12"	QK1237	Special
3/4" - 10 Thread			
3/4"	2"	QK1313	PY1313
3/4"	2-1/2"	QK1315	PY1315
3/4"	3"	QK1317	PY1317
3/4"	3-1/2"	QK1319	PY1319
3/4"	4"	QK1321	PY1321
3/4"	4-1/2"	QK1322	PY1322
3/4"	5"	QK1323	PY1323
3/4"	5-1/2"	QK1324	PY1324
3/4"	6"	QK1325	PY1325
3/4"	8"	QK1329	PY1329
3/4"	10"	QK1333	N/A
3/4"	11"	QK1335	N/A
3/4"	12"	QK1337	N/A
3/4"	14"	QK1339	N/A
3/4"	15"	QK1341	N/A
3/4"	16"	QK1343	N/A
3/4"	18"	QK1345	N/A
3/4"	20"	QK1347	N/A
3/4"	24"	QK1351	N/A

Hex Head A307 Bolts

- Strathcon Stocks a wide range of Galvanized Hex Head Bolt -to 3/4" x 36"
- call for details

Lag Bolts

Lag Bolts

- Galvanized or Zinc Plated Steel
- Order any quantity



Size	Length	Hot Dipped Galvanized	Plated
1/4"			
1/4"	3/4"	N/A	PY0607
1/4"	1"	QL0609	PX0609
1/4"	1-1/4"	QL0610	PX0610
1/4"	1-1/2"	QL0611	PX0611
1/4"	2"	QL0613	PX0613
1/4"	2-1/2"	QL0615	PX0615
1/4"	3"	QL0617	PX0617
1/4"	3-1/2"	QL0619	PX0619
1/4"	4"	QL0621	PX0621
1/4"	4-1/2"	QL0622	PX0622
1/4"	5"	QL0623	PX0623
1/4"	5-1/2"	QL0624	PX0624
1/4"	6"	QL0625	PX0625
5/16"			
5/16"	1"	QL0709	PX0709
5/16"	1-1/4"	QL0710	PX0710
5/16"	1-1/2"	QL0711	PX0711
5/16"	2"	QL0713	PX0713
5/16"	2-1/2"	QL0715	PX0715
5/16"	3"	QL0717	PX0717
5/16"	3-1/2"	QL0719	PX0719
5/16"	4"	QL0721	PX0721
5/16"	4-1/2"	QL0722	PX0722
5/16"	5"	QL0723	PX0723
5/16"	5-1/2"	QL0724	PX0724
5/16"	6"	QL0725	PX0725
5/16"	7"	QL0727	
5/16"	8"	QL0729	

Size	Length	Hot Dipped Galvanized	Plated
3/8"			
3/8"	1-1/4"	QL0810	PX0810
3/8"	1-1/2"	QL0811	PX0811
3/8"	2"	QL0805	PX0805
3/8"	2-1/2"	QL0815	PX0815
3/8"	3"	QL0817	PX0817
3/8"	3-1/2"	QL0819	PX0819
3/8"	4"	QL0821	PX0821
3/8"	4-1/2"	QL0822	PX0822
3/8"	5"	QL0823	PX0823
3/8"	5-1/2"	QL0824	PX0824
3/8"	6"	QL0825	PX0825
3/8"	6-1/2"	QL0826	
3/8"	7"	QL0827	
3/8"	8"	QL0829	
3/8"	10"	QL0833	
1/2"			
1/2"	1-1/2"	QL1011	PX1011
1/2"	2"	QL1013	PX1013
1/2"	2-1/2"	QL1015	PX1015
1/2"	3"	QL1017	PX1017
1/2"	3-1/2"	QL1019	PX1019
1/2"	4"	QL1021	PX1021
1/2"	4-1/2"	QL1022	PX1022
1/2"	5"	QL1023	PX1023
1/2"	5-1/2"	QL1024	PX1024
1/2"	6"	QL1025	PX1025
1/2"	7"	QL1027	
1/2"	8"	QL1029	
1/2"	10"	QL1033	
1/2"	12"	QL1037	
5/8"			
5/8"	3"	QL1217	PX1217
5/8"	3-1/2"	QL1219	PX1219
5/8"	4"	QL1221	PX1221
5/8"	4-1/2"	QL1222	PX1222
5/8"	5"	QL1223	PX1223

Size	Length	Hot Dipped Galvanized	Plated
5/8" (Continued)			
5/8"	5-1/2"	QL1224	PX1224
5/8"	6"	QL1225	PX1225
5/8"	7"	QL1227	
5/8"	8"	QL1229	
5/8"	10"	QL1233	
5/8"	12"	QL1237	
5/8"	8"	QL1229	
5/8"	10"	QL1233	
5/8"	12"	QL1037	
5/8"	14"	QL1239	
5/8"	16"	QL1244	
5/8"	20"	QL1250	
3/4"			
3/4"	2"	QL1313	
3/4"	2-1/2"	QL1315	
3/4"	3"	QL1317	
3/4"	3-1/2"	QL1319	
3/4"	4"	QL1321	
3/4"	4-1/2"	QL1322	
3/4"	5"	QL1323	
3/4"	5-1/2"	QL1324	
3/4"	6"	QL1325	
3/4"	7"	QL1327	
3/4"	8"	QL1329	
3/4"	10"	QL1333	
3/4"	11"	QL1335	
3/4"	12"	QL1337	
3/4"	14"	QL1339	
3/4"	16"	QL1341	
3/4"	18"	QL1343	
3/4"	20"	QL1345	
3/4"	24"	QL1352	

Threaded Rod

B7 High Tensile

- Minimum 125,000 lbs
- Coarse Thread
- Yellow Zinc 36"

Size	TPI	36"	144"
1/4"	20	PW5006	Special
5/16"	18	PW5007	Special
3/8"	16	PW5008	PW5038
7/16"	14	PW5009	Special
1/2"	13	PW5010	PW5040
9/16"	12	PW5011	Special
5/8"	11	PW5012	PW5042
3/4"	10	PW5013	PW5043
7/8"	9	PW5014	PW5056
1"	8	PW5015	PW5058
1-1/8"	9	PW5016	PW5059
1-1/4"	7	PW5017	PW5060
1-1/2"	7	PW5019	PW5062


B7 High Tensile

- Minimum 125,000 lbs
- Fine Thread
- Yellow Zinc Plated 36"

Size	144"	36"
1/4"-28	N/A	PW5106
5/16"-24	N/A	PW5107
3/8"-24	Special order	PW5108
7/16"-20	Special order	PW5109
1/2"-20	PW5210	PW5110
9/16"-18	Special order	PW5111
5/8"-18	PW5212	PW5112
3/4"-16	PW5213	PW5113
1"-14	Special order	PW5115

Strathcon Carries a wide variety of Thread Rod

- B7 High Tensile minimum 125,000
- Carbon Steel
- Galvanized Carbon Steel
- 304 Stainless Steel
- Metric 10.9 & 4.6



Carbon Steel

- Galvanized Rod (A307)

Size	120"	36"
3/8"-16	PW4008	PW3008
1/2"-13	PW4010	PW3010
5/8"-11	PW4012	PW3012
3/4"-10	PW4013	PW3013
7/8"-9	PW4014	PW3015
1"-8	PW4015	PW3013
1-1/8"-7	PW4017	-
1-1/4"-7	PW4019	-

Stainless Steel Rod

- Fine Thread 18-8 (304)

Size	72"	36"
1/4"-28	Special	PW8106
5/16"-24	Special	PW8107
3/8"-24	PW8208	PW8108
1/2"-20	PW8210	PW8110
5/8"-18	PW8212	PW8112
3/4"-16	PW8213	PW8113

Carbon Steel

- Coarse Thread
- Zinc Plated
- Utility grade low cost

Size	120"	36"
3/16"-24	N/A	PW1005
1/4"-20	PW2006	PW1006
5/16"-18	PW2007	PW1007
3/8"-16	PW2008	PW1008
7/16"-14	PW2009	PW1009
1/2"-13	PW2010	PW1010
9/16"-12	PW2011	PW1011
5/8"-11	PW2012	PW1012
3/4"-10	PW2013	PW1013
7/8"-9	PW2014	PW1014
1"-8	PW2015	PW1015
1-1/4"-7	PW2017	PW1017
1-1/2"-7	PW2019	PW1019

Stainless Steel Rod

- Coarse Thread (304)

Size	36"	72"	144"
8-32	PW8004	N/A	N/A
10-24	PW8005	N/A	N/A
1/4"-20	PW8006	PW8906	special order
5/16"-18	PW8007	PW8907	special order
3/8"-16	PW8008	PW8908	PW9008
7/16"-14	PW8009	PW8909	PW9009
1/2"-13	PW8010	PW8910	PW9010
5/8"-11	PW8012	PW8912	PW9012
3/4"-10	PW8013	PW8913	PW9013
7/8"-9	PW8014	PW8914	special order
1"-8	PW8015	PW8915	special order

Stainless Steel**Hex Cap Screws**

- 18-8 (304)
- Coarse Thread
- all sizes available in 316



Size	Length	Part #	Any Qty
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	1/2"	SU0605	1
1/4"	5/8"	SU0606	1
1/4"	3/4"	SU0607	1
1/4"	1"	SU0609	1
1/4"	1-1/4"	SU0610	1
1/4"	1-1/2"	SU0611	1
1/4"	1-3/4"	SU0612	1
1/4"	2"	SU0613	1
1/4"	2-1/4"	SU0614	1
1/4"	2-1/2"	SU0615	1
1/4"	3"	SU0617	1
1/4"	3-1/2"	SU0619	1
1/4"	4"	SU0621	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	3/4"	SU0707	1
5/16"	1"	SU0709	1
5/16"	1-1/4"	SU0710	1
5/16"	1-1/2"	SU0711	1
5/16"	1-3/4"	SU0712	1
5/16"	2"	SU0713	1
5/16"	2-1/2"	SU0715	1
5/16"	3"	SU0717	1
5/16"	3-1/2"	SU0719	1
5/16"	4"	SU0721	1
5/16"	4-1/2"	SU0722	1
5/16"	5"	SU0723	1
5/16"	5-1/2"	SU0724	1
5/16"	6"	SU0725	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3/4"	SU0807	1
3/8"	1"	SU0809	1
3/8"	1-1/4"	SU0810	1
3/8"	1-1/2"	SU0811	1
3/8"	2"	SU0813	1
3/8"	2-1/2"	SU0815	1
3/8"	3"	SU0817	1
3/8"	3-1/2"	SU0819	1
3/8"	4"	SU0821	1
3/8"	4-1/2"	SU0822	1
3/8"	5"	SU0823	1
3/8"	5-1/2"	SU0824	1
3/8"	6"	SU0825	1

Size	Length	Part #	Any Qty
7/16" - 14 Thread - 5/8" Wrench Size			
7/16"	3/4"	SU0907	1
7/16"	1"	SU0909	1
7/16"	1-1/4"	SU0910	1
7/16"	1-1/2"	SU0911	1
7/16"	1-3/4"	SU0912	1
7/16"	2"	SU0913	1
7/16"	2-1/2"	SU0915	1
7/16"	3"	SU0917	1
7/16"	3-1/2"	SU0919	1
7/16"	4"	SU0921	1
7/16"	4-1/2"	SU0922	1
7/16"	5"	SU0923	1
7/16"	5-1/2"	SU0924	1
7/16"	6"	SU0925	1
1/2" - 13 Thread - 3/4" Wrench Size			
1/2"	1"	SU1009	1
1/2"	1-1/4"	SU1010	1
1/2"	1-1/2"	SU1011	1
1/2"	2"	SU1013	1
1/2"	2-1/2"	SU1015	1
1/2"	3"	SU1017	1
1/2"	3-1/2"	SU1019	1
1/2"	4"	SU1021	1
1/2"	4-1/2"	SU1022	1
1/2"	5"	SU1023	1
1/2"	5-1/2"	SU1024	1
1/2"	6"	SU1025	1
1/2"	7"	SU1027	1
1/2"	8"	SU1029	1
9/16" - 12 Thread - 13/16" Wrench Size			
9/16"	1"	SU1109	1
9/16"	1-1/2"	SU1111	1
9/16"	2"	SU1113	1
9/16"	2-1/2"	SU1115	1
9/16"	3"	SU1117	1
9/16"	3-1/2"	SU1119	1
9/16"	4"	SU1121	1
9/16"	4-1/2"	SU1122	1
9/16"	5"	SU1123	1
9/16"	5-1/2"	SU1124	1
9/16"	6"	SU1125	1
5/8" - 11 Thread - 15/16" Wrench Size			
5/8"	1"	SU1209	1
5/8"	1-1/4"	SU1210	1
5/8"	1-1/2"	SU1211	1
5/8"	2"	SU1213	1
5/8"	2-1/2"	SU1215	1

Size	Length	Part #	Any Qty
5/8"	3"	SU1217	1
5/8"	3-1/2"	SU1219	1
5/8"	4"	SU1221	1
5/8"	4-1/2"	SU1222	1
5/8"	5"	SU1223	1
5/8"	5-1/2"	SU1224	1
5/8"	6"	SU1225	1
5/8"	7"	SU1227	1
5/8"	8"	SU1229	1
3/4" - 10 Thread - 1-1/8" Wrench Size			
3/4"	1-1/2"	SU1311	1
3/4"	2"	SU1313	1
3/4"	2-1/2"	SU1315	1
3/4"	3"	SU1317	1
3/4"	3-1/2"	SU1319	1
3/4"	4"	SU1321	1
3/4"	4-1/2"	SU1322	1
3/4"	5"	SU1323	1
3/4"	5-1/2"	SU1324	1
3/4"	6"	SU1325	1
3/4"	7"	SU1327	1
3/4"	8"	SU1329	1
1" - 8 Thread - 1-1/2" Wrench Size			
1"	2"	SU1513	1
1"	2-1/2"	SU1515	1
1"	3"	SU1517	1
1"	3-1/2"	SU1519	1
1"	4"	SU1521	1
1"	4-1/2"	SU1522	1
1"	5"	SU1523	1
1"	5-1/2"	SU1524	1
1"	6"	SU1525	1
1"	7"	SU1527	1
1"	8"	SU1529	1

Stainless Steel**Lag Bolts**

- Stainless Steel 304
- Order any quantity



Size	Length	Stainless Steel
1/4" Lags		
1/4"	1"	SI0609
1/4"	1-1/4"	SI0610
1/4"	1-1/2"	SI0611
1/4"	2"	SI0613
1/4"	2-1/2"	SI0615
1/4"	3"	SI0617
1/4"	3-1/2"	SI0619
1/4"	4"	SI0621
1/4"	4-1/2"	SI0622
1/4"	5"	SI0623
1/4"	5-1/2"	SI0624
1/4"	6"	SI0625
5/16" Lags		
5/16"	1"	SI0709
5/16"	1-1/4"	SI0710
5/16"	1-1/2"	SI0711
5/16"	2"	SI0713
5/16"	2-1/2"	SI0715
5/16"	3"	SI0717
5/16"	3-1/2"	SI0719
5/16"	4"	SI0721
5/16"	4-1/2"	SI0722
5/16"	5"	SI0723
5/16"	5-1/2"	SI0724
5/16"	6"	SI0725
3/8" Lags		
3/8"	1-1/4"	SI0810
3/8"	1-1/2"	SI0811
3/8"	2"	SI0805
3/8"	2-1/2"	SI0815
3/8"	3"	SI0817
3/8"	3-1/2"	SI0819

Size	Length	Stainless Steel
3/8"	4"	SI0821
3/8"	4-1/2"	SI0822
3/8"	5"	SI0823
3/8"	5-1/2"	SI0824
3/8"	6"	SI0825
1/2" Lags		
1/2"	1-1/2"	SI1011
1/2"	2"	SI1013
1/2"	2-1/2"	SI1015
1/2"	3"	SI1017
1/2"	3-1/2"	SI1019
1/2"	4"	SI1021
1/2"	4-1/2"	SI1022
1/2"	5"	SI1023
1/2"	5-1/2"	SI1024
1/2"	6"	SI1025

Carriage Bolts

- Stainless Steel 304
- Order any quantity



Size	Length	Stainless Steel
1/4" Carriage		
1/4"	1"	SJ0609
1/4"	1-1/4"	SJ0610
1/4"	1-1/2"	SJ0611
1/4"	2"	SJ0613
1/4"	2-1/2"	SJ0615
1/4"	3"	SJ0617
1/4"	3-1/2"	SJ0619
1/4"	4"	SJ0621
1/4"	4-1/2"	SJ0622
1/4"	5"	SJ0623
1/4"	5-1/2"	SJ0624
1/4"	6"	SJ0625
5/16" Carriage		
5/16"	1"	SJ0709
5/16"	1-1/4"	SJ0710
5/16"	1-1/2"	SJ0711

Size	Length	Stainless Steel
5/16"	2"	SJ0713
5/16"	2-1/2"	SJ0715
5/16"	3"	SJ0717
5/16"	3-1/2"	SJ0719
5/16"	4"	SJ0721
5/16"	4-1/2"	SJ0722
5/16"	5"	SJ0723
5/16"	5-1/2"	SJ0724
5/16"	6"	SJ0725
3/8" Carriage		
3/8"	1-1/4"	SJ0810
3/8"	1-1/2"	SJ0811
3/8"	2"	SJ0805
3/8"	2-1/2"	SJ0815
3/8"	3"	SJ0817
3/8"	3-1/2"	SJ0819
3/8"	4"	SJ0821
3/8"	4-1/2"	SJ0822
3/8"	5"	SJ0823
3/8"	5-1/2"	SJ0824
3/8"	6"	SJ0825
1/2" Carriage		
1/2"	1-1/2"	SJ1011
1/2"	2"	SJ1013
1/2"	2-1/2"	SJ1015
1/2"	3"	SJ1017
1/2"	3-1/2"	SJ1019
1/2"	4"	SJ1021
1/2"	4-1/2"	SJ1022
1/2"	5"	SJ1023
1/2"	5-1/2"	SJ1024
1/2"	6"	SJ1025

Stainless Steel Washers**Flat Washer**

- 18-8 Stainless Steel
- larger sizes available



Size	Nom. I.D.	Nom. O.D.	Part #	Pkg. Qty.
#4	3/16	7/16	SB0501	100
#6	7/32	1/2	SB0502	100
#8	3/16	7/16	SB0503	100
#10	7/32	1/2	SB0504	100
1/4"	9/32	5/8	SB0505	100
5/16"	11/32	11/16	SB0510	1
3/8"	13/32	13/16	SB0515	1
7/16"	15/32	59/64	SB0520	1
1/2"	17/32	1-1/16	SB0525	1
9/16"	19/32	1-3/16	SB0530	1
5/8"	21/32	1-5/16	SB0535	1
3/4"	13/16	1-1/2	SB0540	1
7/8"	15/16	1-3/4	SB0545	1
1"	1-1/16	2-1/8	SB0550	1
1-1/8"	1-3/16	2-1/4	SB0555	1
1-1/4"	1-3/8	2-1/2	SB0560	1

Fender Washer

- 18-8 (304)



Size	Nom O.D.	Part #	Any Qty
3/16"	1"	SB3504	1
1/4"	1"	SB3505	1
1/4"	1-1/4"	SB3506	1
5/16"	1-1/4"	SB3510	1
5/16"	1-1/2"	SB3511	1
3/8"	1-1/4"	SB3520	1
3/8"	1-1/2"	SB3521	1
1/2"	2"	SB3530	1

High Collar Lock Washer

- 18-8 (304)



Size	Part #	Any Qty
1/4"	SB1605	1
5/16"	SB1610	1
3/8"	SB1615	1
7/16"	SB1620	1
1/2"	SB1625	1

Lock Washer

- 18-8 (304)



Size	Part #	Any Qty
#6	SB1501	100
#8	SB1502	100
3/16"	SB1503	100
1/4"	SB1505	1
5/16"	SB1510	1
3/8"	SB1515	1
7/16"	SB1520	1
1/2"	SB1525	1
9/16"	SB1530	1
5/8"	SB1535	1
3/4"	SB1540	1
7/8"	SB1545	1
1"	SB1550	1

Finishing Washer

- 18-8 Stainless Steel



Size	Part #	Any Qty
#6	SB2502	100
#8	SB2503	100
#10 (3/16)	SB2504	100
#12	SB2505	1
1/4"	SB2506	1

Hex Cap Screws

- 18-8 (304)
- Fine Thread



Size	Length	Part #	Any Qty
1/4" - 20 Thread - 7/16" Wrench Size			
1/4"	1/2"	SU5505	1
1/4"	5/8"	SU5506	1
1/4"	3/4"	SU5507	1
1/4"	1"	SU5509	1
1/4"	1-1/4"	SU5510	1
5/16" - 18 Thread - 1/2" Wrench Size			
5/16"	3/4"	SU5707	1
5/16"	1"	SU5709	1
5/16"	1-1/4"	SU5710	1
5/16"	1-1/2"	SU5711	1
5/16"	2"	SU5713	1
3/8" - 16 Thread - 9/16" Wrench Size			
3/8"	3/4"	SU5807	1
3/8"	1"	SU5809	1
3/8"	1-1/4"	SU5810	1
3/8"	1-1/2"	SU5811	1
3/8"	2"	SU5813	1

Internal Tooth Washer

- 18-8 Stainless Steel



Size	Part #	Any Qty
#10	SB0403	1
1/4"	SB0405	1
5/16"	SB0410	1
3/8"	SB0415	1

External Tooth Washer

- 18-8 Stainless Steel



Size	Part #	Any Qty
#10	SB0303	1
1/4"	SB0305	1
5/16"	SB0310	1
3/8"	SB0315	1

Stainless (Continued)**Finished Hex Nuts**

- Grade 18-8 (304)
- Coarse Thread



Size	TPI	Part #	Any Qty
4	40	SA0601	1
6	32	SA0602	1
8	32	SA0603	1
10	24	SA0604	1
1/4"	20	SA0605	1
5/16"	18	SA0610	1
3/8"	16	SA0615	1
7/16"	14	SA0620	1
1/2"	13	SA0625	1
9/16"	12	SA0630	1
5/8"	11	SA0635	1
3/4"	10	SA0640	1
7/8"	9	SA0645	1
1"	8	SA0650	1

Jam Nuts

- Grade 18-8 (304)
- Coarse Thread



Size	TPI	Part #	Any Qty
1/4"	20	SA6005	1
5/16"	18	SA6010	1
3/8"	16	SA6015	1
7/16"	14	SA6020	1
1/2"	13	SA6025	1
5/8"	11	SA6035	1
3/4"	10	SA6040	1

Finished Hex Nuts

- Grade 18-8 (304)
- Fine Thread



Size	TPI	Part #	Any Qty
10	32	SA0204	1
1/4"	28	SA0205	1
5/16"	24	SA0210	1
3/8"	24	SA0215	1
7/16"	20	SA0220	1
1/2"	20	SA0225	1
5/8"	18	SA0235	1
3/4"	16	SA0240	1
7/8"	14	SA0245	1
1"	12	SA0250	1

Acorn Nuts

- Grade 18-8 (304)
- Coarse Thread



Size	TPI	Part #	Any Qty
4	40	SA5001	1
6	32	SA5002	1
8	32	SA5003	1
10	24	SA5004	1
1/4"	20	SA5005	1
5/16"	18	SA5010	1
3/8"	16	SA5015	1
1/2"	13	SA5025	1
5/8"	11	SA5035	1
3/4"	10	SA5040	1

Nylon Lock Nut

- Grade 18-8 (304)
- Coarse Thread



Size	TPI	Part #	Any Qty
6	32	SA1102	1
8	32	SA1103	1
10	24	SA1104	1
1/4"	20	SA1105	1
5/16"	18	SA1110	1
3/8"	16	SA1115	1
7/16"	14	SA1120	1
1/2"	13	SA1125	1
5/8"	11	SA1135	1
3/4"	10	SA1140	1
1"	8	SA1150	1

Nylon Lock Nut

- Grade 18-8 (304)
- Fine Thread



Size	TPI	Part #	Any Qty
10	32	SA1404	1
1/4"	28	SA1406	1
5/16"	24	SA1407	1
3/8"	24	SA1408	1
7/16"	20	SA1409	1
1/2"	20	SA1410	1

Coupling Nuts

- Coarse Thread
- Stainless Steel



Size	Length	Part #	Any Qty
1/4"	1-3/4"	SA1705	1
5/16"	1-3/4"	SA1710	1
3/8"	1-3/4"	SA1715	1
1/2"	1-3/4"	SA1725	1

304 Grade Stainless Steel products listed on these pages are available in 316 grade - call 250 338 4266

Stainless (Continued)**Socket Cap Screws**

- 18-8 Stainless Steel
- Fine Thread



Size	Length	Part #	Any Qty
10-32 Thread - 5-32" Hex Key			
10-32	3/8"	SQ1304	1
10-32	1/2"	SQ1305	1
10-32	5/8"	SQ1306	1
10-32	3/4"	SQ1307	1
10-32	1"	SQ1309	1
10-32	1-1/4"	SQ1310	1
10-32	1-1/2"	SQ1311	1
1/4"-28 Thread - 3/16" Hex Key			
1/4"-28	1/2"	SQ1605	1
1/4"-28	3/4"	SQ1607	1
1/4"-28	1"	SQ1609	1
1/4"-28	1-1/4"	SQ1610	1
1/4"-28	1-1/2"	SQ1611	1
1/4"-28	2"	SQ1613	1
5/16"-24 Thread - 1/4" Hex Key			
5/16"-24	1/2"	SQ1705	1
5/16"-24	3/4"	SQ1707	1
5/16"-24	1"	SQ1709	1
5/16"-24	1-1/4"	SQ1710	1
5/16"-24	1-1/2"	SQ1711	1
5/16"-24	2"	SQ1713	1
3/8"-24 Thread - 5/16" Hex Key			
3/8"-24	3/4"	SQ1807	1
3/8"-24	1"	SQ1809	1
3/8"-24	1-1/4"	SQ1810	1
3/8"-24	1-1/2"	SQ1811	1

Socket Button Head Screws

- 18-8 Stainless Steel
- Fine Thread



Size	Length	Part #	Any Qty
10-32 Thread - 5-32" Hex Key			
10-32	1/2"	SP1305	1
10-32	3/4"	SP1307	1
10-32	1"	SP1309	1
10-32	1-1/4"	SP1310	1
10-32	1-1/2"	SP1311	1
1/4"-28 Thread - 3/16" Hex Key			
1/4"-28	1/2"	SP1605	1
1/4"-28	3/4"	SP1607	1
1/4"-28	1"	SP1609	1
1/4"-28	1-1/4"	SP1610	1
5/16"-24 Thread - 1/4" Hex Key			
5/16"-24	3/4"	SP1707	1
5/16"-24	1"	SP1709	1
5/16"-24	1-1/4"	SP1710	1
3/8"-24 Thread - 5/16" Hex Key			
3/8"-24	3/4"	SP1807	1
3/8"-24	1"	SP1809	1
3/8"-24	1-1/4"	SP1810	1
3/8"-24	1-1/2"	SP1811	1

Flange Nuts

- Coarse Thread
- Serrated
- 18-8 (304)



Size	TPI	Part #	Any Qty
1/4"	20	SA0405	1
5/16"	18	SA0410	1
3/8"	16	SA0415	1
1/2"	13	SA0420	1

Acorn Nuts

- Grade 18-8 (304)
- Fine Thread
- Stainless Steel



Size	TPI	Part #	Any Qty
1/4"-28	32	SA5105	5
5/16"-24	24	SA5110	5
3/8"-24	24	SA5115	5
7/16"-20	20	SA5120	5

Wing Nuts

- 18-8 (304)
- Stainless Steel



Size	TPI	Part #	Any Qty
10	24	SA3503	1
10	32	SA3504	1
1/4"	20	SA3505	1
5/16"	18	SA3507	1
3/8"	16	SA3508	1
1/2"	13	SA3510	1

Tee Nuts

- Used in Wood
- 18-8 (304)
- Stainless Steel



Size	Barrel Length	Part #	Any Qty
10-32	5/16"	SA4005	1
10-24	5/16"	SA4004	1
1/4"-20	5/16"	SA4006	1
5/16"-18	3/8"	SA4006	1
3/8"-16	1/2"	SA4006	1

Strathcon Industries has the largest inventory of Stainless Steel Fasteners on Vancouver Island, including a selection of over 800 SKU's of different Stainless Steel fasteners. We can supply you with 4 screws or 50,000 screws, phone today and let us help. (250 338 4266)

Stainless Steel

Socket Cap Screws

- 18-8 Stainless Steel
- Coarse Thread



Size	Length	Part #	Any Qty
6-32 Thread - 7/64" Hex Key			
6-32	3/8"	SQ0204	1
6-32	1/2"	SQ0205	1
6-32	5/8"	SQ0206	1
6-32	3/4"	SQ0207	1
6-32	1"	SQ0209	1
8-32 Thread - 9/64" Hex Key			
8-32	3/8"	SQ0304	1
8-32	1/2"	SQ0305	1
8-32	5/8"	SQ0306	1
8-32	3/4"	SQ0307	1
8-32	1"	SQ0309	1
8-32	1-1/4"	SQ0310	1
8-32	1-1/2"	SQ0311	1
10-24 Thread - 5-32" Hex Key			
10-24	3/8"	SQ0404	1
10-24	1/2"	SQ0405	1
10-24	5/8"	SQ0406	1
10-24	3/4"	SQ0407	1
10-24	1"	SQ0409	1
10-24	1-1/4"	SQ0410	1
10-24	1-1/2"	SQ0411	1
1/4"-20 Thread - 3/16" Hex Key			
1/4"	1/2"	SQ0605	1
1/4"	5/8"	SQ0606	1
1/4"	3/4"	SQ0607	1
1/4"	1"	SQ0609	1
1/4"	1-1/4"	SQ0610	1
1/4"	1-1/2"	SQ0611	1
1/4"	2"	SQ0613	1
1/4"	2-1/2"	SQ0615	1
1/4"	3"	SQ0617	1

Size	Length	Part #	Any Qty
5/16"-18 Thread - 1/4" Hex Key			
5/16"	5/8"	SQ0706	1
5/16"	3/4"	SQ0707	1
5/16"	1"	SQ0709	1
5/16"	1-1/4"	SQ0710	1
5/16"	1-1/2"	SQ0711	1
5/16"	2"	SQ0713	1
5/16"	2-1/2"	SQ0715	1
5/16"	3"	SQ0717	1
3/8"-16 Thread - 5/16" Hex Key			
3/8"	3/4"	SQ0807	1
3/8"	1"	SQ0809	1
3/8"	1-1/4"	SQ0810	1
3/8"	1-1/2"	SQ0811	1
3/8"	2"	SQ0813	1
3/8"	2-1/2"	SQ0815	1
3/8"	3"	SQ0817	1
7/16"-14 Thread - 3/8" Hex Key			
7/16"	1"	SQ0909	1
7/16"	1-1/4"	SQ0910	1
7/16"	1-1/2"	SQ0911	1
7/16"	2"	SQ0913	1
7/16"	2-1/2"	SQ0915	1
7/16"	3"	SQ0917	1
1/2"-13 Thread - 3/8" Hex Key			
1/2"	1"	SQ1009	1
1/2"	1-1/4"	SQ1010	1
1/2"	1-1/2"	SQ1011	1
1/2"	2"	SQ1013	1
1/2"	2-1/2"	SQ1015	1
1/2"	3"	SQ1017	1

Small screws purchased in lots of 100 will significantly increase value

Button Head Cap Screws

- 18-8 Stainless Steel
- Coarse Thread



Size	Length	Part #	Any Qty
6-32 Thread - 7/64" Hex Key			
6-32	3/8"	SP0204	1
6-32	1/2"	SP0205	1
6-32	3/4"	SP0207	1
8-32 Thread - 9/64" Hex Key			
8-32	3/8"	SP0304	1
8-32	1/2"	SP0305	1
8-32	5/8"	SP0306	1
8-32	3/4"	SP0307	1
10-24 Thread - 5-32" Hex Key			
10-24	3/8"	SP0404	1
10-24	1/2"	SP0405	1
10-24	5/8"	SP0406	1
10-24	3/4"	SP0407	1
10-24	1"	PS0409	1
1/4"-20 Thread - 3/16" Hex Key			
1/4"	1/2"	SP0605	1
1/4"	3/4"	SP0607	1
1/4"	1"	SP0609	1
1/4"	1-1/4"	SP0610	1
1/4"	1-1/2"	SP0611	1
1/4"	2"	SP0613	1
1/4"	2-1/2"	SP0615	1
5/16"-18 Thread - 1/4" Hex Key			
5/16"	3/4"	SP0707	1
5/16"	1"	SP0709	1
5/16"	1-1/4"	SP0710	1
5/16"	1-1/2"	SP0711	1
5/16"	2"	SP0713	1
3/8"-16 Thread - 5/16" Hex Key			
3/8"	3/4"	SP0807	1
3/8"	1"	SP0809	1
3/8"	1-1/4"	SP0810	1
3/8"	1-1/2"	SP0811	1
3/8"	2"	SP0812	1

STAINLESS SCREWS

Sheet Metal Screws

- Pan Head
- 18-8 (304)
- Robertson Drive



Length	Part #	Any Qty
#4 Screw Size		
1/4"	SW0103	1
3/8"	SW0104	1
1/2"	SW0105	1
#6 Screw Size		
1/4"	SW0203	1
3/8"	SW0204	1
1/2"	SW0205	1
5/8"	SW0206	1
3/4"	SW0207	1
1"	SW0209	1
1-1/4"	SW0210	1
1-1/2"	SW0211	1
2"	SW0213	1
#8 Screw Size		
1/2"	SW0305	1
5/8"	SW0306	1
3/4"	SW0307	1
1"	SW0309	1
1-1/4"	SW0310	1
1-1/2"	SW0311	1
2"	SW0313	1
2-1/2"	SW0315	1
3"	SW0317	1
#10 Screw Size		
1/2"	SW0405	1
5/8"	SW0406	1
3/4"	SW0407	1
1"	SW0409	1
1-1/4"	SW0410	1
1-1/2"	SW0411	1
2"	SW0413	1
2-1/2"	SW0415	1
3"	SW0417	1
#12 Screw Size		
1/2"	SW0505	1
5/8"	SW0506	1
3/4"	SW0507	1
1"	SW0509	1
1-1/4"	SW0510	1
1-1/2"	SW0511	1
2"	SW0513	1
2-1/2"	SW0515	1
3"	SW0517	1

Length	Part #	Any Qty
#14 (1/4") Screw Size		
1/2"	SW0605	1
5/8"	SW0606	1
3/4"	SW0607	1
1"	SW0609	1
1-1/4"	SW0610	1
1-1/2"	SW0611	1
2"	SW0613	1
2-1/2"	SW0615	1
3"	SW0617	1
4"	SW0619	1

Sheet Metal Screws

- Hex Head
- 18-8 (304)



Length	Part #	Any Qty
#8 Screw Size		
3/4"	SY2307	1
1"	SY2309	1
1-1/4"	SY2310	1
#10 Screw Size		
3/4"	SY2407	1
1"	SY2409	1
1-1/4"	SY2410	1
#14 (1/4") Screw Size		
3/4"	SY2607	1
1"	SY2609	1

Sheet Metal Screws

- Truss Head
- 18-8 (304) Stainless
- Phillips Drive



Length	Part #	Any Qty
#4 Screw Size		
3/8"	SL5104	1
1/2"	SL5105	1
#6 Screw Size		
1/2"	SL5205	1
3/4"	SL5207	1
#8 Screw Size		
1/2"	SL5305	1
3/4"	SL5307	1
#10 Screw Size		
1/2"	SL5405	1
3/4"	SL5407	1

Drill Tek

- Pan Head
- 18-8 (304 Stainless)
- Self Drilling
- Robertson Drive



Length	Part #	Any Qty
#8-18 Screw Size		
1/2"	SY1305	1
5/8"	SY1306	1
3/4"	SY1307	1
1"	SY1309	1
1-1/4"	SY1310	1
1-1/2"	SY1311	1
#10-16 Screw Size		
3/4"	SY1407	1
1"	SY1409	1
1-1/4"	SY1410	1
1-1/2"	SY1411	1

S/S Hex Tek

- Hex Head
- 18-8 (304)
- Stainless Steel



Size	Length	Part #	Any Qty
#8-18	3/4"	SY0307	1
#8-18	1"	SY0309	1
#10-16 Screw Size			
#10-16	3/4"	SY0407	1
#10-16	1"	SY0409	1
#10-16	1-1/4"	SY0410	1
#10-16	1-1/2"	SY0411	1
#12-14 Screw Size			
#12-14	3/4"	SY0507	1
#12-14	1"	SY0509	1
#14-12 Screw Size			
#14-14	3/4"	SY0607	1
#14-14	1"	SY0609	1

STAINLESS SCREWS

Sheet Metal Screws

- Oval Head
- Phillips Drive
- 18-8 (304) Stainless Steel




Use this screw with a finishing (Cup) washer for a Professional look

Length	Part #	Any Qty
#4 Screw Size		
3/8"	SX1104	1
#6 Screw Size		
1/2"	SX1205	1
5/8"	SX1206	1
3/4"	SX1207	1
1"	SX1209	1
#8 Screw Size		
1/2"	SX1305	1
5/8"	SX1306	1
3/4"	SX1307	1
1"	SX1309	1
1-1/4"	SX1310	1
1-1/2"	SX1311	1
2"	SX1313	1
#10 Screw Size		
3/4"	SX1407	1
1"	SX1409	1
1-1/4"	SX1410	1
1-1/2"	SX1411	1
2"	SX1413	1
#12 Screw Size		
3/4"	SX1507	1
1"	SX1509	1
1-1/4"	SX1510	1
1-1/2"	SX1511	1
2"	SX1513	1
#1/4" Screw Size		
3/4"	SX1607	1
1"	SX1609	1
1-1/4"	SX1610	1
1-1/2"	SX1611	1
2"	SX1613	1

Self Tapping Screw

- Flat Head
- 18-8 (304) Stainless Steel
- Robertson Drive



Length	Part #	Any Qty
#4 Screw Size		
1/4"	SV0103	1
3/8"	SV0104	1
1/2"	SV0105	1
#6 Screw Size		
1/4"	SV0203	1
3/8"	SV0204	1
1/2"	SV0205	1
5/8"	SV0206	1
3/4"	SV0207	1
1"	SV0209	1
1-1/4"	SV0210	1
1-1/2"	SV0211	1
2"	SV0213	1
#8 Screw Size		
1/2"	SV0305	1
5/8"	SV0306	1
3/4"	SV0307	1
1"	SV0309	1
1-1/4"	SV0310	1
1-1/2"	SV0311	1
2"	SV0313	1
2-1/2"	SV0315	1
3"	SV0317	1
#10 Screw Size		
1/2"	SV0405	1
5/8"	SV0406	1
3/4"	SV0407	1
1"	SV0409	1
1-1/4"	SV0410	1
1-1/2"	SV0411	1
2"	SV0413	1
2-1/2"	SV0415	1
3"	SV0417	1
#12 Screw Size		
1/2"	SV0505	1
5/8"	SV0506	1
3/4"	SV0507	1
1"	SV0509	1
1-1/4"	SV0510	1
1-1/2"	SV0511	1
2"	SV0513	1
2-1/2"	SV0515	1
3"	SV0517	1

Length	Part #	Any Qty
#14 (1/4") Screw Size		
1/2"	SV0605	1
5/8"	SV0606	1
3/4"	SV0607	1
1"	SC0609	1
1-1/4"	SV0610	1
1-1/2"	SV0611	1
2"	SV0613	1
2-1/2"	SV0615	1
3"	SV0617	1

Wood Screws

- Flat Head
- 18-8 (304) Stainless Steel
- Robertson drive




Length	Part #	Any Qty
#8 Screw Size		
1-1/4"	RE3010	1
1-1/2"	RE3011	1
2"	RE3013	1
2-1/2"	RE3015	1
3"	RE3017	1
#10 Screw Size		
3-1/2"	RE3019	1

Strathcon Industries has the largest inventory of Stainless Steel Fasteners on Vancouver Island, including a selection of over 800 SKU's of different Stainless Steel fasteners. We can supply you with 4 screws or 50,000 screws, phone today and let us help.
(250 338 4266)

STAINLESS SCREWS**Machine Screws**

- Pan Head
- 18-8 (304)
- Robertson Drive



Length	Part #	Any Qty
4-40 Screw Size		
1/4"	SS0103	1
3/8"	SS0104	1
1/2"	SS0105	1
6-32 Screw Size		
1/4"	SS0203	1
3/8"	SS0204	1
1/2"	SS0205	1
5/8"	SS0206	1
3/4"	SS0207	1
1"	SS0209	1
1-1/4"	SS0210	1
1-1/2"	SS0211	1
2"	SS0213	1
8-32 Screw Size		
1/2"	SS0305	1
5/8"	SS0306	1
3/4"	SS0307	1
1"	SS0309	1
1-1/4"	SS0310	1
1-1/2"	SS0311	1
2"	SS0313	1
2-1/2"	SS0315	1
3"	SS0317	1
10-24 Screw Size		
3/8"	SS0404	1
1/2"	SS0405	1
5/8"	SS0406	1
3/4"	SS0407	1
1"	SS0409	1
1-1/4"	SS0410	1
1-1/2"	SS0411	1
2"	SS0413	1
2-1/2"	SS0415	1
3"	SS0417	1
1/4"-20 Screw Size		
1/2"	SS0605	1
3/4"	SS0607	1
1"	SS0609	1
1-1/4"	SS0610	1
1-1/2"	SS0611	1
2"	SS0613	1
2-1/2"	SS0615	1
3"	SS0617	1

Machine Screws

- Pan Head
- 18-8 (304)
- Robertson Drive
- Fine Thread




Length	Part #	Any Qty
10-32 Screw Size		
3/8"	SS1404	1
1/2"	SS1405	1
5/8"	SS1406	1
3/4"	SS1407	1
1"	SS1409	1
1-1/4"	SS1410	1
1-1/2"	SS1411	1
2"	SS1413	1
2-1/2"	SS1415	1
3"	SS1417	1

**Package Qty of 100 will
improve your buying value.
All products are available in
any Quantity**

250 338 4266

Machine Screws


- Pan Head
- 18-8 (304)
- Phillips Drive
- Fine Thread



Length	Part #	Any Qty
10-32 Screw Size		
3/8"	SM1404	1
1/2"	SM1405	1
5/8"	SM1406	1
3/4"	SM1407	1
1"	SM1409	1
1-1/4"	SM1410	1
1-1/2"	SM1411	1
2"	SM1413	1
2-1/2"	SM1415	1
3"	SM1417	1

Machine Screws

- Pan Head
- 18-8 (304)
- Phillips Drive



Length	Part #	Any Qty
4-40 Screw Size		
1/4"	SM0103	1
3/8"	SM0104	1
1/2"	SM0105	1
3/4"	SM0107	1
6-32 Screw Size		
1/4"	SM0203	1
3/8"	SM0204	1
1/2"	SM0205	1
5/8"	SM0206	1
3/4"	SM0207	1
1"	SM0209	1
1-1/4"	SM0210	1
1-1/2"	SM0211	1
2"	SM0213	1
8-32 Screw Size		
1/2"	SM0305	1
5/8"	SM0306	1
3/4"	SM0307	1
1"	SM0309	1
1-1/4"	SM0310	1
1-1/2"	SM0311	1
2"	SM0313	1
2-1/2"	SM0315	1
3"	SM0317	1
10-24 Screw Size		
1/2"	SM0405	1
5/8"	SM0406	1
3/4"	SM0407	1
1"	SM0409	1
1-1/4"	SM0410	1
1-1/2"	SM0411	1
2"	SM0413	1
2-1/2"	SM0415	1
3"	SM0417	1
3-1/2"	SM0419	1
4"	SM0421	1
1/4"-20 Screw Size		
1/2"	SM0605	1
3/4"	SM0607	1
1"	SM0609	1
1-1/4"	SM0610	1
1-1/2"	SM0611	1
2"	SM0613	1
2-1/2"	SM0615	1
3"	SM0617	1
3-1/2"	SM0619	1
4"	SM0621	1

Security Screw

Sheet Metal Screws

- Button Head
- Stainless 18-8 (304)
- Socket Secure
- Tamper Resistant



Length	Part #	Any Qty
#8 Screw Size		
1/2"	TQ0305	1
3/4"	TQ0307	1
1"	TQ0309	1
#10 Screw Size		
1/2"	TQ0405	1
3/4"	TQ0407	1
1"	TQ0409	1
1-1/2"	TQ0411	1

Machine Screws

- Button Head
- Stainless 18-8 (304)
- Socket Secure
- Tamper Resistant



Length	Part #	Any Qty
8-32 Screw Size		
1/2"	TQ1305	1
3/4"	TQ1307	1
1"	TQ1309	1
1-1/4"	TQ1310	1
1-1/2"	TQ1311	1
10-24 Screw Size		
1/2"	TQ1405	1
3/4"	TQ1407	1
1"	TQ1409	1
1-1/4"	TQ1410	1
1-1/2"	TQ1411	1
1/4"-20 Screw Size		
3/4"	TQ1607	1
1"	TQ1609	1
1-1/4"	TQ1610	1
1-1/2"	TQ1611	1
2"	TQ1613	1

Sheet Metal Screws

- Flat Head
- Stainless 18-8 (304)
- Torx Secure
- Tamper Resistant



Length	Part #	Any Qty
#8 Screw Size		
1/2"	TS0305	1
3/4"	TS0307	1
1"	TS0309	1
1-1/4"	TS0310	1
1-1/2"	TS0311	1
#10 Screw Size		
1/2"	TS0405	1
3/4"	TS0407	1
1"	TS0409	1
1-1/4"	TS0410	1
1-1/2"	TS0411	1

Sheet Metal Screws

- Button Head
- Stainless 18-8 (304)
- Torx Secure
- Tamper Resistant



Length	Part #	Any Qty
#8 Screw Size		
1/2"	TR0305	1
3/4"	TR0307	1
1"	TR0309	1
1-1/4"	TR0310	1
1-1/2"	TR0311	1
#10 Screw Size		
1/2"	TR0405	1
3/4"	TR0407	1
1"	TR0409	1
1-1/4"	TR0410	1
1-1/2"	TR0411	1

Strathcon Industries will assist in all aspects of high security needs, call

(250 338 4266)



Tamper **Proof**

Unique Keyed

Many other sizes of tamper resistant screws available - phone today

250 338 4266

Machine Screws

- Button Head
- Stainless 18-8 (304)
- Torx Secure
- Tamper Resistant



Length	Part #	Any Qty
8-32 Screw Size		
1/2"	TR1305	1
3/4"	TR1307	1
1"	TR1309	1
1-1/4"	TR1310	1
1-1/2"	TR1311	1
10-24 Screw Size		
1/2"	TR1405	1
3/4"	TR1407	1
1"	TR1409	1
1-1/4"	TR1410	1
1-1/2"	TR1411	1
1/4"-20 Screw Size		
3/4"	TR1607	1
1"	TR1609	1
1-1/4"	TR1610	1
1-1/2"	TR1611	1
2"	TR1613	1

STAINLESS SCREWS**Machine Screws**

- Flat Head
- 18-8 (304)
- Robertson Drive



Length	Part #	Any Qty
4-40 Screw Size		
1/4"	SR0103	1
3/8"	SR0104	1
1/2"	SR0105	1
6-32 Screw Size		
1/4"	SR0203	1
3/8"	SR0204	1
1/2"	SR0205	1
5/8"	SR0206	1
3/4"	SR0207	1
1"	SR0209	1
1-1/4"	SR0210	1
1-1/2"	SR0211	1
2"	SR0213	1
8-32 Screw Size		
1/2"	SR0305	1
5/8"	SR0306	1
3/4"	SR0307	1
1"	SR0309	1
1-1/4"	SR0310	1
1-1/2"	SR0311	1
2"	SR0313	1
2-1/2"	SR0315	1
3"	SR0317	1
10-24 Screw Size		
1/2"	SR0405	1
5/8"	SR0406	1
3/4"	SR0407	1
1"	SR0409	1
1-1/4"	SR0410	1
1-1/2"	SR0411	1
2"	SR0413	1
2-1/2"	SR0415	1
3"	SR0417	1
1/4"-20 Screw Size		
1/2"	SR0605	1
3/4"	SR0607	1
1"	SR0609	1
1-1/4"	SR0610	1
1-1/2"	SR0611	1
2"	SR0613	1
2-1/2"	SR0615	1
3"	SR0617	1

Machine Screws

- Oval Head
- 18-8 (304)
- Phillips Drive



Use this screw with a finishing (Cup) washer for a Professional look

Length	Part #	Any Qty
8-32 Screw Size		
1/2"	SO0305	1
3/4"	SO0307	1
1"	SO0309	1
1-1/4"	SO0310	1
1-1/2"	SO0311	1
2"	SO0313	1
10-24 Screw Size		
1/2"	SO0405	1
5/8"	SO0406	1
3/4"	SO0407	1
1"	SO0409	1
1-1/4"	SO0410	1
1-1/2"	SO0411	1
2"	SO0413	1
1/4"-20 Screw Size		
3/4"	SO0607	1
1"	SO0609	1
1-1/4"	SO0610	1
1-1/2"	SO0611	1
2"	SO0613	1
2-1/2"	SO0615	1
3"	SO0617	1
Machine Screws		
• Truss Head • 18-8 (304) • Phillips Drive		
Length	Part #	Any Qty
8-32 Screw Size		
1/2"	SL0305	1
3/4"	SL0307	1
1"	SL0309	1
10-24 Screw Size		
1/2"	SL0405	1
5/8"	SL0406	1
3/4"	SL0407	1

- Truss Head - Continued

Length	Part #	Any Qty
1"	SL0409	1
1-1/4"	SL0410	1
1/4"-20 Screw Size		
3/4"	SL0607	1
1"	SL0609	1
1-1/4"	SL0610	1
1-1/2"	SL0611	1
5/16"-18 Screw Size		
3/4"	SL0707	1
1"	SL0709	1
1-1/4"	SL0710	1
1-1/2"	SL0711	1
3/8"-16 Screw Size		
3/4"	SL0807	1
1"	SL0809	1
1-1/4"	SL0810	1
1-1/2"	SL0811	1

Set Screws

- Cup Point
- Hex Key Drive
- All Sizes & Types - Phone



Size	Length	Stainless	Black
6-32 Thread - 7/64" Hex Key			
6-32	1/4"	QB5203	QA0203
6-32	3/8"	QB5204	QA0204
8-32 Thread - 9/64" Hex Key			
8-32	1/4"	QB5303	QA0303
8-32	3/8"	QB5304	QA0304
8-32	1/2"	QB5305	QA0305
10-24 Thread - 5/32" Hex Key			
10-24	1/4"	QB5403	QA0403
10-24	3/8"	QB5404	QA0404
10-24	1/2"	QB5405	QA0405
1/4"-20 Thread - 3/16" Hex Key			
1/4"	3/8"	QB5604	QA0604
1/4"	1/2"	SB5605	QA0605
1/4"	3/4"	QB5607	QA0607
5/16"-18 Thread - 3/16" Hex Key			
5/16"	3/8"	QB5704	QA0704
5/16"	1/2"	QB5705	QA0705

SHEET METAL SCREWS**Sheet Metal Screws**

- Pan Head
- Sharp Point
- Robertson Drive



Length	Part #	Any Qty
#4 Screw Size		
1/4"	RX0103	1
3/8"	RX0104	1
1/2"	RX0105	1
#6 Screw Size		
1/4"	RX0203	1
3/8"	RX0204	1
1/2"	RX0205	1
5/8"	RX0206	1
3/4"	RX0207	1
1"	RX0209	1
1-1/4"	RX0210	1
1-1/2"	RX0211	1
#8 Screw Size		
1/2"	RX0305	1
5/8"	RX0306	1
3/4"	RX0307	1
1"	RX0309	1
1-1/4"	RX0310	1
1-1/2"	RX0311	1
2"	RX0313	1
2-1/2"	RX0315	1
3"	RX0317	1
#10 Screw Size		
1/2"	RX0405	1
5/8"	RX0406	1
3/4"	RX0407	1
1"	RX0409	1
1-1/4"	RX0410	1
1-1/2"	RX0411	1
2"	RX0413	1
2-1/2"	RX0415	1
3"	RS0417	1

Length	Part #	Any Qty
#12 Screw Size		
1/2"	RX0505	1
5/8"	RX0506	1
3/4"	RX0507	1
1"	RX0509	1
1-1/4"	RX0510	1
1-1/2"	RX0511	1
2"	RX0513	1
2-1/2"	RX0515	1
3"	RX0517	1
#1/4" or #14 Screw Size		
1/2"	RX0605	1
5/8"	RX0606	1
3/4"	RX0607	1
1"	RX0609	1
1-1/4"	RX0610	1
1-1/2"	RX0611	1
2"	RX0613	1
2-1/2"	RX0615	1
3"	RX0617	1

Modified Truss Head

- Zinc Plated
- #2 Philips Drive



Length	Part #	Any Qty
#8 Screw Size		
9/16"	RE8225	100
1"	RE8227	100
1-1/4"	RE8227	100

Sharpies (Sheet metal sharp)

- Hex Head
- Zinc Plated
- #1 Square Drive



Length	Part #	Any Qty
#8 Screw Size		
9/16"	RY0305	1
1"	RY0309	1

Sheet Metal Screws

- Hex Head
- Zinc Plated
- Washer Face



Length	Part #	Any Qty
#8 Screw Size		
1/2"	RY0305	1
5/8"	RY0306	1
3/4"	RY0307	1
1"	RY0309	1
1-1/4"	RY0310	1
1-1/2"	RY0311	1
#10 Screw Size		
1/2"	RY0405	1
5/8"	RY0406	1
3/4"	RY0407	1
1"	RY0409	1
1-1/4"	RY0410	1
1-1/2"	RY0411	1
2"	RY0413	1
#12 Screw Size		
1/2"	RY0505	1
5/8"	RY0506	1
3/4"	RY0507	1
1"	RY0509	1
1-1/4"	RY0510	1
1-1/2"	RY0511	1
2"	RY0513	1
2-1/2"	RY0515	1
3"	RY0517	1
#14 (1/4") Screw Size		
1/2"	RY0605	1
5/8"	RY0606	1
3/4"	RY0607	1
1"	RY0609	1
1-1/4"	RY0610	1
1-1/2"	RY0611	1
2"	RY0613	1
2-1/2"	RY0615	1
3"	RY0617	1

SELF-DRILLING TEKS**Drill Tek**


- Pan Head
- Self Drilling
- Robertson Drive



Length	Part #	Any Qty
#6 Screw Size		
1/2"	TA0205	1
3/4"	TA0207	1
#8 Screw Size		
1/2"	TA0305	1
5/8"	TA0306	1
3/4"	TA0307	1
1"	TA0309	1
1-1/4"	TA0310	1
1-1/2"	TA0311	1
2"	TA0313	1
#10 Screw Size		
1/2"	TA0405	1
5/8"	TA0406	1
3/4"	TA0407	1
1"	TA0409	1
1-1/4"	TA0410	1
1-1/2"	TA0411	1
2"	TA0413	1

Hex Drill Tek

- This Hex Drill Tek (2) is ideal up to 10 gauge material
- Coated with 720 Hour Evo-guard
- ACQ Rated Coating



Length	Part #	Any Qty
10-14 (drill point #2)		
3/4"	TD0407	1
12-14 (drill point #2)		
3/4"	TD0507	1
1"	TD0509	1
1-1/4"	TD0510	1
1-1/2"	TD0511	1
14-14 (drill point #2)		
1-1/4"	TD0610	1
1-1/2"	TD0611	1
2"	TD0613	1
3"	TD0617	1

Wafer Tek

- Self Drilling
- Robertson Drive
- ideal for attaching wood to steel



Length		Part #	Pkg Qty
10-24 Machine Thread			
3/4"		TH0407	1
1"		TH0409	1
1-1/4"		TH0410	1
1-1/2"		TH0411	1
1-1/2"	with wings	TH0511	1
12-24 Machine Thread			
2"		TH0413	1
2"	with wings	TH0513	1
2-1/2"		TH0414	1
2-1/2"	with wings	TH0515	1
3"		TH0417	1
3"	with wings	TH0517	1
4"		TH0421	1

Panel Tek (Serrated)

- Zinc Plated
- Combo Drive




Length	Part #	Any Qty
#10 Screw Size		
1"	TJ1209	1
1-1/4"	TJ1210	1

All Screw products are available in case quantities at significant savings

Modified Truss Head

- Zinc Plated
- #2 Philips Drive



Length	Part #	Any Qty
#8 Screw Size		
9/16"	TJ0205	100
1"	TJ0209	100
1-1/4"	TJ0210	100

Drill Tek

- Hex Head
- Self Drilling
- Washer Face



Length	Part #	Pkg Qty
#8 Screw Size		
1/2"	TC0305	1
5/8"	TC0306	1
3/4"	TC0307	1
1"	TC0309	1
1-1/4"	TC0310	1
#10 Screw Size		
1/2"	TC0405	1
5/8"	TC0406	1
3/4"	TC0407	1
1"	TC0409	1
1-1/4"	TC0410	1
1-1/2"	TC0411	1
#12 Screw Size		
3/4"	TC0507	1
1"	TC0509	1
1-1/4"	TC0510	1
1-1/2"	TC0511	1
2"	TC0513	1
#14 (1/4") Screw Size		
1"	TC0609	1
1-1/4"	TC0610	1
1-1/2"	TC0611	1
2"	TC0613	1
2-1/2"	TC0615	1

Coated Drill Tek

- This Hex Drill Tek (5) will drill & fasten in one step up to 1/4" steel
- Coated with 720 Hour Evo-guard
- Machine Thread



Length	Part #	Any Qty
12-24 (drill point #4)		
7/8"	TF0508	1
12-24 (drill point #5)		
1-1/4"	TF0510	1
1-1/2"	TF0511	1
2"	TF0513	1
1/4" x4-1/2"	TF0519	1

Screws

Pan Head Machine

- Zinc Plated Steel
- Robertson Drive



Length	Part #	Any Qty
4-40 Screw Size		
1/4"	RQ0103	1
3/8"	RQ0104	1
1/2"	RQ0105	1
6-32 Screw Size		
1/4"	RQ0203	1
3/8"	RQ0204	1
1/2"	RQ0205	1
5/8"	RQ0206	1
3/4"	RQ0207	1
1"	RQ0209	1
1-1/4"	RQ0210	1
1-1/2"	RQ0211	1
8-32 Screw Size		
1/2"	RQ0305	1
5/8"	RQ0306	1
3/4"	RQ0307	1
1"	RQ0309	1
1-1/4"	RQ0310	1
1-1/2"	RQ0311	1
1-3/4"	RQ0312	1
2"	RQ0313	1
10-24 Screw Size		
1/2"	RQ0405	1
5/8"	RQ0406	1
3/4"	RQ0407	1
1"	RQ0409	1
1-1/4"	RQ0410	1
1-1/2"	RQ0411	1
2"	RQ0413	1
2-1/2"	RQ0415	1
3"	RQ0417	1
12-24 Screw Size		
3/4"	RQ0507	1
1"	RQ0509	1
1-1/4"	RQ0510	1
1/4-20 Screw Size		
3/4"	RQ0607	1
1"	RQ0609	1
1-1/4"	RQ0610	1
1-1/2"	RQ0611	1
2"	RQ0613	1
2-1/2"	RQ0615	1
3"	RQ0617	1
3-1/2"	RQ0619	1
4"	RQ0621	1

Pan Head Machine

- Zinc Plated Steel
- Robertson Drive
- Fine Thread



Length	Part #	Any Qty
10-32 Screw Size		
1/4"	RQ1403	1
3/8"	RQ1404	1
1/2"	RQ1405	1
5/8"	RQ1406	1
3/4"	RQ1407	1
1"	RQ1409	1
1-1/4"	RQ1410	1
1-1/2"	RQ1411	1
2"	RQ1413	1
2-1/2"	RQ1415	1
3"	RQ1417	1
4"	RQ1419	1

Remember

Order Any Quantity

Flat Head Machine


- Plated Steel
- Robertson Drive
- Fine Thread



Length	Part #	Any Qty
10-32 Screw Size		
1/2"	RR1405	1
5/8"	RR1406	1
3/4"	RR1407	1
1"	RR1409	1
1-1/4"	RR1410	1
1-1/2"	RR1411	1
2"	RR1413	1
2-1/2"	RR1415	1
3"	RR1417	1

Flat Head Machine

- Plated Steel
- Robertson Drive



Length	Part #	Any Qty
4-40 Screw Size		
1/4"	RR0103	1
3/8"	RR0104	1
1/2"	RR0105	1
6-32 Screw Size		
3/8"	RR0204	1
1/2"	RR0205	1
5/8"	RR0206	1
3/4"	RR0207	1
1"	RR0209	1
1-1/4"	RR0210	1
1-1/2"	RR0211	1
8-32 Screw Size		
1/2"	RR0305	1
5/8"	RR0306	1
3/4"	RR0307	1
1"	RR0309	1
1-1/4"	RR0310	1
1-1/2"	RR0311	1
1-3/4"	RR0312	1
2"	RR0313	1
2-1/2"	RR0315	1
3"	RR0317	1
10-24 Screw Size		
1/2"	RR0405	1
5/8"	RR0406	1
3/4"	RR0407	1
1"	RR0409	1
1-1/4"	RR0410	1
1-1/2"	RR0411	1
2"	RR0413	1
2-1/2"	RR0415	1
3"	RR0417	1
12-24 Screw Size (Philips Drive)		
3/4"	RR2508	1
1"	RR2509	1
1-1/4"	RR2510	1
1-1/2"	RR2511	1
1/4-20 Screw Size		
3/4"	RR0607	1
1"	RR0609	1
1-1/4"	RR0610	1
1-1/2"	RR0611	1
2"	RR0613	1
2-1/2"	RR0615	1
3"	RR0617	1
3-1/2"	RR0619	1
4"	RR0621	1

Screws

Pan Head Machine

- Zinc Plated Steel
- Philips Drive



Length	Part #	Any Qty
12-24 Screw Size		
1/2"	RQ2505	1
3/4"	RQ2507	1
1"	RQ2509	1
1-1/4"	RQ2510	1
1-1/2"	RQ2511	1

Flat Head Machine

- Plated Steel
- Philips Drive



Length	Part #	Any Qty
12-24 Screw Size		
1/2"	RR2505	1
5/8"	RR2506	1
3/4"	RR2507	1
1"	RR2509	1
1-1/4"	RR2510	1
1-1/2"	RR2511	1

Floor Board Screw

- Torx Drive
- Thread Cutting



Length	Part #	Any Qty
1/4-20 Size		
1-1/2"	RO0611	1
2"	RO0612	1
2-1/4"	RO0614	1
2-1/2"	RO0615	1
3"	RO0617	1
5/16-18 Size		
2-1/2"	RO0621	1
3"	RO0623	1

Hex Drill Tek (Roofing)

- Hex Drill Tek
- Coated with 720 Hour Clima-seal



Length	Part #	Any Qty
#12-14 (drill point #2)		
1-1/2"	TE0511	1
1/4"-12 (drill point #2)		
1"	TE0609	1
1-1/2"	TE0611	1
2"	TE0613	1
3"	TE0617	1

Remember
Order Any Quantity
from singles to cases.

Stainless Steel Deck Screws

- Nibbed (for auto countersinking)
- #2 Robertson Drive



Length	Part #	Any Qty
#8 Screw Size		
1-1/4"	RE3010	1
1-1/2"	RE3011	1
1-3/4"	RE3012	1
2"	RE3013	1
2-1/2"	RE3015	1
3"	RE3017	1
#10 Screw Size		
3-1/2"	RE3019	1

Roofing Screws

- Hex Drive
- Zinc Coated



Length	Part #	Any Qty
#10		
1-1/2"	RF0411	1
2"	RF0413	1
1/4"		
1-1/2"	RF0611	1
2"	RF0613	1

GRK High Strength RSS

- ACQ Rated Climatek
- Torx Drive



Length	Part #	Bit #	Any Qty
1/4"			
1-1/2"	PA0506	T25	Loose
2"	PA0507	T25	Loose
2-1/2"	PA0508	T25	Loose
3-1/8"	PA0510	T25	Loose
3-1/2"	PA0511	T25	Loose
5/16"			
3-1/8"	PA0514	T30	Loose
3-1/2"	PA0515	T30	Loose
4"	PA0506	T30	Loose
5-1/8"	PA0517	T30	Loose
6"	PA0518	T30	Loose
3/8"			
3-1/8"	PA0519	T40	Loose
4"	PA0520	T40	Loose
5-1/8"	PA0521	T40	Loose
6"	PA0522	T40	Loose
7-1/4"	PA0523	T40	Loose
8"	PA0524	T40	Loose
10"	PA0525	T40	Loose
12"	PA0526	T40	Loose
14-1/8"	PA0527	T40	Loose
16"	PA0528	T40	Loose

GRK Flat Head

- ACQ Rated Climatek
- Torx Drive



Length	Part #	Bit #	Any Qty
#9			
1-3/4"	PA0630	T25	Loose
2"	PA0631	T25	Loose
2-1/2"	PA0632	T25	Loose
2-3/4"	PA0633	T25	Loose
#10			
2-1/2"	PA0642	T25	Loose
3-1/2"	PA0644	T25	Loose
4-3/4"	PA0646	T25	Loose
#12			
4"	PA0652	T25	Loose
5-5/8"	PA0654	T25	Loose
6-3/8"	PA0655	T25	Loose
7-1/4"	PA0656	T25	Loose
8"	PA0658	T25	Loose
10"	PA0660	T25	Loose

Wood Screws

Yellow Construction Screws

- Significant saving buying by the case
- #2 Robertson Drive
- Not for treated Lumber



Length	Part #	Case Qty
#8 Screw Size		
1"	RE0309	10,000
1-1/4"	RE0310	7500
1-1/2"	RE0311	6000
1-3/4"	RE0312	4000
2"	RE0313	4000
2-1/2"	RE0315	2500
3"	RE0317	1500
#10 Screw Size		
3"	RE0417	1500
3-1/2"	RE0419	1000
4"	RE0421	1000

Order any Quantity

ACQ Ceramic Deck Screws For Treated Lumber

- Nibbed (for auto countersinking)
- Ceramic Coating (confirm color)
- #2 Robertson Drive

Length	Part #	Any Qty
#8 Screw Size (Tan Color)		
2"	RE5513	1800
2-1/2"	RE5515	2500
3"	RE5517	1500
#10 Screw Size (Tan Color)		
3-1/2"	RE5521	1000
#10 Screw Size (Green Color)		
3-1/2"	RE4024	1000
4"	RE4026	1000
#10 Screw Size (Silver Color)		
5"	RE4028	1000
6"	RE4030	500

Wood Screws Flat Head

- Zinc Coated
- Robertson Drive
- Fine Thread
- Purchased in packs of 100 only



Length	Part #	One Box
#4 Screw Size		
3/8"	RH2004	1
1/2"	RH2005	1
5/8"	RH2006	1
#5 Screw Size		
3/8"	RH2104	1
1/2"	RH2105	1
5/8"	RH2106	1
3/4"	RH2106	1
#6 Screw Size		
1/2"	RH2205	1
5/8"	RH2206	1
3/4"	RH2207	1
1"	RH2209	1
1-1/4"	RH2210	1
1-1/2"	RH2211	1
1-3/4"	RH2212	1
2"	RH2213	1
#8 Screw Size		
1/2"	RH2305	1
5/8"	RH2306	1
3/4"	RH2307	1
1"	RH2309	1
1-1/4"	RH2310	1
1-1/2"	RH2311	1
1-3/4"	RH2312	1
2"	RH2313	1
2-1/2"	RH2315	1
3"	RH2317	1
4"	RH2321	1
#10 Screw Size		
3/4"	RH2407	1
1"	RH2409	1
1-1/4"	RH2410	1
1-1/2"	RH2411	1
2"	RH2413	1
2-1/4"	RH2414	1
2-1/2"	RH2415	1
3"	RH2417	1

Particle Board Screws

- Zinc Coated
- Robertson Drive
- Low Root Aggressive Thread
- Nibbed



Length	Part #	Any Qty
#6 Screw Size (Green robbly drive)		
3/4"	RH0207	1
1"	RH0209	1
1-1/4"	RH0210	1
1-1/2"	RH0211	1
1-3/4"	RH0212	1
2"	RH0213	1
#8 Screw Size (Red robbly drive)		
3/4"	RH0307	1
1"	RH0308	1
1-1/8"	RH0309	1
1-1/4"	RH0310	1
1-1/2"	RH0311	1
1-3/4"	RH0312	1
2"	RH0313	1
2-1/4"	RH0314	1
2-1/2"	RH0315	1
3"	RH0317	1
3-1/2"	RH0319	1
4"	RH0321	1
#10 Screw Size (Red robbly drive)		
3/4"	RH0407	1
1"	RH0409	1
1-1/4"	RH0410	1
1-1/2"	RH0411	1
2"	RH0413	1
2-1/2"	RH0415	1
3"	RH0417	1
#12 Screw Size (Black robbly drive)		
3/4"	RH0507	1
1"	RH0509	1
1-1/4"	RH0510	1
1-1/2"	RH0511	1
2"	RH0513	1
2-1/2"	RH0515	1
3"	RH0517	1
3-1/2"	RH0519	1

Metric Nuts

Finished Hex Nuts

- Class 8
- Coarse Thread
- Zinc Plated



Size	Pitch	Part #	Any Qty
M3	0.5	MH2003	1
M4	0.7	MH2004	1
M5	0.8	MH2005	1
M6	1.00	MH2006	1
M7	1.00	MH2007	1
M8	1.25	MH2008	1
M10	1.50	MH2010	1
M12	1.75	MH2012	1
M14	2.00	MH2014	1
M16	2.00	MH2016	1
M18	2.50	MH2018	1
M20	2.50	MH2020	1
M22	2.50	MH2022	1
M24	3.00	MH2024	1

Nylon Lock Nut

- Class 8
- Coarse Thread
- Zinc Plated



Size	Pitch	Part #	Any Qty
M3	0.5	MH2503	1
M4	0.7	MH2504	1
M5	0.8	MH2505	1
M6	1.00	MH2506	1
M8	1.25	MH2508	1
M10	1.50	MH2510	1
M12	1.75	MH2512	1
M14	2.00	MH2514	1
M16	2.00	MH2516	1
M18	2.50	MH2518	1
M20	2.50	MH2520	1
M22	2.50	MH2522	1
M24	3.00	MH2524	1

Finished Hex Nuts

- Class 8
- Fine Thread
- Zinc Plated



Size	Pitch	Part #	Any Qty
M6	0.75	MH2206	1
M8	1.00	MH2208	1
M10	1.25	MH2210	1
M12	1.50	MH2212	1
M14	1.50	MH2214	1
M16	1.50	MH2216	1
M18	2.00	MH2218	1
M20	2.00	MH2220	1

Nylon Lock Nut

- Fine Thread
- Zinc Plated



Size	Pitch	Part #	Any Qty
M6	.75	MH2706	1
M8	1.00	MH2708	1
M10	1.25	MH2710	1
M12	1.50	MH2712	1
M14	1.50	MH2714	1
M16	1.50	MH2716	1

Jam Nuts

- Coarse Thread
- Plain Finish



Size	Pitch	Part #	Any Qty
M8	1.25	MH5008	1
M10	1.50	MH5010	1
M12	1.75	MH5012	1
M14	2.00	MH5014	1
M16	2.00	MH5016	1
M18	2.50	MH5018	1
M20	2.50	MH5020	1
M22	2.50	MH5022	1
M24	3.00	MH5024	1

Finished Hex Nuts

- Class 10
- Fine Thread
- Yellow Zinc Plated



Size	Pitch	Part #	Any Qty
M6	0.75	MI2206	1
M8	1.00	MI2208	1
M10	1.25	MI2210	1
M12	1.50	MI2212	1
M14	1.50	MI2214	1
M16	1.50	MI2216	1
M18	2.00	MI2218	1
M20	2.00	MI2220	1
M22	2.00	MI2222	1
M24	2.00	MI2224	1

Finished Hex Nuts

- Class 10
- Coarse Thread
- Yellow Zinc Plated



Size	Pitch	Part #	Any Qty
M5	0.8	MI2005	1
M6	1.00	MI2006	1
M8	1.25	MI2008	1
M10	1.50	MI2010	1
M12	1.75	MI2012	1
M14	2.00	MI2014	1
M16	2.00	MI2016	1
M18	2.50	MI2018	1
M20	2.50	MI2020	1
M22	2.50	MI2022	1
M24	3.00	MI2024	1

Metric (Continued)**Flat Washer**

- A2 Stainless Steel
- DIN 125



Size	Nom O.D.	Part #	Pkg. Qty.
M3	7	MG0303	1
M4	9	MG0304	1
M5	10	MG0305	1
M6	12.5	MG0306	1
M8	17	MG0308	1
M10	21	MG0310	1
M12	24	MG0312	1
M14	28	MG0314	1
M16	30	MG0316	1
M20	37	MG0320	1
M24	44	MG0324	1

Lock Washer

- A2 Stainless Steel



Size	Part #	Pkg Qty
M4	MG1004	1
M5	MG1005	1
M6	MG1006	1
M8	MG1008	1
M10	MG1010	1
M12	MG1012	1
M14	MG1014	1
M16	MG1016	1
M20	MG1020	1
M24	MG1024	1

Remember

Strathcon will break packaging
and is committed to customer
satisfaction

Acorn Nuts

- Coarse Thread
- Stainless Steel



Size	Pitch	Part #	Any Qty
M5	0.8	MG5505	1
M6	1.00	MG5506	1
M8	1.25	MG5508	1
M10	1.50	MG5510	1
M12	1.75	MG5512	1

Wing Nuts

- Cold Forged
- A2 Stainless Steel



Size	Pitch	Part #	Any Qty
M4	0.7	MG5204	1
M5	0.8	MG5205	1
M6	1.00	MG5206	1
M8	1.25	MG5208	1
M10	1.50	MG5210	1
M12	1.75	MG5212	1

Fender Washer


- Zinc Plated



Size	Nom I.D.	Nom O.D.	Part #	Any Qty
M4	4.3	12	MH0404	1
M5	5.3	15	MH0405	1
M6	6.4	18	MH0406	1
M8	8.4	24	MH0408	1
M10	10.5	30	MH0410	1

Nylon Lock Nut

- Stainless Steel
- Coarse Thread
- A2 /



Size	Pitch	Part #	Any Qty
M3	0.5	MG2503	1
M4	0.7	MG2504	1
M5	0.8	MG2505	1
M6	1.00	MG2506	1
M8	1.25	MG2508	1
M10	1.50	MG2510	1
M12	1.75	MG2512	1
M14	2.00	MG2514	1
M16	2.00	MG2516	1
M18	2.50	MG2518	1
M20	2.50	MG2520	1

Finished Hex Nuts

- Stainless Steel
- Coarse Thread
- A2 /



Size	Pitch	Part #	Any Qty
M3	0.5	MG2003	1
M4	0.7	MG2004	1
M5	0.8	MG2005	1
M6	1.00	MG2006	1
M8	1.25	MG2008	1
M10	1.50	MG2010	1
M12	1.75	MG2012	1
M14	2.00	MG2014	1
M16	2.00	MG2016	1
M18	2.50	MG2018	1
M20	2.50	MG2020	1
M24	3.00	MG2024	1

Metric Nuts (Continued)**Flange Nuts**

- Coarse Thread
- Serrated
- Hardened
- Zinc Plated



Size	Pitch	Part #	Any Qty
M4	0.7	MH5604	1
M5	0.8	MH5605	1
M6	1.00	MH5606	1
M8	1.25	MH5608	1
M10	1.50	MH5610	1
M12	1.75	MH5612	1

Wing Nuts

- Cold Forged
- Zinc Plated



Size	Pitch	Part #	Any Qty
M5	0.8	MH5205	1
M6	1.00	MH5206	1
M8	1.25	MH5208	1
M10	1.50	MH5210	1
M12	1.75	MH5212	1

Acorn Nuts

- Coarse Thread
- Nickel Plated



Size	Pitch	Part #	Any Qty
M4	0.7	MH5404	1
M5	0.8	MH5405	1
M6	1.00	MH5406	1
M8	1.25	MH5408	1
M10	1.50	MH5410	1
M12	1.75	MH5412	1

Metric Pitch Chart

Size	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M24
Coarse	0.7	0.8	1.0	1.25	1.50	1.75	2.00	2.00	2.50	2.50	3.00
Fine	0.50	0.75	0.75	1.00	1.25	1.50	1.5	1.5	2.0	2.0	2.0
Extra fine		0.50	0.50	0.75	1.0	1.25	1.25	1.0	1.5	1.5	1.5

Grip Lock (Top)

- Coarse Thread
- Zinc Plated
- DIN 980 ISO 7042
- Class 10 (high strength)



Size	Pitch	Part #	Any Qty
M6	1.00	MI3006	1
M8	1.25	MI3008	1
M10	1.50	MI3010	1
M12	1.75	MI3012	1
M14	2.00	MI3014	1
M16	2.00	MI3016	1
M18	2.50	MI3018	1
M20	2.50	MI3020	1

Grip Lock (Top)

- Fine Thread
- Zinc Plated
- DIN 980 iso 7042
- Class 10 (high strength)



Size	Pitch	Part #	Any Qty
M8	1.00	MI3208	1
M10	1.25	MI3210	1
M12	1.50	MI3212	1
M14	1.50	MI3214	1
M16	1.50	MI3216	1
M18	2.00	MI3218	1
M20	2.00	MI3220	1

Nylon Lock Nut

- Coarse Thread
- Zinc Plated
- DIN 985
- Class 10 (high strength)



Size	Pitch	Part #	Any Qty
M6	1.00	MI2506	1
M8	1.25	MI2508	1
M10	1.50	MI2510	1
M12	1.75	MI2512	1
M14	2.00	MI2514	1
M16	2.00	MI2516	1
M18	2.50	MI2518	1
M20	2.50	MI2520	1

Coupling Nuts

- Coarse Thread
- Long Length
- Zinc



Size	Pitch	Part #	Any Qty
M6	1.00	MH4006	1
M8	1.25	MH4008	1
M10	1.50	MH4010	1
M12	1.75	MH4012	1
M14	2.00	MH4014	1
M16	2.00	MH4016	1
M18	2.50	MH4018	1
M20	2.50	MH4020	1

Metric Washers**Flat Washer**

- DIN 125
- Zinc Plated
- 8.8 Grade



Size	Nom O.D.	Part #	Any Qty
M3	7	MH0303	
M4	9	MH0304	1
M5	10	MH0305	1
M6	12.5	MH0306	1
M8	17	MH0308	1
M10	21	MH0310	1
M12	24	MH0312	1
M14	28	MH0314	1
M16	30	MH0316	1
M18	34	MH0318	1
M20	37	MH0320	1
M24	44	MH0324	1
M30	56	MH0330	1

Medium Lock Washer

- Zinc Plated
- 8.8 Grade



Size	Part #	Any Qty
M4	MH1004	1
M5	MH1005	1
M6	MH1006	1
M8	MH1008	1
M10	MH1010	1
M12	MH1012	1
M14	MH1014	1
M16	MH1016	1
M18	MH1018	1
M20	MH1020	1
M24	MH1024	1
M30	MH1030	1

Flat Washer

- DIN 125
- Zinc Plated
- 10.9 Grade



Size	Nom O.D.	Part #	Any Qty
M4	9	MI0304	1
M5	10	MI0305	1
M6	12.5	MI0306	1
M8	17	MI0308	1
M10	21	MI0310	1
M12	24	MI0312	1
M14	28	MI0314	1
M16	30	MI0316	1
M18	37	MI0318	1
M20	37	MI0320	1
M24	44	MI0324	1
M30	56	MI0330	1

High Alloy Lock Washer

- Zinc Plated
- DIN127B



Size	Part #	Any Qty
M5	MI1005	1
M6	MI1006	1
M8	MI1008	1
M10	MI1010	1
M12	MI1012	1
M14	MI1014	1
M16	MI1016	1
M18	MI1018	1
M20	MI1020	1
M24	MI1024	1
M30	MI1030	1

High Collar Lock

- 10.9 Grade
- Used with Socket Cap Screws



Size	Part #	Any Qty
M6	MI1206	1
M8	MI1208	1
M10	MI1210	1
M12	MI1212	1
M14	MI1214	1
M16	MI1216	1
M18	MI1218	1
M20	MI1220	1

Nordlock

- Zinc Plated
- For Critical Applications & Extreme Vibration ([video](#))



Size	Part #	Any Qty
M8	MI1608	1
M10	MI1610	1
M12	MI1612	1
M14	MI1614	1
M16	MI1616	1
M18	MI1618	1
M20	MI1620	1

External Star Washer

- Zinc Plated



Size	Part #	Any Qty
M4	MH1504	1
M5	MH1505	1
M6	MH1506	1
M8	MH1508	1
M10	MH1510	1
M12	MH1512	1

Metric Hx Cap**Hex Cap Screws**

- Grade 10.9
- Coarse Thread
- Yellow Zinc Plated



Size	Length	Part #	Any Qty
M5-.8 Pitch - 8 mm Wrench Size			
M5	10	MD0510	1
M5	16	MD0516	1
M5	20	MD0520	1
M5	25	MD0525	1
M5	30	MD0530	1
M5	40	MD0540	1
M6-1.0 Pitch - 10 mm Wrench Size			
M6	10	MD0610	1
M6	12	MD0612	1
M6	16	MD0616	1
M6	20	MD0620	1
M6	25	MD0625	1
M6	30	MD0630	1
M6	35	MD0635	1
M6	40	MD0640	1
M6	45	MD0645	1
M6	50	MD0650	1
M6	60	MD0660	1
M6	70	MD0670	1
M6	80	MD0680	1
M6	90	MD0690	1
M8-1.25 Pitch - 13 mm Wrench Size			
M8	12	MD0812	1
M8	16	MD0816	1
M8	20	MD0820	1
M8	325	MD0825	1
M8	30	MD0830	1
M8	35	MD0835	1
M8	40	MD0840	1
M8	45	MD0845	1
M8	50	MD0850	1
M8	60	MD0860	1
M8	70	MD0870	1
M8	80	MD0880	1
M8	90	MD0890	1
M8	100	MD0891	1

Size	Length	Part #	Any Qty
M10-1.50 Pitch - 17 mm Wrench Size			
M10	16	MD1016	1
M10	20	MD1020	1
M10	25	MD1025	1
M10	30	MD1030	1
M10	35	MD1035	1
M10	40	MD1040	1
M10	45	MD1045	1
M10	50	MD1050	1
M10	55	MD1055	1
M10	60	MD1060	1
M10	70	MD1070	1
M10	80	MD1080	1
M10	90	MD1090	1
M10	100	MD1091	1
M12-1.75 Pitch - 19 mm Wrench Size			
M12	20	MD1220	1
M12	25	MD1225	1
M12	30	MD1230	1
M12	35	MD1235	1
M12	40	MD1240	1
M12	45	MD1245	1
M12	50	MD1250	1
M12	55	MD1255	1
M12	60	MD1260	1
M12	70	MD1270	1
M12	80	MD1280	1
M12	90	MD1290	1
M12	100	MD1291	1
M12	110	MD1292	1
M12	120	MD1293	1
M12	130	MD1294	1
M12	140	MD1295	1
M12	150	MD1296	1
M12	160	MD1297	1
M12	170	MD1298	1
M12	180	MD1299	1
M14-2.00 Pitch - 22 mm Wrench Size			
M14	25	MD1425	1
M14	30	MD1430	1
M14	35	MD1435	1
M14	40	MD1440	1

Size	Length	Part #	Any Qty
M14	50	MD1450	1
M14	60	MD1460	1
M14	70	MD1470	1
M14	80	MD1480	1
M14	90	MD1490	1
M14	100	MD1491	1
M14	120	MD1493	1
M14	140	MD1495	1
M14	160	MD1497	1
M16-1.75 Pitch - 24 mm Wrench Size			
M16	25	MD1625	1
M16	30	MD1630	1
M16	35	MD1635	1
M16	40	MD1640	1
M16	45	MD1645	1
M16	50	MD1650	1
M16	55	MD1655	1
M16	60	MD1660	1
M16	70	MD1670	1
M16	80	MD1680	1
M16	90	MD1690	1
M16	100	MD1691	1
M18-2.00 Pitch - 27 mm Wrench Size			
M18	40	MD1840	1
M18	50	MD1850	1
M18	60	MD1860	1
M18	70	MD1870	1
M18	80	MD1880	1
M18	90	MD1890	1
M18	100	MD1891	1
M18	110	MD1892	1
M18	120	MD1893	1
M20-2.50 Pitch - 30 mm Wrench Size			
M20	40	MD2040	1
M20	50	MD2050	1
M20	60	MD2060	1
M20	70	MD2070	1
M20	80	MD2080	1
M20	90	MD2090	1
M20	100	MD2091	1
M20	110	MD2092	1
M20	120	MD2093	1

Metric Hx Cap**Hex Cap Screws**

- Coarse Thread
- Grade 8.8
- Zinc Plated



Size	Length	Part #	Any Qty
M5-.8 Pitch - 8 mm Wrench Size			
M5	10	MC0510	1
M5	16	MC0516	1
M5	20	MC0520	1
M5	25	MC0525	1
M5	30	MC0530	1
M5	40	MC0540	1
M6-1.0 Pitch - 10 mm Wrench Size			
M6	10	MC0610	1
M6	12	MC0612	1
M6	16	MC0616	1
M6	20	MC0620	1
M6	25	MC0625	1
M6	30	MC0630	1
M6	35	MC0635	1
M6	40	MC0640	1
M6	45	MC0645	1
M6	50	MC0650	1
M6	60	MC0660	1
M6	70	MC0670	1
M6	80	MC0680	1
M6	90	MC0690	1
M8-1.25 Pitch - 13 mm Wrench Size			
M8	12	MC0812	1
M8	16	MC0816	1
M8	20	MC0820	1
M8	25	MC0825	1
M8	30	MC0830	1
M8	35	MC0835	1
M8	40	MC0840	1
M8	45	MC0845	1
M8	50	MC0850	1
M8	60	MC0860	1
M8	70	MC0870	1
M8	80	MC0880	1
M8	90	MC0890	1
M8	100	MC0891	1

Size	Length	Part #	Any Qty
M10-1.50 Pitch - 17 mm Wrench Size			
M10	16	MC1016	1
M10	20	MC1020	1
M10	25	MC1025	1
M10	30	MC1030	1
M10	35	MC1035	1
M10	40	MC1040	1
M10	45	MC1045	1
M10	50	MC1050	1
M10	55	MC1055	1
M10	60	MC1060	1
M10	70	MC1070	1
M10	80	MC1080	1
M10	90	MC1090	1
M10	100	MC1091	1
M12-1.75 Pitch - 19 mm Wrench Size			
M12	20	MC1220	1
M12	25	MC1225	1
M12	30	MC1230	1
M12	35	MC1235	1
M12	40	MC1240	1
M12	45	MC1245	1
M12	50	MC1250	1
M12	55	MC1255	1
M12	60	MC1260	1
M12	70	MC1270	1
M12	80	MC1280	1
M12	90	MC1290	1
M12	100	MC1291	1
M12	110	MC1292	1
M12	120	MC1293	1
M12	130	MC1294	1
M12	140	MC1295	1
M12	150	MC1296	1
M12	160	MC1297	1
M12	170	MC1298	1
M12	180	MC1299	1
M14-2.00 Pitch - 22 mm Wrench Size			
M14	25	MC1425	1
M14	30	MC1430	1
M14	35	MC1435	1
M14	40	MC1440	1

Size	Length	Part #	Any Qty
M14	50	MC1450	1
M14	60	MC1460	1
M14	70	MC1470	1
M14	80	MC1480	1
M14	90	MC1490	1
M14	100	MC1491	1
M14	120	MC1493	1
M14	140	MC1495	1
M14	160	MC1497	1
M16-1.75 Pitch - 24 mm Wrench Size			
M16	25	MC1625	1
M16	30	MC1630	1
M16	35	MC1635	1
M16	40	MC1640	1
M16	45	MC1645	1
M16	50	MC1650	1
M16	55	MC1655	1
M16	60	MC1660	1
M16	70	MC1670	1
M16	80	MC1680	1
M16	90	MC1690	1
M16	100	MC1691	1
M18-2.00 Pitch - 27 Wrench Size			
M18	40	MC1840	1
M18	50	MC1850	1
M18	60	MC1860	1
M18	70	MC1870	1
M18	80	MC1880	1
M18	90	MC1890	1
M18	100	MC1891	1
M18	110	MC1892	1
M18	120	MC1893	1
M20-2.50 Pitch - 30 mm Wrench Size			
M20	40	MC2040	1
M20	50	MC2050	1
M20	60	MC2060	1
M20	70	MC2070	1
M20	80	MC2080	1
M20	90	MC2090	1
M20	100	MC2091	1
M20	110	MC2092	1
M20	120	MC2093	1

Metric Machine

Machine Screws

- Pan Head
- Philips Drive
- Zinc Plated



Size	Length	Part #	Any Qty
M2			
M2	6	MU0206	1
M2	8	MU0208	1
M2	10	MU0210	1
M2	12	MU0212	1
M2	16	MU0216	1
M2.5			
M2.5	6	MU02506	1
M2.5	8	MU02508	1
M2.5	12	MU02512	1
M3			
M3	5	MU0305	1
M3	6	MU0306	1
M3	8	MU0308	1
M3	10	MU0310	1
M3	12	MU0312	1
M3	16	MU0316	1
M3	20	MU0320	1
M3	25	MU0325	1
M3	30	MU0330	1
M4			
M4	6	MU0406	1
M4	8	MU0408	1
M4	10	MU0410	1
M4	12	MU0412	1
M4	14	MU0414	1
M4	16	MU0416	1
M4	20	MU0420	1
M4	25	MU0425	1
M4	30	MU0430	1
M4	35	MU0435	1
M4	40	MU0440	1
M4	45	MU0445	1
M4	50	MU0450	1
M4	60	MU0460	1

Size	Length	Part #	Any Qty
M5			
M5	5	MU0505	1
M5	8	MU0508	1
M5	10	MU0510	1
M5	12	MU0512	1
M5	16	MU0516	1
M5	20	MU0520	1
M5	25	MU0525	1
M5	30	MU0530	1
M5	35	MU0535	1
M5	40	MU0540	1
M5	50	MU0550	1
M5	60	MU0560	1
M6-1.0			
M6	10	MU0610	1
M6	12	MU0612	1
M6	16	MU0616	1
M6	18	MU0618	1
M6	20	MU0620	1
M6	25	MU0625	1
M6	30	MU0630	1
M6	35	MU0635	1
M6	40	MU0640	1
M6	45	MU0645	1
M6	50	MU0650	1
M6	60	MU0660	1
M6	70	MU0670	1

Package Quantity is 100

Machine Screws

- Flat Head
- Philips Drive
- Zinc Plated



Size	Length	Part #	Any Qty
M2			
M2	6	MS0206	1
M2	10	MS0210	1
M2	12	MS0212	1
M2	20	MS0220	1

Size	Length	Part #	Any Qty
M3	6	MS0306	1
M3	8	MS0308	1
M3	10	MS0310	1
M3	12	MS0312	1
M3	16	MS0316	1
M3	20	MS0320	1
M3	25	MS0325	1
M3	30	MS0330	1
M4			
M4	6	MS0406	1
M4	8	MS0408	1
M4	10	MS0410	1
M4	12	MS0412	1
M4	14	MS0414	1
M4	16	MS0416	1
M4	20	MS0420	1
M4	25	MS0425	1
M4	30	MS0430	1
M5			
M5	8	MS0508	1
M5	10	MS0510	1
M5	12	MS0512	1
M5	16	MS0516	1
M5	20	MS0520	1
M5	25	MS0525	1
M5	30	MS0530	1
M5	40	MS0540	1
M6-1.0			
M6	10	MS0610	1
M6	12	MS0612	1
M6	14	MS0614	1
M6	16	MS0616	1
M6	18	MS0618	1
M6	20	MS0620	1
M6	25	MS0625	1
M6	30	MS0630	1
M6	35	MS0635	1
M6	40	MS0640	1
M6	50	MS0650	1

METRIC SOCKET CAP**Socket Cap Screws**

- High Strength 12.9
- Coarse Thread
- Black Finish



Size	Length	Part #	Any Qty
M5-.8 Pitch - 4 mm Hex Size			
M5	10	MB0510	1
M5	16	MB0516	1
M5	20	MB0520	1
M5	25	MB0525	1
M5	30	MB0530	1
M5	40	MB0540	1
M6-1.0 Pitch - 5 mm Hex Size			
M6	10	MB0610	1
M6	12	MB0612	1
M6	16	MB0616	1
M6	20	MB0620	1
M6	25	MB0625	1
M6	30	MB0630	1
M6	35	MB0635	1
M6	40	MB0640	1
M6	45	MB0645	1
M6	50	MB0650	1
M6	60	MB0660	1
M6	70	MB0670	1
M6	80	MB0680	1
M6	90	MB0690	1
M8-1.25 Pitch - 6 mm Hex Size			
M8	12	MB0812	1
M8	16	MB0816	1
M8	20	MB0820	1
M8	25	MB0825	1
M8	30	MB0830	1
M8	35	MB0835	1
M8	40	MB0840	1
M8	45	MB0845	1
M8	50	MB0850	1
M8	60	MB0860	1
M8	70	MB0870	1
M8	80	MB0880	1
M8	90	MB0890	1
M8	100	MB0891	1

Size	Length	Part #	Any Qty
M10-1.50 Pitch - 8 mm Hex Size			
M10	16	MB1016	1
M10	20	MB1020	1
M10	25	MB1025	1
M10	30	MB1030	1
M10	35	MB1035	1
M10	40	MB1040	1
M10	45	MB1045	1
M10	50	MB1050	1
M10	55	MB1055	1
M10	60	MB1060	1
M10	70	MB1070	1
M10	80	MB1080	1
M10	90	MB1090	1
M10	100	MB1091	1
M12-1.75 Pitch - 10 mm Hex Size			
M12	20	MB1220	1
M12	25	MB1225	1
M12	30	MB1230	1
M12	35	MB1235	1
M12	40	MB1240	1
M12	45	MB1245	1
M12	50	MB1250	1
M12	55	MB1255	1
M12	60	MB1260	1
M12	70	MB1270	1
M12	80	MB1280	1
M12	90	MB1290	1
M12	100	MB1291	1
M12	110	MB1292	1
M12	120	MB1293	1
M12	130	MB1294	1
M12	140	MB1295	1
M12	150	MB1296	1
M12	160	MB1297	1
M12	170	MB1298	1
M12	180	MB1299	1
M14-2.00 Pitch - 12 mm Hex Size			
M14	25	MB1425	1
M14	30	MB1430	1
M14	35	MB1435	1
M14	40	MB1440	1

Flat Head Socket Cap Screws

- High Strength
- Coarse Thread
- Black Finish




Size	Length	Part #	Any Qty
M5-.8 Pitch - 4 mm Hex Size			
M5	10	MA0510	1
M5	16	MA0516	1
M5	20	MA0520	1
M5	25	MA0525	1
M5	30	MA0530	1
M5	40	MA0540	1
M6-1.0 Pitch - 5 mm Hex Size			
M6	10	MA0610	1
M6	12	MA0612	1
M6	16	MA0616	1
M6	20	MA0620	1
M6	25	MA0625	1
M6	30	MA0630	1
M6	35	MA0635	1
M6	40	MA0640	1
M8-1.25 Pitch - 6 mm Hex Size			
M8	12	MA0812	1
M8	16	MA0816	1
M8	20	MA0820	1
M8	25	MA0825	1
M8	30	MA0830	1
M8	35	MA0835	1
M8	40	MA0840	1
M10-1.50 Pitch - 8 mm Hex Size			
M10	16	MA1016	1
M10	20	MA1020	1
M10	25	MA1025	1
M10	30	MA1030	1
M10	35	MA1035	1
M10	40	MA1040	1

Purchasing standard package quantities will increase your buying power.

Metric**Metric Flange Bolts**

- 10.9 Yellow Zinc Plated



Size	Length	Part #	Pkg Qty
M6-1.0 Pitch - 10 mm Wrench Size			
M6	12	MF0612	1
M6	16	MF0616	1
M6	20	MF0620	1
M6	25	MF0625	1
M6	30	MF0630	1
M6	40	MF0640	1
M6	50	MF0650	1
M8-1.25 Pitch - 13 mm Wrench Size			
M8	16	MF0816	1
M8	20	MF0820	1
M8	25	MF0825	1
M8	30	MF0830	1
M8	40	MF0840	1
M8	50	MF0850	1
M10-1.50 Pitch - 17 mm Wrench Size			
M10	16	MF1016	1
M10	20	MF1020	1
M10	25	MF1025	1
M10	30	MF1030	1
M10	35	MF1035	1
M10	40	MF1040	1
M12-1.75 Pitch - 19 mm Wrench Size			
M12	20	MF1220	1
M12	25	MF1225	1
M12	30	MF1230	1
M12	35	MF1235	1
M12	40	MF1240	1

Metric Fine Pitch

- 8.8 Grade



Size	Length	Part #	Any Qty
M8-1.0	16	ME0816	1
M8-1.0	20	ME0820	1
M8-1.0	25	ME0825	1
M8-1.0	30	ME0830	1
M8-1.0	40	ME0840	1
M8-1.0	50	ME0850	1
M10-1.25 Pitch - 17 mm Wrench Size			
M10-1.25	16	ME1016	1
M10-1.25	20	ME1020	1
M10-1.25	25	ME1025	1
M10-1.25	30	ME1030	1
M10-1.25	35	ME1035	1
M10-1.25	40	ME1040	1
M12-1.50 Pitch - 19 mm Wrench Size			
M12-1.50	20	ME1220	1
M12-1.50	25	ME1225	1
M12-1.50	30	ME1230	1
M12-1.50	35	ME1235	1
M12-1.50	40	ME1240	1
M14-1.50 Pitch - 22 mm Wrench Size			
M14-1.50	25	ME1425	1
M14-1.50	30	ME1430	1
M14-1.50	35	ME1435	1
M14-1.50	40	ME1440	1
M14-1.50	50	ME1450	1
M14-1.50	60	ME1460	1
M14-1.50	40	ME1440	1

- Strathcon has many more sizes, lengths, and diameters of Metric fine pitch in stock, or available overnight.

**Metric Rod Threaded**

- 1 Meter Length
- 10.9 is rated at 1040 N/mm² or 150,831 lbs Tensile
- 4.6 is Utility Grade

Size	4.6	10.9
M6-1.00	PW6006	PW6206
M8-1.00	PW6308	N/A
M8-1.25	PW6008	PW6208
M10-1.00	PW6311	N/A
M10-1.25	PW6310	PW6610
M10-1.50	PW6010	PW6210
M12-1.25	PW6312	PW6612
M12-1.75	PW6012	PW6212
M14-2.00	PW6014	PW6214
M16-2.00	PW6016	PW6216
M20-2.50	PW6020	PW6220

Metric Stainless Threaded Rod

- 1 Meter Length
- Grade A2

Size	1 Meter
M6-1.00	PW7006
M8-1.25	PW7008
M10-1.50	PW7010
M12-1.75	PW7012
M14-2.00	PW7014
M16-2.00	PW7016
M20-2.50	PW7020

METRIC Stainless Steel**Hex Cap Screws**

- A2 Stainless
- Coarse Pitch
- Order Any Quantity



Size	Length	Part #	Any Qty
M6-1.0 Pitch 9 mm Wrench			
M6	16	MO0616	1
M6	20	MO0620	1
M6	25	MO0625	1
M6	30	MO0630	1
M6	40	MO0640	1
M6	50	MO0650	1
M8-1.25 Pitch - 13 mm Hex Size			
M8	20	MO0820	1
M8	25	MO0825	1
M8	30	MO0830	1
M8	40	MO0840	1
M8	50	MO0850	1
M8	60	MO0860	1
M8	70	MO0870	1
M10-1.50 Pitch - 17 mm Hex Size			
M10	20	MO1020	1
M10	25	MO1025	1
M10	30	MO1030	1
M10	40	MO1040	1
M10	50	MO1050	1
M10	60	MO1060	1
M10	70	MO1070	1
M12-1.75 Pitch - 19 mm Hex Size			
M12	20	MO1220	1
M12	30	MO1230	1
M12	40	MO1240	1
M12	50	MO1250	1
M12	60	MO1260	1
M12	70	MO1270	1
M12	80	MO1280	1

Machine Screws

- A2 Stainless
- Pan Head
- Phillips Drive



Size	Length	Part #	Any Qty
M3-.5 Pitch			
M3	6	MW0306	1
M3	10	MW0310	1
M4-.7 Pitch			
M4	8	MW0408	1
M4	10	MW0410	1
M4	14	MW0414	1
M4	20	MW0420	1
M5-.8 Pitch			
M5	10	MW0510	1
M5	16	MW0516	1
M5	20	MW0520	1
M5	1	MW0525	1
M6-1.0 Pitch			
M6	10	MW0610	1
M6	12	MW0612	1
M6	16	MW0616	1
M6	20	MW0620	1
M6	25	MW0625	1
M6	30	MW0630	1
M6	35	MW0635	1
M6	40	MW0640	1

Machine Screws

- A2 Stainless
- Flat Head
- Phillips Drive



Size	Length	Part #	Any Qty
M4-.7 Pitch			
M4	8	MV0408	1
M4	10	MV0410	1
M4	14	MV0414	1
M5-.8 Pitch			
M5	10	MV0510	1
M5	16	MV0516	1
M5	20	MV0520	1
M6-1.0 Pitch			
M6	10	MV0610	1
M6	16	MV0616	1
M6	20	MV0620	1
M6	25	MV0625	1

Socket Cap Screws

- A2 Stainless
- Coarse Pitch



Size	Length	Part #	Any Qty
M4-.7 Pitch - 3 mm Hex Size			
M4	10	MM0410	1
M4	12	MM0412	1
M4	16	MM0416	1
M4	20	MM0420	1
M4	25	MM0425	1
M4	30	MM0430	1
M5-.8 Pitch - 4 mm Hex Size			
M5	10	MM0510	1
M5	12	MM0512	1
M5	16	MM0516	1
M5	20	MM0520	1
M5	25	MM0525	1
M5	30	MM0530	1
M5	40	MM0540	1
M6-1.0 Pitch - 5 mm Hex Size			
M6	16	MM0616	1
M6	20	MM0620	1
M6	25	MM0625	1
M6	30	MM0630	1
M6	40	MM0640	1
M6	50	MM0650	1
M8-1.25 Pitch - 6 mm Hex Size			
M8	16	MM0816	1
M8	20	MM0820	1
M8	25	MM0825	1
M8	30	MM0830	1
M8	40	MM0840	1
M8	50	MM0850	1
M8	60	MM0860	1
M8	70	MM0870	1
M10-1.5 Pitch - 8 mm Hex Size			
M10	20	MM1020	1
M10	25	MM1025	1
M10	30	MM1030	1
M10	40	MM1040	1
M10	50	MM1050	1

Building Fasteners

Eye Lag

- Useful for any light loads



Size	Use	Part #	Any Qty
1/4" x 3"	Wood	PA8510	1
1/4" x 2-1/4"	Concrete	PA8505	1
	Drive Tool	PA8511	1

Drywall Nylon Snap Sru

- Shear in 5/8" drywall 71 lbs
- No Pre-drilling
- Uses a #8 Screw
- Anchor expands as screw passes through to increase pullout strength



Part #	Any Qty
AU0311	1

Nylon Toggle Anchor

- Versatile plastic anchor for light loads.
- High Grade Nylon



Wall	Drill	Part #	Any Qty
3/8"-1/2"	3/8"	AU0440	1
1/2"-5/8"	3/8"	AU0450	1

Remember

Products in this catalog can be ordered in any quantity.

Nylon Pin Bolt

- Drill material, place anchor, and hit with hammer
- Pin is steel plated



Size	Part #	Pin	Box
3/16" X 1"	AP0509	Steel	1
3/16" X 1-1/2"	AP0511	Steel	1
1/4" X 1"	AP0609	Steel	1
1/4" X 1-1/2"	AP0611	Steel	1
1/4" X 2"	AP0613	Steel	1
1/4" X 3"	AP0617	Steel	1
1/4" X 1"	AP1609	Nylon	1
1/4" X 1-1/2"	AP1611	Nylon	1

The Alligator Anchor

Ultimately, the simplest, quickest anchor for concrete



GripRite Twister

- Shear in 5/8" drywall 65 lbs
- Tension in 5/8 drywall 20 lbs
- No Pre-drilling
- Use Screw of Length
- Cast Zinc



Part #	Size	Screw	Any Qty
AU0308	Short	#6	1
AU0309	Long	#8	1

Drywall Plugs

- Economical Anchor
- Available in three sizes



Size	Part #	Qty.
3/16 X 7/8"	AS0402	1
1/4" X 1-1/4"	AS0404	1
5/16 X 1-1/2"	AS0406	1
3/16 X 7/8"	AS0412	Jar (850)
1/4" X 1-1/4"	AS0408	Jar (450)
5/16 X 1-1/2"	AS0414	Jar (250)

EverHold Toggle

- Works in most Hollow walls
- Once the Toggle is installed the screws can be removed and reinstalled.
- Installation of wall thicknesses from 1/2" up to 2-1/2"
- Hold strength up to 1180 lbs in hollow concrete block



Thread	Drill	Part #	Material	Box
10-24	1/2"	AW0405	Plated Steel	1
10-24	1/2"	AW0407	Stainless Steel	1
1/4-20	1/2"	AW0605	Plated Steel	1
1/4-20	1/2"	AW0607	Stainless Steel	1


- Use in any substrate, solid, thick, or hollow wall
- Tensile pull outs easily exceed 2000 lbs. [More info](#)
- Use of #12 screws in concrete block provide tensile pullout between 1230 lbs., and 1600 lbs.
- Use fastener of your choice, stainless, plated or galvanized lags

Dia.	Part # No Flange	Part # Flanged	Any Qty
3/16	AV0706	AV0705	1
1/4"	AV0708	AV0707	1
5/16	AV0710	AV0709	1
3/8	AV0716	N/A	1

Building Fasteners

ConCut Screws


- Drill Bit included in Box of 1
- Corrosion Resistant



Hex Head

Size	Length	Part #	Any Qty
3/16"	3/4"	AN0602	1
3/16"	1-1/4"	AN0604	1
3/16"	1-3/4"	AN0605	1
3/16"	2-1/4"	AN0606	1
3/16"	2-3/4"	AN0607	1
3/16"	3-1/4"	AN0608	1
1/4"	1-1/4"	AN0610	1
1/4"	1-3/4"	AN0612	1
1/4"	2-1/4"	AN0614	1
1/4"	2-3/4"	AN0616	1
1/4"	3-1/4"	AN0618	1
1/4"	4"	AN0621	1

Page 42 for Threaded Rod



Flat Head



Size	Length	Part #	Any Qty
3/16"	1-1/4"	AN1604	1
3/16"	1-3/4"	AN1606	1
1/4"	1-3/4"	AN1612	1
1/4"	2-1/4"	AN0614	1
1/4"	2-3/4"	AN1616	1
1/4"	3-1/4"	AN1618	1
1/4"	4"	AN1621	1

Drop in Anchor

- Internally Threaded Expansion shell anchor
- Set by driving expansion plug towards bottom of anchor



Plated Steel

Size	Part #	Any Qty.
1/4"	AJ0610	1
3/8"	AJ0615	1
1/2"	AJ0620	1
5/8"	AJ0625	1
3/4"	AJ0630	1

Stainless Steel

Size	Part #	Any Qty.
1/4"	AJ0710	1
3/8"	AJ0715	1
1/2"	AJ0720	1

Drop in Setting Tool

Size	Part #	Box Qty.
1/4"	AJ0310	1
3/8"	AJ0315	1
1/2"	AJ0320	1






An Acument™ Global Technologies Company


HANGERMate®

Threaded Rod Anchoring System

For Steel applications



For Concrete & Wood applications



Type 17 point

Self-drilling point

Next

Cross-drilled head (10mm) for side mounting applications


End-drilled head (10mm) for inline applications

Rod Size	Description	Part #	Ea
3/8"	Wood / Concrete vertical	PW9560	1
3/8"	Wood / Concrete 90 Degree	PW9562	1
3/8"	Self Drilling Vertical	PW9564	1
	Hanger Mate Driver Tool	PW9599	1

Building Fasteners

Steel Wedge


- Zinc Plated



Size	Length	Part #	Any Qty
1/4"	1-3/4"	AG0610	1
1/4"	2-1/4"	AG0614	1
1/4"	3-1/4"	AG0618	1
3/8"	2-1/4"	AG0814	1
3/8"	2-3/4"	AG0816	1
3/8"	3"	AG0817	1
3/8"	3-1/2"	AG0819	1
3/8"	3-3/4"	AG0820	1
3/8"	5"	AG0823	1
3/8"	7"	AG0827	1
1/2"	2-3/4"	AG1016	1
1/2"	3-3/4"	AG1020	1
1/2"	4-1/4"	AG1021	1
1/2"	5-1/2"	AG1024	1
1/2"	7"	AG1027	1
1/2"	8-1/2"	AG1030	1
1/2"	10"	AG1033	1
1/2"	12"	AG1037	1
5/8"	3-1/2"	AG1219	1
5/8"	4-1/2"	AG1222	1
5/8"	5"	AG1223	1
5/8"	6"	AG1225	1
5/8"	7"	AG1227	1
5/8"	8-1/2"	AG1230	1
5/8"	10"	AG1233	1
3/4"	4-1/4"	AG1322	1
3/4"	4-3/4"	AG1323	1
3/4"	5-1/2"	AG1324	1
3/4"	6-1/4"	AG1325	1
3/4"	7"	AG1327	1
3/4"	8-1/2"	AG1330	1
3/4"	10"	AG1333	1

Stainless Steel Wedge


- 304 (18-8) Grade
- Rated for ACQ treated lumber



Size	Length	Part #	Any Qty
1/4"	1-3/4"	AH0610	1
1/4"	2-1/4"	AH0614	1
1/4"	3-1/4"	AH0618	1
3/8"	2-1/4"	AH0814	1
3/8"	2-3/4"	AH0816	1
3/8"	3"	AH0817	1
3/8"	3-1/2"	AH0819	1
3/8"	3-3/4"	AH0820	1
3/8"	5"	AH0823	1
1/2"	2-3/4"	AH1016	1
1/2"	3-3/4"	AH1020	1
1/2"	4-1/4"	AH1021	1
1/2"	5-1/2"	AH1024	1
1/2"	7"	AH1027	1
5/8"	3-1/2"	AH1219	1
5/8"	4-1/2"	AH1222	1
5/8"	5"	AH1223	1
5/8"	6"	AH1225	1

Shot Pins

- .300 Headed Pin
- Package of 1



Length	Part #	Box
1/2"	ZA2305	1
5/8"	ZA2306	1
3/4"	ZA2307	1
1"	ZA2309	1
1-1/4"	ZA2310	1
1-1/2"	ZA2311	1
1-3/4"	ZA2312	1
2"	ZA2313	1
2-1/2"	ZA2315	1
3"	ZA2317	1

Titan HD Concrete Screw

- Heavy Duty Screw Anchor for Concrete
- Installs in 1/4 the time
- No Special Drill Bit needed
- Removable
- Less edge & spacing distances required
- Meets international building code for seismic and wind



Size	Length	Part #	Any Qty
1/4"	1-3/4"	AF0606	1
1/4"	2-1/4"	AF0608	1
1/4"	3"	AF0614	1
3/8"	1-3/4"	AF0618	1
3/8"	2-1/2"	AF0620	1
3/8"	3"	AF0814	1
3/8"	4"	AF0816	1
3/8"	5"	AF0817	1
3/8"	6"	AF0819	1
1/2"	3"	AF1016	1
1/2"	4"	AF1020	1
1/2"	5"	AF1025	1
1/2"	6"	AF1026	1
1/2"	6-1/2"	AF1027	1
1/2"	8"	AF1028	1
5/8"	4"	AF1221	1
5/8"	5"	AF1223	1
5/8"	6"	AF1225	1
5/8"	6-1/2"	AF1226	1
5/8"	8"	AF1228	1
3/4"	4"	AF1321	1
3/4"	5"	AF1323	1
3/4"	6"	AF1325	1
3/4"	7"	AF1327	1

Concrete

SDS-Max

- Solid Head Quad Cutter, thicker shank to transfer blow direct to concrete



Size	Part #	LOA	Drill Depth
1/2"	DB7622	13"	8"
1/2"	DB7624	21"	16"
5/8"	DB7632	13"	8"
5/8"	DB7634	21"	16"
3/4"	DB7652	13"	8"
3/4"	DB7654	21"	16"
1"	DB7672	13"	8"
1"	DB7674	21"	16"

Concrete & Masonry

- 118° Carbide Tipped



Size	Part #	LOA
5/32"	DB8017	4-1/2"
3/16"	DB8018	4-1/2"
1/4"	DB8021	4"
1/4"	DB8022	6"
5/16"	DB8025	6"
3/8"	DB8027	6"
3/8"	DB8028	12"
1/2"	DB8028	6"
5/8"	DB8034	6"

Concrete SDS-Plus

- SDS-Plus use an asymmetrical-parabolic flute for efficient energy transmission and dust removal.



Size	Part #	LOA	Drill Depth
3/16"	DB7512	4"	2"
3/16"	DB7514	6"	4"
1/4"	DB7516	4"	2"
1/4"	DB7521	6"	4"
1/4"	DB7525	8"	6"
5/16"	DB7530	6"	4"
3/8"	DB7535	6"	4"
3/8"	DB7535	10"	8"
3/8"	DB7540	12"	10"
1/2"	DB7550	6"	4"
1/2"	DB7552	12"	10"
5/8"	DB7570	8"	6"
5/8"	DB7571	12"	10"
3/4"	DB7577	8"	6"
3/4"	DB7580	12"	10"
7/8"	DB7586	8"	6"
1"	DB7590	10"	8"
1"	DB7592	18"	16"

SDS-Proline Quad Head

- Solid Head Quad Cutter, thicker shank to transfer blow direct to concrete



Size	Part #	LOA	Drill Depth
1/4"	DB7416	4"	2"
1/4"	DB7421	6"	4"
1/4"	DB7423	8"	6"
3/8"	DB7435	6"	4"
1/2"	DB7450	6-5/8"	4"
1/2"	DB7451	12"	10"

Anchoring Epoxy

9.6oz. Cartridge, two component 1:1 ratio high solid epoxy based for high strength anchoring. Dispense at warm or cool Temperature
Part LA6110



Anchoring Epoxy 9.6oz. Cartridge, two component 10:1 ratio high solid epoxy based for high strength anchoring. Dispense and cures down to 4 Centigrade
Part LA6113



Zamac Pin Bolt

- Zamac pin bolt is a light duty, tamper resistant anchor
- Drill concrete, place anchor, and hit with hammer
- Typical applications include, flashing, brick ties, stud walls, light weight fixtures, Signage, HVAC Strapping.



Size	Part #	Pin Material	Box
3/16" X 7/8"	AM0408	Plated Steel	1
1/4" X 1"	AM0609	Plated Steel	1
1/4" X 1-1/4"	AM0610	Plated Steel	1
1/4" X 1-1/2"	AM0611	Plated Steel	1
1/4" X 2"	AM0613	Plated Steel	1
1/4" X 3"	AM0617	Plated Steel	1
Size	Part #	Pin Material	Box
1/4" X 1"	AM2609	Stainless Steel	1
1/4" X 1-1/4"	AM2610	Stainless Steel	1
1/4" X 1-1/2"	AM2611	Stainless Steel	1
1/4" X 2"	AM2613	Stainless Steel	1

Batteries

Battery Buying Guide

Consider three parameters
Type-Sealed Lead Acid
Physical Dimensions
Battery Voltage

Other battery data
 or part numbers do
 not need to be taken
 in to consideration
 when ordering
 batteries



12 Volt Battery

Part#	L	W	H	AmpHr
EP1210	5.57"	1.28"	4.25"	4.5
EP1212	7.00"	1.30"	2.64"	2.3
EP1225	5.28"	2.64	2.64"	3.5
EP1230	3.54"	2.76"	4.21"	4.5
EP1235	5.95"	2.56"	3.94"	7.0
EP1240	5.95"	3.86"	3.94"	12
EP1245	7.13"	2.95"	6.54"	18


6 Volt Battery

Part#	L	W	H	AmpHr
EP1206	2.76"	1.83"	4.17"	4.5
EP1207	5.95"	1.34"	3.94"	7.0
EP1208	4.00"	2.25"	4.60"	8.5
EP1209	5.95"	1.97"	3.94"	12



Packing Products

Sold by 110 lb Coil



Size	Gauge	Part #	Breaking Strength
1/2"	.020	V-PA5298	1180
3/4"	.020	V-PA529	1765

Phone and let us assist you with
 all your banding & sealing needs
 Big or Small

Seals

- Open Type
- Package Qty 2000




Size	Gauge	Part #
1/2"	.020	V-PA533
3/4"	.020	V-PA535

Poly Buckle

- Part # WZ2404
- Package Qty 1000




Phone and let us assist you with
 all your Banding or Ty-Wrap
 needs Big or Small in Nylon,
 Stainless or Coated Stainless



Latches & Hinges

Adjustable Over-Center Latch


- 304 Stainless Steel



Size	A	Part #
3"	83-90 mm	WQ0350
4.5	110-125 mm	WQ0351
6"	148-165 mm	WQ0352

Over-Center Latch

- 304 Stainless Steel



Size	A	Part #
3"	77mm	WQ0300
5"	132mm	WQ0310

Piano Hinge

- 304 Stainless Steel
or Aluminum
- Length 72"




Open	Holes	Ga.	Pin	Part #
Stainless Steel 304				
1-1/4"	Yes	0.040	0.093	WQ0504
1-1/2"	Yes	0.037	0.100	WQ0507
1-1/2"	No	0.062	0.125	WQ0509
2"	Yes	0.037	0.100	WQ0510
2"	No	0.060	0.125	WQ0512
2"	No	0.060	0.187	WQ0514
3"	No	0.060	0.125	WQ0522
3"	No	0.062	0.187	WQ0524
Aluminum				
1-1/2"	No	0.060	0.125	WQ0609
2"	No	0.060	0.125	WQ0612
3"	No	0.120	0.187	WQ0626

Welding & Fabrication

Weld-On Hinges

- Aluminum
- Stainless Steel Pin
- Stainless Grease Nipple



Size	Part #	Pkg
2-3/4" (70 mm)	WO0315	1
3-3/16" (80 mm)	WO0318	1
4" (100 mm)	WO0321	1
5-1/4" (135 mm)	WO0322	1
6" (150 mm)	WO0325	1

Weld-On Hinges

- Steel with Brass Pin
- Grease Nipple



Size	Part #	Pkg
2-3/4" (70 mm)	WO0219	1
3-3/16" (80 mm)	WO0220	1
4" (100 mm)	WO0221	1
5-1/4" (135 mm)	WO0223	1
6" (150 mm)	WO0225	1
8" (200 mm)	WO0229	1
10" (250 mm)	WO0231	1

Stainless Steel Hinges

- Square Holes
- Polished
- Measured by over all Length



Size	Gauge	Part #
4-1/8"	.100	WQ0320
6-3/16"	.157	WQ0325
9-3/4"	.185	WQ0330

Stainless Hinge

- Polished
- Inquire



BackStand Belts

- Premium
- Zirconia



Width	Grit	Part #	Grit
4"	132"	JG61627	36
4"	132"	JG61630	60
4"	132"	JG61631	80

Abrasive Cloth Rolls

- Premium
- Cloth Back
- For Metal



Width	Grit	Part #	Length
1-1/2"	80	JG63073	150'
1-1/2"	100	JG63074	150'
1-1/2"	120	JG63075	150'
1-1/2"	180	JG63076	150'
1-1/2"	220	JG63077	150'
2"	80	JG63083	150'
2"	120	JG63085	150'
2"	180	JG63087	150'

Latches

- Many Choices
- Cabinets
- Truck box



Cup Wheels



Diameter	Wire	Part #	Material
Knot Wheel			
2-3/4"	.020	JG60538	Carbon
4"	.020	JG60104	Carbon
4"	.020	JG60539	Carbon
4"	.020	JG60540	Stainless
6"	.020	JG60541	Carbon
6"	.020	JG60542	Stainless
Crimped Wire Wheel			
4"	.014	JG60562	Carbon
6"	.020	JG60564	Carbon

Wire Wheels



Diameter	Wire	Part #	Material
Stringer Bead Wheels			
4"	.020	JG60520	Carbon
4"	.020	JG60521	Stainless
5"	.020	JG60522	Carbon
6"	.020	JG60523	Carbon
6"	.020	JG60524	Stainless
Standard Knot Wheel			
6"	.020	JG60505	Carbon

Grab Hand 13" Length Over all



Size	Material	Part #
13"	Stainless	WQ0102
13"	Aluminum	WQ0101

Spring Bolt 1/2" Pin Part # WQ0230

- All Stainless Steel
- Locks in open position
- Available in Plated Steel



Aluminum Grinding & Cutting

A46 NBF - Cut Off Disk

- **Aluminum** and other Non - Ferrous metals, such as copper and brass.



A46 Grit	Part #	Box
4-1/2" X .045 X 7/8"	JG53255	25
5" X .040 X 7/8"	JG53256	25

A30N Grinding


- **Aluminum** and other Non - Ferrous metals, such as copper and brass.



Size	Part #	Box
4-1/2" X 1/4"	JG36107	10
5" X 1/4"	JG36109	10

Flap Disk For Aluminum

- Blue Fired AO grain with polyester heat treated backing
- Use on Soft Materials



Size	Grit	Part #	Box
5" X 7/8"	36	JG43181	10
5" X 7/8"	60	JG43184	10

Pasco is the largest abrasive belt manufacturer in the USA. Disks are mylar film backed, Pasco is ready to prove they make the best disk in the world. Superior Edge tear resistance.

Order Disks in any quantity- Savings in Boxed quantity
For more Abrasive choices visit www.pacificabrasives.com

PASCO

Sanding Disks


Hook & Loop -Velcro "C" weight paper Gold Discs #1 selling



Grit	5" Part # No Hole	5" Part # 5 Hole	6" Part # 6 Hole
40	JG49925	JG49955	JG49970
80	JG49927	JG49957	JG49972
100	JG49928	JG49958	JG49973
120	JG49929	JG49959	JG49974
150	JG49930	JG49960	JG49975
180	JG49931	JG49961	JG49976
220	JG49932	JG49962	JG49977

Hook & Loop Velcro

2-4X the life with Film Backed .003



Grit	5" Part # No Hole	5" Part # 8 Hole	6" Part # No Hole
80	JG51231	JG51303	JG51249
100	JG51232	JG51304	JG51250
120	JG51233	JG51305	JG51251
150	JG51234	JG51306	Special
180	JG51235	JG51307	JG51253
220	JG51236	JG51308	JG51254

Spiral Cool Backing Rubber Pads for Fibre Disks Medium density with cooling channels. Center Nut sold separately

**5" - Part # JG48221
Nut-Part# JG48223**



Adhesive Disks

Adhesive Sheet Rolls

- AO "C" Weight
- Open Coat
- Stearated
- 30 Foot
- Dispenser not included



Width	Grit	Part#
4-1/2"	80	JG44802
4-1/2"	100	JG44801
4-1/2"	120	JG44800
4-1/2"	150	JG44799
4-1/2"	220	JG44798
4-1/2"	320	JG44797

Backing Pads 5/16"-24
Choose either adhesive or hook & Loop



Stock item- *

Adhesive Hook Loop

Size	Profile	Hole	Part #	Part #
5"	Med	no	JG49406	* JG49413
5"	Firm	no	JG49407	JG49414
5"	Med	5	JG49408	* JG49415
6"	Med	no	JG49423	* JG49426
6"	Med	6	JG49406	* JG49428

Abrasives Disks

Flap Wheels

- Application -Metal
- 1/4" Mandrel
- Use on ferrous and non-ferrous materials. S/S, brass, aluminum, wood, glass & fiberglass



Dia X Width	Grit	Part #
1" X 1"	60	JG39908
1" X 1"	80	JG39909
1-1/2" X 1"	40	JG39920
1-1/2" X 1"	60	JG39921
1-1/2" X 1"	80	JG39922
1-1/2" X 1"	120	JG39923
2" X 1"	40	JG39931
2" X 1"	60	JG39932
2" X 1"	80	JG39933
2" X 1"	120	JG39934
2" X 2"	120	JG39944

Surface Conditioning - NDS800

- Surface polishing
- Ideal for processing of welded seams
- Rough cleaning
- De-burring
- Non-Woven



Size	Color	Part #	Box
5"	Gold (Coarse)	JG70012	10
5"	Maroon (Med)	JG70013	10
5"	Grey (Very Fine)	JG70014	10

Surface Conditioning Backing Pad

4-1/2" Part # JG49533
5" - Part # JG49534



Roloc Flap Disks

- Zirconia

Size	Grit	A/Oxide
3"	40	JG30012
3"	60	JG30014
3"	80	JG30015

Fibre Disks CS561

- Application -General purpose grinding, blending, cleaning & de-burring
- Zirconia



Size	Grit	Zirconia (Blue)
4-1/2"	36	JG48102
4-1/2"	60	JG48105
5"	24	JG48111
5"	36	JG48112
5"	60	JG48115
5"	80	JG48116
7"	36	JG48122
7"	60	JG48125

Premium Backing Pads

Spiral Polypropylene Backing Pads for Fibre Disks. Medium density Center Nut included


5" - Part # JG36205
Nut-Part# JG48223

7" - Part # JG36206
Nut-Part# JG49530



Fibre Disks

- Application -General purpose, Fibre glass, wood.
- Aluminum Oxide



Size	Grit	A/Oxide
5"	24	JG48021
5"	36	JG48022
5"	40	JG48023
5"	60	JG48025
5"	80	JG48026
5"	100	JG48027
5"	120	JG48028
7"	36	JG48032
7"	60	JG48035

EZ Clean Wheels



- Non woven wheels for cleaning welds and fast removal of rust, scaling, oxidation, paints, sealants, and other clogging materials.
- **Red** -Rigid for faster working on angled and irregular surfaces.
- **Black** - Cleaning and can provide a satin finish

Size	Color	Part #	Box
4-1/2 X 7/8	Red	JG59204	10
4-1/2 X 7/8	Black	JG59200	10

Roloc Sanding Disks

- Zirconia




Size	Grit	A/Oxide
2"	36	JG59565
2"	40	JG59566
2"	60	JG59568
3"	36	JG59570
3"	40	JG59571
3"	60	JG59573

Roloc Disk Back Pads

2" - Part # JG59732
3" - Part # JG59734



Roloc Surface Conditioning



Size	Color	Part #	Box
2"	Gold (Coarse)	JG59503	10
2"	Maroon (Med)	JG59504	10
2"	Grey (Very Fine)	JG59505	10
3"	Gold (Coarse)	JG59506	10
3"	Maroon (Med)	JG59507	10
3"	Grey (Very Fine)	JG59508	10



The Market Leader in Cut off Wheels Chop Saw Wheels

Type 1



- Less cutting resistance
- Less Dust
- Less Vibration
- Less Burrs & Sparks
- Cuts Steel & Stainless



ZA60-TB-Flex Wheel	Part #	Box
★ 4-1/2" x .035 x 7/8	JG45010	25
★ 5" x .040 x 7/8	JG45011	25
6" x .040 x 7/8	JG45012	25
★ 7" x 1/16" x 7/8	JG45013	25

Type 1



- Less cutting resistance
- Less Dust
- Less Vibration
- Less Burrs & Sparks
- Cuts Steel & Stainless



ZA36T Rigid Wheel	Part #	Box
★ 4-1/2" x .045 x 7/8	JG35514	25
★ 5" x .045 x 7/8	JG35516	25
★ 6" x .045 x 7/8	JG35517	25
★ 7" x 1/16" x 7/8	JG35518	25

- Ideal for use on low horsepower stationary machines. Very versatile, fast cuts on a wide variety of material



Size	Part #	Box
★ 14" X 1/8" X 1" A24-R-BF	JG35582	10
★ 14" X 3/32" X 1" A36P-BF	JG35576	10
★ 14" X 5/32" X 20mm A24-R-BF	JG35599	10
★ 14" X 3/32" X 1" WA36-P-BF	JG36123	10
★ 14" X 3/32" X 1" ZA24-S-BF	JG36125	10
★ 14" X 5/32" X 20mm A24-R-BF	JG36158	10
★ 16" X 5/32" X 1" A24-R-BF	JG36143	10

- Last Longer
- Less Vibration
- Zirconia & Aluminum



Type 27

Depressed Center ZA60-S-BF	Part #	Box
★ 5" x .045 x 7/8	JG45005	25
★ 6" x .045 x 7/8	JG45007	25
★ 7" x .045" x 7/8	JG45008	25

CF

Contaminate-Free

Iron, Sulfur, and
Chlorine < 0.1%;
Stainless Steel
Wont' Show Rust

- Last Longer
- Less Dust
- Less Vibration
- Less Burrs & Sparks
- Cuts Steel & Stainless
- WA - White Aluminum Oxide grain for stainless steel, food grade, and nuclear applications



WA60-TB Flex Extra Thin Wheel	Part #	Box
★ 4-1/2" x .035 x 7/8	JG36303	25
5" x .040 x 7/8	JG36304	25
WA36T-Rigid Thin Wheel	Part #	Box
4-1/2" x .045 x 7/8	JG35515	25
5" x .035 x 7/8	JG36301	25
WA60R-Rigid Depressed Center	Part #	Box
4-1/2" x .045 x 7/8	JG45003	25
★ 5" x .045 x 7/8	JG45006	25
6" x .045 x 7/8	JG45017	25
★ 7" x 1/16" x 7/8	JG45009	25

A60-T-BF Wheel	Part #	Box
★ 4-1/2" x .035 x 7/8	JG45042	25
★ 5" x .045 x 7/8	JG45104	25



Size	Part #	Box
★ 7" X 3/32" X 5/8" A24-R-BF	JG37573	25



Grinding Disks

1/4" Depressed Center Wheels For Grinding Steel

- A24N- Soft N grade bond for fast stock removal
- A24R- R Bond for longer life and excellent Stock Removal - #1 Selling wheel
- A24T- Hard T Bond long life, edge grinding or when a hard wheel is needed.




Size A24N	Part #	Box
★ 4-1/2" X 7/8"	JG35622	25
★ 5" X 7/8"	JG35627	25
★ 7" X 7/8"	JG35642	25
Size A24R	Part #	Box
4-1/2" X 7/8"	JG35620	25
★ 5" X 7/8"	JG35626	25
★ 7" X 7/8"	JG35640	25

1/4" Depressed Grinding Center Wheels

- A30N Soft N grade bond for Aluminum, Copper, Zinc, and other soft materials
- WA24S-S Bond White Aluminum Oxide for food Grade Stainless Grinding-Contamination Free
- ZA24T- Hard T Bond Zirconia grain is sharper, cuts faster, and lasts longer. Recommended for Steel, Cast Iron, and Stainless Steel.

For Aluminum A30N	Part #	Box
★ 4-1/2" X 7/8"	JG36107	25
★ 5" X 7/8"	JG36109	25
Food Grade S/S WA24S	Part #	Box
★ 4-1/2" X 7/8"	JG35673	25
5" X 7/8"	JG37543	25
Cast, S/S, Steel ZA24T	Part #	Box
★ 4-1/2" X 7/8"	JG35624	25
★ 5" X 7/8"	JG37535	25



Flap Disks

Premium Z3



- Fastest grain removal in the market place for carbon based steels



- Recommended for Steel & Stainless Steel
- Design - Convex



Size	Grit	Part #	Box
4-1/2" X 7/8"	36	JG42361	10
4-1/2" X 7/8"	40	JG42362	10
4-1/2" X 7/8"	60	JG42364	10
4-1/2" X 7/8"	80	JG42365	10
4-1/2" X 7/8"	120	JG42366	10
5" X 7/8"	36	JG42561	10
5" X 7/8"	40	JG42562	10
5" X 7/8"	60	JG42564	10
5" X 7/8"	80	JG42565	10
7" X 7/8"	40	JG42762	10

Premium Z-Stainless

- 56% more material removal than leading competitor
- Recommended for Stainless Steel
- Design - Convex



Size	Grit	Part #	Box
4-1/2" X 7/8"	40	JG31132	10
4-1/2" X 7/8"	60	JG31134	10
4-1/2" X 7/8"	80	JG31135	10
5" X 7/8"	40	JG31142	10
5" X 7/8"	60	JG31144	10
5" X 7/8"	80	JG31145	10

Order any quantity - better price for box quantity

Maintenance Products

Hose Clamps

- High Nickel Stainless Steel for Marine and other corrosive environments.
- Worm Gear is 1% Stain
- Phone for other sizes



Size	Part #	Min -Max	Pkg
4	CL0304	5/16 - 1/2	1
5	CL0305	7/16 - 11/16	1
6	CL0306	3/8 - 7/8	1
8	CL0308	7/16 - 1	1
10	CL0310	1/2 - 1-1/4	1
12	CL0312	1/2 - 1-1/4	1
16	CL016	11/16 - 1-1/2	1
20	CL0320	3/4 - 1-3/4	1
24	CL0324	1 - 2	1
28	CL0328	1-1/4 - 2-1/4	1
32	CL0332	1-1/2 - 2-1/2	1
36	CL0336	1-3/4 - 2-3/4	1
40	CL0340	2 - 3	1
72	CL0372	2-1/4 - 3-1/4	1

Hitch Pins



A"	Dia	Part #
0.46"	0.023	JE0106
1.25"	0.093	JE0213
1.86"	0.125	JE0316
2.07"	0.125	JE0313
2.35"	0.092	JE0307
2.60"	0.121	JE03011
2.50	0.092	JE0308
2.96	0.157	JE0407
3.27	0.154	JE0409
3.30	0.187	JE0506
3.75	0.187	JE0508
4.50	0.250	JE0619
4.00	0.310	JE0720


Cotter Pins

- Steel & Stainless Steel



Size	Length	Steel	Stainless
1/16"	1/2"	JC0305	JC2305
1/16"	3/4"	JC0307	JC2307
1/16"	1"	JC0309	JC2309
1/16"	1-1/4"	JC0310	JC2310
1/16"	1-1/2"	JC0311	JC2311
1/16"	2"	JC0313	JC2313
3/32"	1/2"	JC0505	JC2505
3/32"	3/4"	JC0507	JC2507
3/32"	1"	JC0509	JC2509
3/32"	1-1/4"	JC0510	JC2510
3/32"	1-1/2"	JC0511	JC2511
3/32"	2"	JC0513	JC2513
1/8"	1/2"	JC0705	JC2705
1/8"	3/4"	JC0707	JC2707
1/8"	1"	JC0709	JC2709
1/8"	1-1/4"	JC0710	JC2710
1/8"	1-1/2"	JC0711	JC2711
1/8"	2"	JC0713	JC2713
1/8"	2-1/2	JC0715	JC2715
1/8"	3"	JC0717	JC2717
5/32"	1"	JC0809	JC2809
5/32"	1-1/4"	JC0810	JC2810
5/32"	1-1/2"	JC0811	JC2811
5/32"	2"	JC0813	JC2813
5/32"	2-1/2	JC0815	JC2815
5/32"	3"	JC0817	JC2817
3/16"	1"	JC0909	JC2909
3/16"	1-1/4"	JC0910	JC2910
3/16"	1-1/2"	JC0911	JC2911
3/16"	2"	JC0913	JC2913
3/16"	2-1/2	JC0915	JC2915
3/16"	3"	JC0917	JC2917
1/4"	1-1/2"	JC1111	JC3111
1/4"	2"	JC1113	JC3113
1/4"	2-1/2	JC1115	JC3115
1/4"	3"	JC1117	JC3117
1/4"	4"	JC1118	JC3118

Wire Lock Pin



A"	Dia	Shaft	Part #
3.0	0.309	Round	JE7313
2.80	0.375	Round	JE7322

Grease Fittings

- Strathcon grease fittings are manufactured to meet S.A.E. and Military specifications



Size	Part #	Style
1/8 NPT	JF0110	Str.
1/8 NPT	JF0111	Str Long
1/8 NPT	JF0112	30°
1/8 NPT	JF0113	45°
1/8 NPT	JF0115	67°
1/8 NPT	JF0117	90°
1/4 NPT	JF0120	Straight
1/4 NPT	JF0122	67°
1/4-28	JF0124	Str Short
1/4-28	JF0126	Str Long
1/4-28	JF0128	45° Short
1/4-28	JF0130	45° Long
1/4-28	JF0132	90° Short
1/4-28	JF0136	Drive
5/16-24	JF0144	Straight
3/8-24	JF0137	Straight
3/16"	JF0139	Drive Fit
1/4"	JF0138	Drive Fit
5/16"	JF0140	Drive Fit
M8 X 1.0	JF0204	Straight
M8 X 1.0	JF0202	45°
M8 X 1.0	JF0208	90°
M10 X 1.0	JF0300	Straight
M10 X 1.0	JF0320	45°
M10 X 1.0	JF0325	90°

Stainless Steel Grease Fitting




Size	Part #	Style
1/8 NPT	JF0010	Straight
1/8 NPT	JF0012	45°
1/4 NPT	JF0020	Straight
1/4-28	JF0030	Straight
1/4-28	JF0032	45°
M6	JF0400	Straight

Cabinets & Storage

Bolt Bins

- Bin Dimensions
4" X 11-7/8" X 4-1/2"
- Prime Cold Rolled Interlocking and Welded Steel
- Label's Provided for SAE or Metric Bolts



H	W	D	Bins	Part #
42"	33.75"	12"	72	KZ1072
23-7/8"	33.75"	12"	40	KZ1040

2020 Piece Pre-Filled Bolt Bins

- All Bolt Bin Starting inventory Kits arrive in Bolt Bins Described Above
- The Bolt Bin arrives, with color labels. To make reordering easy, each label includes description & part #
- Complete Details including quantities and layout of assortments will be available online, winter 2017. www.strathcon.com

Bins	Description	Part #
72	Hx Cap S/S	KQ0910
72	Hx Cap NCP5	KH0972
72	Hx Cap NCP8	KH1072
72	Hx Cap NFP8	KH1272
72	Hx Cap Metric 10.9	KQ1072
72	Hx Cap Metric 8.8	KQ0972

Easy Glide Rack Lock

- Fits KZ2001 & KZ1801
- Plated locking hinge with swivel padlock attachment. Keeps drawers secure while vehicle is in motion, or securely locked in a shop environment
- **Part # KZ2001**




Easy Glide Rack

- Triple-track space saver, holds 4 large compartment trays.
- 12.5" Deep
15" Hlgh
20-1/4" Wide
- **Part # KZ2001**




Easy Glide Rack

- Easy Glide space saver, holds 6 or 4 small compartment trays.
- 11-3/4" Deep
16-3/8" Hlgh
15-1/4" Wide
- **Part # KZ1802 (6)**
Part # KZ1801 (4)



Metal Compartment Tray

- Easy Glide Tray are designed to accommodate compartment boxes and create convenient, compact storage systems. Rugged plastic inserts fit securely into steel outer shell.



H	W	D	Bins	Style	Part #
3"	18"	12"	21	A	KZ2021
3"	18"	12"	24	B	KZ2024
3"	18"	12"	20	C	KZ2020
3"	18"	12"	32	D	KZ2032
2"	13-3/8	9-1/4"	21	A	KZ1821
2"	13-3/8	9-1/4"	24	B	KZ1824
2"	13-3/8	9-1/4"	20	C	KZ1820

Assortments

Pre-filled Assortments

- All listed assortments are large Metal Compartment Trays
- The Tray arrives with color label and each compartment is labeled for ease of re-ordering, with description, part #
- Details including quantities and layout of assortments will be available online, summer 2017. www.strathcon.com

Style	Description	Part #
B	Battery Lugs & Butts	KK5324
A	ShrinkTerm W/Crimper	KK5721
B	Nylon Terminals	KK5424
B	DrilTek (Self-Drilling)	KO0624
B	Hx Hd Sheet Metal	KO0924
B	Pan Hd Sheet Metal	KO1224
B	Flat Hd. Wood Screw	KO1024
B	Pan Hd Machine Scr.	KM1424
B	Pan Hd SMS S/S	KS1224
B	Oval Hd Machine S/S	KS1224
B	Button Hd Cap S/S	KS0524
B	Socket Cap S/S	KS0632
B	Hex Cap S/S	KS0924
B	Hex Cap NCP8	KH1024
B	Hex Cap NCP5	KH0924
B	Hex Cap NFP8	KH1224
B	Pan Hd Mach. Metric	KQ1424
B	Flat Hd. Mach. Metric	KQ1524
D	Hex Cap 10.9	KQ1032
B	Hex Cap 10.9	KQ1024
B	Hex Cap 8.8	KQ0924
B	Hex Cap 8.8 (Fine)	KQ1232
B	Hex Cap S/S Metric	KQ3624
B	Hex Cap Flanged Metric	KQ1124
D	Socket Cap Metric 12.9	KQ1332
A	GripRite Rivets W/Tool	KD1621
A	GripRite Inserts W/Tool	KE1655

Shop Supplies

Thread Locker



Strength	Part #	Size
Low Strength (purple)	LA1030	10 ml
Medium (blue)	LA1032	10 ml
Medium 242(blue)	LA1015	36 ml
Permanent (red)	LA1034	10 ml
Permanent 271(red)	LA1026	36 ml

Sika 221 Urethane Sealant

- Adheres and Seals Wood & Fiberglass
- For use above and below the waterline.
- Tack-free in 90 minutes



Color	Part #	Pkg
White	LA6040	1
Black	LA6050	1
Grey	LA6045	1

NP-1 Urethane Sealant

- BASF Chemicals
- A high quality urethane sealant/adhesive for industrial caulking & sealing
- Excellent resistance to water and weathering
- Good adhesion to aluminum, glass, concrete, wood, fiberglass



Color	Part #	Pkg
White	LA6030	1
Black	LA6010	1
Grey	LA6020	1

Cord Ends - Leviton Brand

Type	Part #	Pkg
Male	ER1510	
Female	ER1515	

Industrial Batteries

- Alkaline



Size	Part Number	Pkg contains
AAA	ET0140	18
AA	ET0135	24
C	ET0155	6
D	ET0145	12
9 Volt	ET0160	6

High Density Foam Tape

Adhesive one side
Closed Cell



Size	Part #	Pkg
1/8" x 3/4" x 75ft	WP0703	1
3/16" x 1" x 50ft	WP0713	1
1/4" x 1" x 37.5ft	WP0723	1
1/4" x 2" x 37.5ft	WP0725	1
1/4" x 3" x 37.5ft	WP0730	1
3/8" x 1" x 25ft	WP0740	1
1/2" x 1" x 25ft	WP0750	1

Jet Lube Anti Seize

- Regular Grade - 1800F- Combats Seizure/Galling
- Marine - 1800F prevents Galvanic corrosion and Galling

Grade	Brush Top	Brush Top
Regular Kopr-kote	LU6505 -225ml.)	LU6510 -(450ml.)
Marine Grade	LU6520 (1/2 lb.)	LU6525 (1 lb.)
Food Grade	LU6547 (325 Gram)	

Brute Cutting Fluid

- For use on all metals
- Does not contain Sulfur, Oil or toxic chemicals
- Extend Tool life



Size	Part #	Pkg
118 ml	LA2024	1
473 ml	LA2026	1
3.78 Litres	LA2028	1
56 grams Wax	LA2030	1
481 grams Wax	LA2032	1

Tool Crib Heavy Duty Anti-Seize

Part# LA1530


A corrosion resistant lubricant that aids in the assembly and disassembly of mating parts that are subjected to extreme heat, pressure and corrosion. Reduces wear and friction, eliminates galling & seizure up to 1000F (538C), and stops galvanic pitting. Will not wash, scrape or burn off. Spray in any position with the all-position valve. An extension tube is furnished as well for pinpoint application. Excellent for marine applications or where salt water corrosion could be a problem.



LED Work Lights

Strathcon will guarantee customer satisfaction, order one of our LED Work Lights, if not completely satisfied, return within 14 days, for a 100% no question refund.

Description	Part #	Type
10 Watt Spot 9 - 60 Volt DC Daisy Chain Mnt 720 Lm	#LD4110 2.5" Square Rain & Splash Proof	
15 Watt 10-30 Volt DC 750 Lm 5.75"x2.7"x1.7"	#LD4115 Spot	
	#LD4115 Flood	
10 Watt Spot 10-60 Volt 720 Lm Waterproof	LD4108 2.5" Dia	
45 Watt Driving Light 8-10 Degree 12-60 Volt 3060 Lm 5.5" OD	LD4145 Rain & Splash Proof IP67	
60 Watt Driving Light 8-10 Degree 12-60 Volt 4080 Lm 8" OD	LD4160 Rain & Splash Proof IP67	
90 Watt 12-30 Volt 4080 Lm 15" Wide	LD4191 Amber Center Strobe Rain Proof	
20" # LD4190 9250 Lm 126 watt	Bar Lights 50-80 Deg	
		
12" # LD4172 5285 Lm 72 watt	Flood Lights 70-100 Deg	
15" # LD4186 9250 Lm 90 watt		
49" # LD4196 21140 Lm 324 watt		

Description	Part #	Type
27 Watt 10-32 Volt DC 1400 Lm Rain & Splash Proof 100%Stainless Mounting Hardware	#LD4128 Spot Beam	
	#LD4127 Flood Beam	
40 Watt 10-40 Volt DC 2800Lm 100% Waterproof	#LD4140 Spot Beam	
	#LD4141 Flood Beam	
27 Watt 4" x 4" 10-30 Volt 1400 Lm Stainless Mounting Hardware	LD4125 Spot Beam	
	LD4126 Flood Beam	
10 Watt 9-60 Volt	LD4170 Blue Beam Fork Lift	
60 Watt Flood Light 12-48Volt 4320 Lm	LD4188 Rain & Splash Proof IP67	
100 Watt Flood Light 12-48Volt 7200 Lm	LD4189 Rain & Splash Proof IP67	
6" # LD4130 6200 Lm 60 watt	 	
12" # LD4131 12400 Lm 120 watt		

LED 12 Volt Bulbs


Type	Part #	Jet Lube
1157 SMD5050 3 Watt	LD2048 5000K	
1157 SMD5050 6 Watt	LD2013 5000K	
1156/1141 SMD5050 6 Watt	LD2015 3000K	
1156/1141 SMD5050 3 Watt	LD2050 3000K	
Wedge SMD5050 2 Watt	LD1410 3000K	
Wedge 5630SMD 1 Watt	LD1408 3000K	
Wedge 5630SMD 1 Watt	LD1406 6000K	

Lubricants**Super Metalium Grease GTW
Grease That Works**

- GTW is the best high performance Calcium Sulfonate Complex general purpose grease available - and we can prove it.
- Wide Temperature Range-20F to +500F
- High Performance Anti-Friction Formula
- Superior Micro-Molecular Film Strength
- Outstanding resistance to water washout, rust, corrosion and oxidation
- Guaranteed to dramatically reduce metal to metal friction and heat



Size	Part #	Type
454 Gram Tube	LU0101	For Bearings & High RPM
454 Gram Tube	LU1030	4% Moly Pins & Bushings Extreme Shock & Loads

Description	Part #	Jet Lube
Anti-Seize Food Grade 325 gram	LU6547	
Grease Food Grade 14 Oz. Cartridge	LU0100	
Silicone Lube Food Grade 340 Grams Aerosol	LU6546	
Grease Jet Plex EP 14 Oz. Cartridge	LU6550	
Jet Plex Grease EP 5lb Pail	LU6551	

Hardware**Stainless Steel**

Size	Pear Snap	Quick Link
4mm (1/8)	WQ2003	IE3620
5mm (3/16)	WQ2004	IE3622
6mm (1/4")	WQ2005	IE3624
8mm (5/16")	WQ2010	IE3626
10mm (3/8")	WQ2015	IE3628
12mm (1/2")	WQ2020	IE3630

S-Hooks

Plated Steel or Stainless



Size	Dia	Plated Steel	Stainless
1"	.1	QO1310	N/A
1-1/2"	.156	QO1315	QO1576
2"	.250	QO1320	QO1577
2-1/2"	.300	QO1325	QO1578
3"	.300	QO1330	QO1579

Pad Eye

Stainless Steel Tie Down



Size	Screw Size	Stainless
150 Kg	#8	IE3650
300 Kg"	#10	IE3652
1200 Kg	1/4"	IE3654

Eye Bolts Formed

- 304 Stainless Steel



Size	Shank Length	Stainless
3/16"	1-1/2"	QO1201
3/16"	2"	QO1202
1/4"	2"	QO1205
1/4"	2-1/2"	QO1207
1/4"	3"	QO1208
1/4"	4"	QO1209
5/16"	3-1/4"	QO1212
5/16"	4"	QO1213
5/16"	5"	QO1214
3/8"	4"	QO1217
3/8"	5"	QO1218
3/8"	6"	QO1219

Rigging & Lifting

Lever Hoists

Gold Series Mining & Tunneling Quality

- 5 or 10 Feet of Chain

Part #		Tons
5 Feet	10 Feet	
IG2010	IG2070	1/4
IG2020	IG2080	1/2
IG2030	IG2090	3/4
IG2040	IG2100	1-1/2
IG2050	IG2100	3



Chain Hoists

Gold Series Mining & Tunneling Quality

Part #		Tons
10 Feet	20 Feet	
IG0010	IG0070	1/2
IG0020	IG0080	1
IG0030	IG0090	1-1/2
IG0050	IG0110	3



Non Critical light duty Wire Rope Clips

(not for overhead Lifting)



Size	Part #
1/8"	IA1500
3/16"	IA1510
1/4"	IA1511
5/16"	IA1512
3/8"	IA1513
7/16"	IA1514
1/2"	IA1515

Ratchet Type Load Binder



Size	WLL lbs	Part#
1/4"	2600	IG5100
5/16"-3/8"	6600	IG5110
3/8"-1/2"	9200	IG5120

Alloy Hooks



Safe WLL	Part #
2000 lbs	IB2070
3000 lbs	IB2080
4000 lbs	IB2090
6000 lbs	IB2100
9000 lbs	IB2110
14000 lbs	IB2120

Aluminum Wire Rope Sleeves

(not for overhead Lifting)
Aluminum



Size	Part #
1/16"	ID0010
3/32"	ID0020
1/8"	ID0030
5/32"	ID0040
3/16"	ID0050

Gold Pin Rated Lifting Shackles



Size	Chain Shackle	Safe WLL Tons	Anchor Shackle
1/4"	N/A	.5	IB0020
5/16"	IG6020	.75	IB0030
3/8"	IG6030	1	IB0040
7/16"	IG6040	1.5	IB0050
1/2"	IG6050	2	IB0060
5/8"	IG6060	3.25	IB0070
3/4"	IG6070	4.75	IB0080
7/8"	IG6080	6.5	IB0090
1"	IG6090	8.5	IB0100

Galvanized Cable

Please phone for all your cable needs.
•Order any Length



Size	Type	Std Spool	Part #
1/16"	7x7	500 ft	IA0010
3/32"	7x7	500 ft	IA0020
1/8"	7x7	500 ft	IA0030
1/8"	7x19	500 ft	IA0040
5/32"	7x19	500 ft	IA0050
3/16"	7x19	500 ft	IA0060

Shoulder Eye Bolt

- Forged
- Galvanized



Size	A	WLL (lbs)	Part #
1/4"	2"	650	IE0110
1/4"	4"	650	IE0120
5/16"	2-1/4"	1200	IE0130
5/16"	4-1/4"	1200	IE0140
3/8"	2-1/2"	1550	IE0150
3/8"	4-1/2"	1550	IE0160
3/8"	6"	1550	IE0165
1/2"	3-1/4"	2600	IE0170
1/2"	6"	2600	IE0180
5/8"	4"	5200	IE0190
5/8"	6"	5200	IE0200
3/4"	6"	7200	IE0220

Eye Bolts

- Forged
- Galvanized
- Length under Eye



Size	Length	WLL (lbs)	Part #
1/2"	8"	2600	IE0010
1/2"	10"	2600	IE0020
5/8"	10"	5200	IE0050
5/8"	12"	5200	IE0060
3/4"	8"	7200	IE0070
3/4"	10"	7200	IE0080
3/4"	12"	7200	IE0090
1"	6"	13300	IE0010

Shop Supplies

Polyester Double Ply Type 3 Lifting Sling



Length	1" Width WLL 3200 lbs	2" Width WLL 6400 lbs
2'	IF0010	IF0080
3'	IF0020	N/A
4'	IF0030	IF0090
6'	IF0040	IF0100
8'	IF0050	IF0110
10'	IF0060	IF0120
12'	IF0070	IF0130
16'	N/A	IF0140
20'	N/A	IF0160

Brake Clean

CRC - Brand # LA6206
Seymour Brand # LH2015
 539 Gram Aerosol



Duct Tape Part # HF1225

54.8 Meters x 48mm
 Contractor Grade Silver Duct Tape Tensile
 20 Lb/in Thickness 11.0 mils. Elongation
 18%



Goop

- All purpose adhesive
- Clear
- Sealant
- Works on wood, canvas, fiberglass, metal, almost any material



Type	Part #	Pkg
Auto	LA1610	1
Marine	LA1612	1

Tajima Utility Knives

Auto Lock HT8025
 Knob Lock HT8026



Utility Paint Glue Brushes



Size	Part #	Pkg
1"	HF1310	1
1-1/2"	HF1315	1
2"	HF1320	1
3"	HF1325	1



Plated Steel

Size	Pear Snap	Quick Link
1/8"	IB8000	IB7000
3/16"	IB8010	IB7010
1/4"	IB8020	IB7020
5/16"	IB8030	IB7030
3/8"	IB8040	IB7040
7/16"	N/A	IB7050
1/2"	IB8050	IB7060

Pro Hand Sprayer

- Max operating pressure 47 psi
- Viton for Brake Clean, Methyl, Ethyl, Ketone and/or Silicone
- EPDM diluted acids, alkaline,



Size	Part #	Type
1 Litre	HD50100	Viton
1 Litre	HD50101	EPDM

Ultra-One

Clean, Sanitize and Deodorize

Size	Part #	Type
4 Litre	LA5522	12.9 Ph Concentrated
20 Litre	LA5520	12.9 Ph Concentrated
1 Litre	LA5535	Sprayer Bottle (ready to use) Diluted 4:1

Hand Sprayer

- One Litre empty Sprayer
- Part # LA5536
- \$2.55 Each



Visit

"www.ultraoneusa.com
 watch test video, and
 learn how incredible and
 effective Ultra ONE will
 be in your workplace.

Ultra One - World's Best Cleanser

Benefits to Industry

1. Liability Exposure

- *Enviro-Cleanse is Safest for the ;*
 - *Environment*
- *Meets & Exceeds all EPA impact levels*

2. Cleaning Performance

- *Enviro-Cleanse Increases;*
 - *User Productivity*
 - *Simple & Easy to Use*
 - *Product Efficiency*
 - *High Ph Level performs better*

3. Economics

- *Due to high concentration*
 - *Less product is needed*
 - *Less Exposure + Cost Savings*
- =Substantial Benefits for you**

Helps reduce employee work related claims in three major areas: inhalation problems, eye damage, contact dermatitis / chemical burns. Unique chemistry provides user-friendly cleaning.

Drive Bits

Hex Nut Driver (magnetic)



Size	1-7/8" Length	2-9/16" Length	Pkg
1/4"	HT1041	HT1042	1
5/16"	HT1046	HT1047	1
3/8"	HT1051	HT1052	1
7/16"	HT1061	HT1062	1
1/2"	HT1064	HT1066	1

Drive Bit (with hardened Insert)

•Robertson



Length	#1 Tip (Small)	#2 Tip (Medium)	#3 Tip (Large)
1"	HT1310	HT1311	HT1312
2"	HT1320	HT1321	HT1322
3"	HT1330	HT1331	HT1334
4"	HT1335	HT1346	HT1347
6"	HT1340	HT1341	HT1342

Drive Bit

•Philips



Length	#1 Tip (Small)	#2 Tip (Medium)	#3 Tip (Large)
Drywall	n/a	HT1209	n/a
1"	HT1210	HT1211	HT1212
2"	HT1220	HT1221	HT1222
3"	HT1230	HT1231	HT1232
4"	HT1240	HT1241	HT1242
6"	HT1260	HT1261	HT1262

Drive Bit Adapter

• Adapts cordless impact driver to sockets



Adapts to	Length 2"
1/4"	HT1510
3/8"	HT1520
1/2"	HT1521

Drive Bit

• Torx



Size	Torx 2" Long
T10	HT1253
T15	HT1254
T20	HT1255
T25	HT1256
T27	HT1257
T30	HT1258
T40	HT1259

MegaPro Screwdrivers 15in1

If your going to own a multi-driver, these are the ones to own



Original



True Grip Tamper Proof



HVAC/Auto



Ratcheting 13 in 1

To view bit configurations visit MegaPro.com

This Product was designed in CND.

Item	Part #	Model	Pkg
Original	HT2540	Original	1
Tamper	HT2592	Tamper	1
HVAC	HT2560	Hvac/Auto	1
Ratchet	HT2580	13 in 1	1

Hand Cleaner

Orange Pumice 1/2 Gal.

• V-JA328



Shop Towels'

Single Roll or Pkg of 10 HC3450

• Box HC3479



PR88 Protective Barrier

• V-JA056 - 1.6 Litre

• V-JA056 - 1 Litre

• V-JA053 100 ml



Worx Hand Cleaner

All Natural hand Cleaner, effectively remove printers ink, grease, grime, oil and a lot more.

• HB210 4.5 Pounds

• HB2420


Wall Mount Dispenser available



Safety Products

Foam Ear Plugs

• 3M 1100



Ear Plugs	Part #	Pkg
Loose	HB0820	200
W/string	HB0825	100


Howard LEIGHT Banded QB2

• Part # V-SN615

• Class A

• NRR 25 dB

• Replacement (V-SN618)



Peltor Hearing Protection

• Part # V-SC161

• Class A

• NRR 30 dB



Safety Products

Half Masks

North by Honeywell Series



Size	Part #	
Large \$	V-SM892	5500
Medium \$	V-SM891	
Large \$\$	V-SA788	7700
Medium \$\$	V-SM802	
Dust Filters P100 Pair Pancake	V-SM914	
Dust Filters P100 Pair Cartridge	V-SM909	
Organic Vapor & P100-Pair (Ideal for Painting)	V-SEI602	
Acid Gas & P100 Pair	V-SEI603	
75SC Defender Multi Purpose Gas Pair	V-SEI601	

Face Shield



Head Gear Ratchet
(Does not include shield)

- Part# HB1730

Replacement shield
UVA/B/C 99%

- Part# HB1722

Face Shield Adapter
used with Hard Hats

- Part# HB1734



N95 Particulate Respirators

- Part # V-SAS498
- Exhalation Valve
- Qty/Box 12



- Part # V-SAS497
- Qty/Box 20



Nuisance Dust Mask

- Part # V-SAS499
- Qty/Box 50
- Nose Clip
- Light weight construction
- Use against Saw dust, pollen and other non-toxic dusts



High Visibility Vest



Size	Part #	Pkg
Large	HB1401	1
X-large	HB1403	1

Work Gloves

- 320 Blue Chip
- Poly/Cotton
- Snug Fitting Wrist
- Resilient natural rubber latex coating



Size	Part #	Pkg
Small	HB1023	6
Medium	HB1024	6
Large	HB1025	6
X-large	HB1026	6


- 320i Red Hots
- Poly/Cotton
- Snug Fitting Wrist
- Heavy napped thermal interior
- Resilient natural rubber latex coating



Size	Part #	Pkg
Small	HB1023	6
Medium	HB1024	6
Large	HB1025	6
X-large	HB1026	6

Black Heavyweight Nitrile

- Powder Free
- 8 mil Thickness
- 50 Pairs per Box



Size	Part #	Pkg
Medium	HB1069	1
Large	HB1070	1
X-large	HB1074	1
XX-large	HB1078	1

Touch n Tough

- Powder Free
- 5 mil Thickness
- 100 Pairs per Box



Size	Part #	Pkg
Medium	HB1040	1
Large	HB1042	1
X-large	HB1045	1

Munkeface Boss

- Part # HB1082
- Cotton flannel
- Double Palm
- Used in Forestry, Landscaping and General purpose





Pyramex Safety Products -- for complete details search pyramex.com

- Soft, non-slip rubber temple tips
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection
- Integrated Nose Piece



Part #	Lens	Ztec & Mini Ztec	Pkg
HB1502	(picture)	S25ARCS blocks 75% IR Radiation	1 (12)
HB1503		S2514S 1.5 IR Filter	1 (12)
HB1504		S2560S 3.0 IR Filter	1 (12)
HB1508	Mirror	S2580S 3.0 IR Filter	1 (12)

- light weight spectacle 22gm
- Soft Nose Piece for snug fit
- 8 base wrap around lens full side protection
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection



Part #	Lens	Ever-Lite	Pkg
HB1513		SB86010D Clear anti-fog	1 (12)
HB1514		SB86030D Amber	1 (12)
HB1515		SB8620DT Grey anti-fog	1 (12)
HB1517	Photo	SB8624D Automatic Photo-chromatic	1 (12)

- Comfort Fit. rubber Temples prevent slip
- Suitable for Sport or Work
- 8 base wrap around lens full side protection
- Scratch resistant Polycarbonate Lens
- 99% UVA/UVB/C Protection



Part #	Lens	Goliath	Pkg
HB1520		Grey Anti Fog - SB5620DT	1 (12)
HB1521		Blue Mirror Anti Fog - SB5665D	1 (12)
HB1522		Grey Polarized	1 (12)
HB1525		White Frame	1 (12)



Draw String Case

- Part # HB1650 for Medium
- Part # HB1651 for Large



Lens Cleaning Towels

- Part # HB1501
- Qty/Box 100
- Individual Towelettes

- Soft Nose piece provides comfort fit
- Economic choice
- Soft, non-slip rubber temple tips
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection



Part #	Lens	Provoq	Pkg
HB1550	Mirror	S7275S	1 (12)
HB1551	Gray	S7280S Indoor/Outdoor Mirror	1 (12)
HB1552	Clear	S7210ST Anti-fog	1 (12)

- Insert Rx sold separately
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection
- Interchangeable Temples & Headband included.



Part #	Lens	V2G	Pkg
HB1575	Clear anti fog	V2G with Head Band & Temples	1 (12)
HB1579	None	Prescription insert (filled at optometrist)	1 (12)

- Light Weight 21 grams
- Low Cost Under \$3.00 a pair
- Dielectric metal free structure
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection



Part #	Lens	Trulock	Pkg
HB1535	Clear	SB9510S Clear	1 (12)
HB1537	Gray	SB9510ST Gray anti-fog	1 (12)
HB1536	Clear	SB9510ST Clear anti-fog	1 (12)

- Strong Frame for the work environment
- Available in diopter 1.5 & 2.0
- Full Eye protection
- Scratch resistant Polycarbonate Len
- 99% UVA/UVB/C Protection



Part #	Lens	Emerge Readers	Pkg
HB1527	Clear	Clear 2.0 Gray Frame - SG7910D20	1 (12)
HB1528	Clear	Clear 1.5 Gray Frame SG7910D15	1 (12)
HB1529	Clear	Clear 2.0 Carmel Frame STC7910D20	1 (12)

Black Pipe Fittings

Union



Size	Part #	Pkg
1/8"	WR1905	1
1/4"	WR1910	1
3/8"	WR1915	1
1/2"	WR1920	1
3/4"	WR1925	1
1"	WR1930	1
1-1/4"	WR1935	1
1-1/2"	WR1940	1

Coupling



Size	Part #	Pkg
1/8"	WR1205	1
1/4"	WR1210	1
3/8"	WR1215	1
1/2"	WR1220	1
3/4"	WR1225	1
1"	WR1230	1
1-1/4"	WR1235	1
1-1/2"	WR1240	1

90 Elbow



Size	Part #	Pkg
1/8"	WR1605	1
1/4"	WR1610	1
3/8"	WR1615	1
1/2"	WR1620	1
3/4"	WR1625	1
1"	WR1630	1
1-1/4"	WR1635	1
1-1/2"	WR1640	1

90 Elbow Street



Size	Part #	Pkg
1/8"	WR1405	1
1/4"	WR1410	1
3/8"	WR1415	1
1/2"	WR1420	1
3/4"	WR1425	1
1"	WR1430	1
1-1/4"	WR1435	1
1-1/2"	WR1440	1

Nipple



Size	Close	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
1/8"	WR0400	WR0401	WR0402	WR0403	WR0404	WR0406	WR0408	WR0409
1/4"	WR0410	WR0411	WR0412	WR0413	WR0414	WR0416	WR0418	WR0419
3/8"	WR0420	WR0421	WR0422	WR0423	WR0424	WR0426	WR0428	WR0429
1/2"	WR0430	WR0431	WR0432	WR0433	WR0434	WR0436	WR0438	WR0439
3/4"	WR0440	WR0441	WR0442	WR0443	WR0444	WR0446	WR0448	WR0449
1"	WR0450	WR0451	WR0452	WR0453	WR0454	WR0456	WR0458	WR0459
1-1/4"	WR0460	WR0461	WR0462	WR0463	WR0464	WR0466	WR0468	WR0469
1-1/2"	WR0470	WR0471	WR0472	WR0473	WR0474	WR0476	WR0478	WR0479

45 Elbow



Size	Part #	Pkg
1/8"	WR1505	1
1/4"	WR1510	1
3/8"	WR1515	1
1/2"	WR1520	1
3/4"	WR1525	1
1"	WR1530	1
1-1/4"	WR1535	1
1-1/2"	WR1540	1

45 Street



Size	Part #	Pkg
1/8"	WR1305	1
1/4"	WR1310	1
3/8"	WR1315	1
1/2"	WR1320	1
3/4"	WR1325	1
1"	WR1330	1
1-1/4"	WR1335	1
1-1/2"	WR1340	1

Black Pipe Fittings**Plug**

Size	Part #	Pkg
1/8"	WR1005	1
1/4"	WR1010	1
3/8"	WR1015	1
1/2"	WR1020	1
3/4"	WR1025	1
1"	WR1030	1
1-1/4"	WR1035	1
1-1/2"	WR1040	1

Cap

Size	Part #	Pkg
1/8"	WR0905	1
1/4"	WR0910	1
3/8"	WR0915	1
1/2"	WR0920	1
3/4"	WR0925	1
1"	WR0930	1
1-1/4"	WR0935	1
1-1/2"	WR0940	1

Tee

Size	Part #	Pkg
1/8"	WR0305	1
1/4"	WR0310	1
3/8"	WR0315	1
1/2"	WR0320	1
3/4"	WR0325	1
1"	WR0330	1
1-1/4"	WR0335	1
1-1/2"	WR0340	1

Reducing Bushing

Size	Part #	Pkg
1/4" X 1/8"	WR1805	1
3/8" X 1/8"	WR1810	1
3/8" X 1/4"	WR1815	1
1/2" X 1/4"	WR1820	1
1/2" X 3/8"	WR1825	1
3/4" X 3/8"	WR1830	1
3/4" X 1/2"	WR1835	1
1" X 1/2"	WR1840	1
1" X 3/4"	WR1845	1
1-1/4" X 3/4"	WR1850	1
1-1/4" X 1"	WR1855	1
1-1/2" X 3/4"	WR1860	1
1-1/2" X 1"	WR1865	1

Reducing Coupling

Size	Part #	Pkg
1/4" X 1/8"	WR1105	1
3/8" X 1/8"	WR1110	1
3/8" X 1/4"	WR1115	1
1/2" X 1/4"	WR1120	1
1/2" X 3/8"	WR1125	1
3/4" X 3/8"	WR1130	1
3/4" X 1/2"	WR1135	1
1" X 1/2"	WR1140	1
1" X 3/4"	WR1145	1
1-1/4" X 3/4"	WR1150	1
1-1/4" X 1"	WR1155	1
1-1/2" X 3/4"	WR1160	1
1-1/2" X 1"	WR1165	1

- Strathcon Industries can supply all your threaded pipe needs, Stainless Steel, Galvanized, Brass and Aluminum
- Phone 250 338 4266
- Fax 250 338 7391
- email sales@strathcon.com
- Download a current version of this catalog at www.strathcon.com


Push to Connect

Union



Tube OD1	Tube OD2	Part #	Pkg
1/8"	1/8"	WV0202	1
5/32"	5/32"	WV0206	1
3/16"	3/16"	WV0212	1
1/4"	1/4"	WV0218	1
5/16"	5/16"	WV0224	1
3/8"	3/8"	WV0228	1
M4	M4	WV0240	1
M6	M6	WV0260	1

- Full flow - as gripping and sealing within the fitting is achieved using the outside of the tube without deformation, there is no flow restriction
- Automatic Sealing : the "O" ring within the fitting provides a positive seal on the O.D. of the tube, in both static and dynamic positions due to the optimized design of the tube guide



Single "Y"



Tube OD1	Tube OD2	Part #	Pkg
1/8"	1/8"	WV0502	1
5/32"	5/32"	WV0506	1
5/32"	1/4"	WV0507	1
3/16"	3/16"	WV0512	1
1/4"	1/4"	WV0518	1
5/16"	5/16"	WV0524	1
3/8"	3/8"	WV0528	1
M4	M4	WV0540	1
M6	M4	WV0542	1
M6	M6	WV0560	1
M6	M8	WV0562	1

Reducer



Tube OD1	Tube OD2	Part #	Pkg
1/8"	5/32"	WV0603	1
1/8"	3/16"	WV0604	1
5/32"	3/16"	WV0607	1
5/32"	1/4"	WV0608	1
3/16"	1/4"	WV0610	1
3/16"	5/16"	WV0612	1
1/4"	5/16"	WV0619	1
M4	M6	WV0640	1
M4	M6	WV0642	1
M4	M8	WV0660	1
M6	M8	WV0662	1
M6	M10	WV0664	1

Equal Elbow




Tube OD1	Tube OD2	Part #	Pkg
1/8"	1/8"	WV0402	1
5/32"	5/32"	WV0406	1
3/16"	3/16"	WV0412	1
1/4"	1/4"	WV0418	1
5/16"	5/16"	WV0424	1
3/8"	3/8"	WV0428	1
M4	M4	WV0440	1
M6	M6	WV0460	1

Equal "Tee"



Tube OD1	Tube OD2	Part #	Pkg
1/8"	1/8"	WV0302	1
5/32"	5/32"	WV0306	1
3/16"	3/16"	WV0312	1
1/4"	1/4"	WV0318	1
5/16"	5/16"	WV0324	1
3/8"	3/8"	WV0328	1
M4	M4	WV0340	1
M6	M6	WV0360	1



- A solution for all applications : wide variety of body designs and numerous configuration from 4 - 12 mm and 1/8" to 1/2" tubing
- 5 types of thread: BSP parallel, BSP taper, metric, NPT, and NPT, parallel, with NPT the most common in North America

Bulk Head Connector



Tube OD1	Tube OD2	Part #	Pkg
1/8"	1/8"	WV0802	1
5/32"	5/32"	WV0806	1
1/4"	1/4"	WV0818	1
5/16"	5/16"	WV0824	1
3/8"	3/8"	WV0828	1
M4	M4	WV0840	1
M6	M6	WV0860	1
M8	M8	WV0880	1

Push to Connect

Tube to Pipe NPT



Pipe	Tube OD	Part #	Pkg
1/8 NPT	5/32"	WX0202	1
1/8 NPT	3/16"	WX0203	1
1/8 NPT	1/4"	WX0204	1
1/4" NPT	1/8"	WX0218	1
1/4" NPT	3/16"	WX0219	1
1/4" NPT	1/4"	WX0220	1
3/8" NPT	3/16"	WX0225	1
3/8" NPT	1/4"	WX0226	1
3/8" NPT	5/16"	WX0227	1
1/8 NPT	M4	WX0242	1
1/8 NPT	M6	WX0244	1
1/8 NPT	M8	WX0246	1
1/4 NPT	M4	WX0252	1
1/4 NPT	M6	WX0254	1
1/4 NPT	M8	WX0256	1

- Push to connect fittings are easier to use, seal better, and are more consistent in size than barb fittings.
- Fittings are full flow and have no internal restrictions, even in elbows and tees.
- More choice are available than shown here -call 250 338 4266

Polyurethane Tubing

- Close Tolerance
- Flexible Polyurethane Tubing
- Small Bend Radius



Tube OD	Part #	Pkg
5/32"	WU0210	30 meters
1/4"	WU0215	30 meters
5/16"	WU0225	30 meters
3/8"	WU0230	30 meters
M4	WU0235	30 meters
M6	WU0240	30 meters
M8	WU0245	30 meters
M10	WU0250	30 meters
M12	WU0255	30 meters

Strathcon Industries can supply Stainless 316 push to connect fitting, some sizes are stock items.



Tube to NPT Pipe



Pipe	Tube OD	Part #	Pkg
1/8 NPT	1/8"	WX0402	1
1/8 NPT	3/16"	WX0403	1
1/8 NPT	1/4"	WX0404	1
1/4" NPT	1/8"	WX0418	1
1/4" NPT	3/16"	WX0419	1
1/4" NPT	1/4"	WX0420	1
3/8" NPT	3/16"	WX0425	1
3/8" NPT	1/4"	WX0426	1
3/8" NPT	5/16"	WX0427	1
1/8 NPT	M4	WX0442	1
1/8 NPT	M6	WX0444	1
1/8 NPT	M8	WX0446	1
1/4 NPT	M4	WX0452	1
1/4 NPT	M6	WX0454	1
1/4 NPT	M8	WX0456	1

Equal "Tee"



Pipe	Tube OD	Part #	Pkg
1/8 NPT	1/8"	WX0302	1
1/8 NPT	3/16"	WX0303	1
1/8 NPT	1/4"	WX0304	1
1/4" NPT	1/8"	WX0318	1
1/4" NPT	3/16"	WX0319	1
1/4" NPT	1/4"	WX0320	1
3/8" NPT	3/16"	WX0325	1
3/8" NPT	1/4"	WX0326	1
3/8" NPT	5/16"	WX0327	1
1/8 NPT	M4	WX0342	1
1/8 NPT	M6	WX0344	1
1/8 NPT	M8	WX0346	1
1/4 NPT	M4	WX0352	1
1/4 NPT	M6	WX0354	1
1/4 NPT	M8	WX0356	1

Male Run Tee



Pipe	Tube OD	Part #	Pkg
1/8 NPT	1/8"	WX0602	1
1/8 NPT	3/16"	WX0603	1
1/8 NPT	1/4"	WX0604	1
1/4" NPT	1/8"	WX0618	1
1/4" NPT	3/16"	WX0619	1
1/4" NPT	1/4"	WX0620	1
3/8" NPT	3/16"	WX0625	1
3/8" NPT	1/4"	WX0626	1
3/8" NPT	5/16"	WX0627	1
1/8 NPT	M4	WX0642	1
1/8 NPT	M6	WX0644	1
1/8 NPT	M8	WX0646	1
1/4 NPT	M4	WX0652	1
1/4 NPT	M6	WX0654	1
1/4 NPT	M8	WX0656	1

Shop Supplies

Corrosion Prevention

- Ship to Shore (PLID)
- Penetrant, Lubricant, Inhibitor, and dielectric
- This product is in high demand. Once experienced, is always asked for by name.
- 180 Gram
- Part # LA5010



Corrosion Prevention

- Ship to Shore (PLID)
- Stops Rust & Corrosion
- Lubricates
- Inhibitor
- Dielectric
- Apply with a brush or garden sprayer



Size	Part	Pkg
350 ml	LA5015	1
4 litre	LA5022	1
20 litre	LA5025	1

SLAP

Super Lubricant and Penetrant

- Lubricates and Penetrates
- Non Flammable anti Friction Technology
- 340 Grams Part number
- Part # LU1240



Evapo Rust

Evapo Rust is very effective. Submerge Steel part for six hours, 100% of rust will be removed. Non Toxic, safe on skin



Size	Part #	Pkg
1 Litre	LA5203	1
4 Litre	LA5205	1
20 Litre	LA5225	1



Tool Crib - Chain & Cable Lube

- Lightweight black Lubricant
- Prolongs the life of chain or wire
- Case Qty 6
- Part # LH2005



Tool Crib - Open Gear Lube

- Heavy Duty Black Lubricant
- Improves gear efficiency
- Case Qty 6
- Part # LH2010



Tool Crib - Brake Clean

- Fast Dry Cleaner safely removes dust and grease from brake parts and other metal objects.
- VOC compliant - NO Chlorinated solvents
- Case Qty 6
- Part # LH2015



Tool Crib - Electric Motor / Contact Cleaner

- Cleans most electrical equipment.
- No Rinsing or wiping - can be applied while motor is running
- Case Qty 6
- Part # LH2020



Tool Crib - Dry Graphite Lube

- A fast drying lubricant that reduces friction and noise.
- Oil free resists water and alkalis.
- All Position Valve
- Case Qty 6
- Part # LH2022



Cold Galv Primer - Zinc Rich

- Zinc Rich coating
- Protects steel from the corrosive effects of weather and the marine environment
- Case Qty 6
- Part # V-877-1125



- Zinc Rich coating
- Protects steel from the corrosive effects of weather and the marine environment
- 93% Type 1 Inorganic Zinc
- Meets or exceeds ASTM A780, MIL-P-46105, SSPC-Paint 20
- Part # LH1720



Graffiti / Paint Remover

- Removes paint from brick, stucco, siding, concrete, and metal.
- Use drop cloth to protect surrounding area.
- Use as a gasket remover
- Case Qty 12
- Part # LH2100



Seal-it Multi Purpose Sealant

Multi-purpose sealant, seals small cracks, up to 1/2". Does not lose flexibility. Resists water, protects against UV and will not crack in cold temperatures.

- Black LH1134
- White LH1132
- Clear LH1130



Stainless Steel Coating

A special formulation containing 316L stainless steel pigment. Designed as a top coat. Use primer LH1120 for long lasting corrosion free coating

- Case Qty 6
- Part # LH1125



Paint



Inverted Marking Paint

A fast drying Water Based Permanent paint designed to be sprayed in an inverted position. Meets APWA color standards and is VOC compliant. Will not clog. Is Safe for grass. 20 Oz. can



Color	Part #	Case Qty
White (proposed excavation)	LH1000	12
Safety Red (Electrical & Fire)	LH1010	12
Utility Yellow (Gas & Oil)	LH1020	12
Precaution Blue (Potable water)	LH1030	12
Alert Orange (Telephone or Signal)	LH1040	12
Hot Pink (Temporary Survey)	LH1050	12
Safety Green (Sewers & Drains)	LH1060	12

Temporary Marking Paint

A fast drying Water Based paint designed to be sprayed in an inverted position. Wash off with garden hose. Will not clog. Is Safe for grass. 20 Oz. can



Color	Part #	Case Qty
White	LH1500	12
Precaution Blue	LH1510	12
Hi Vis Yellow	LH1520	12
Safety Red	LH1530	12
Safety Green	LH1540	12

OEM Colors

A superior high solids coating formulated for applications where performance is required.

- TEST for Color Accuracy



Color	Part #
New John Deer Green	LH1300
Case Deere Green	LH1305
IHC Red	LH1310
Ford Blue	LH1315
Case Power Tan	LH1320
New John Deer Yellow	LH1325
Allis Chamlers Orange	LH1330
Old Equipment Yellow	LH1335
New Equipment Yellow	LH1340
Cummins Beige	LH1345
Detroit Diesel Green	LH1350

Zinc Phosphate Primer

A Self Etching primer that chemically bonds with aluminum or steel to form a corrosion resistant base coat.

- Ideal for **marine** environment
- Case Qty 6
- Part # LH1120



Hot Spot Hi Heat Resistant Paint

- Withstand 1200F or 648 C
- Must be heat cured at 400F for two hours
- Color Black
- Case Qty 6
- Part # LH1100



A typical *Big Rig* can of Paint will provide as much coverage as 4 - 16 oz cans of other brand name paints - ask for a demo.



Big Rig Paint

A superior high solids fleet maintenance paint formulated for applications where performance is required.
20 Oz. can



Color	Part #	Case Qty
Aluminum	LH1200	6
Gloss White	LH1210	6
Gloss Black	LH1220	6
Fleet Red	LH1230	6
Lt Gray Primer	LH1240	6
Med Gray	LH1250	6
Equipment Yellow	LH1260	6
Stainless Steel	LH1270	6
School Bus Yellow	LH1280	6

Alumi Blast

A professional grade coating that restores aluminum wheels and castings to their original luster

- Case Qty 6
- Part # LH1110



Cast Blast

A professional grade coating that reproduces the look of cast iron parts.

- Case Qty 6
- Part # LH1112



Safe-T-Walk & Rock-Gard


SPECIFICATIONS:

- Looks great and is Extremely Durable.
- Easy to Cut, and Installed correctly, will last years
- Improve work place safety
- Easy to install, self adhesive on one side.
- Water, Oil, and UV Resistant.
- Helps prevent slips, falls, and accidents.



Tail Gates, Foot Plates, Trailer fenders, Steps, Ladders, Checker Plate, Swim Platforms, Fiberglass steps, Aluminum Skiff Seats, Keel Gard, Aluminum Boat Decks, Loading Docks, Ramps, Stairs, Equipment Protection. Truck Boxes, Chip Gard on Rocker Panels, Spas, Bath Tubs, Shower Stalls: Railings, House Boats, Commercial Fishing, Golf Carts, Care Homes, Aluminum Fuel Tanks,

Item	White	Black	Clear	Grey
6" x Ft or 50 ft Roll	LV1106	LV1006	LV1306	LV1206
12" x Ft or 50 ft Roll	LV1112	LV1012	LV1312	LV1212
18" x Ft or 50 ft Roll	LV1118	LV1018	LV1318	LV1218
24" x Ft or 50 ft Roll	LV1124	LV1024	LV1324	LV1224
48" x Ft or 50 ft Roll	LV1148	LV1048	LV1348	LV1248



Black



White



















Clear




Grey

Images show examples of SAFE-T-WALK securely adhered to checker plate.

Strut Channel & Components

 1/2" (9/16" Hole) - PW9400 3/8" (7/16" Hole) - PW9401	 PW9397 2 Hole Splice Plate	 PW9394 3 Hole Splice Plate	 PW9395 4 Hole Splice Plate
 PW9391 4 Hole Joint Plate	 PW9388 3 Hole Joint Plate	 PW9390 4 Hole Tee Plate	 PW9392 4 Hole Flat Angle Plate
 PW9396 3 Hole "U" Support	 PW9385 2 Hole Corner Angle	 PW9386 2 Hole Corner Angle	 PW9380 3 Hole Corner Angle
 PW9382 3 Hole Corner Angle	 PW9376 2 Hole Open Angle	 PW9330 600 lb Beam Clamp	 600 lb. 300 lb. Bearing Trolley Assembly




Strut Spring Nuts

Size	Long Spring	Short Spring	Long 316 Stainless	HDG	
1/4"	PW9510	PW9514	Special	Special	
3/8"	PW9511	PW9515	PW9506	Special	
1/2	PW9512	PW9516	PW9508	Special	
M6	PW9509	Special	Special	Special	
M8	Special	Special	Special	PW9658	

Slotted Strut

Size	Length	Plating	Part #
1-5/8 x 1-5/8	10'	Zinc	PW9525
1-5/8 x 1-5/8	2'	Zinc	PW9527
1-5/8 x 1	10'	Zinc	PW9520
1-5/8 x 1-5/8	3M	HDG	PW9529
1-5/8 x 1	3M	HDG	PW9521

Strut Mounting & Components


 Roof Block	 End Caps & Strips	 3/8"-16 PW9330 Beam Clamps	 Ceiling Flange 1/4 or 3/8 available in Steel or Aluminum
 HDG Post Bases	 3/8"-16 Q-Deck Clips	 Pipe & EMT Clamps	 6", 12" & 18" Single Channel Bracket

Solar Mounting Components



 PW9662 & PW9664 Galvanized Socket Caps	 PW9652	 PW9640 Solar Panel Mid Clamp	 PW9644 Solar Panel End Clamp
 PW9648 Metal Roof Clip	 PW9656 Metal Roof Clip	 PW9650 Asphalt Roof Post	 PW9658 M8 HDG Strut Nut

O-Rings



Description	Page	Description	Page	Description	Page
Abrasive Cloth Rolls	74	Crimps (for steel cable)	84	Goop	85
Abrasives	78	Crosby Clamp	84	Grade 5 Hex Cap	33
Acorn Nuts Metric	60	Cup Washer Stainless	45	Grade 5 Hex Cap Fine Thread	34
Acorn Nuts Plated Steel	30	Cup Wheels (Wire)	74	Grade 8 Hex Cap	36
Acorn Nuts Stainless	47	Cut Off Wheels	77	Grease	83
ACQ Deck Screws	58	Cutters (hole)	81	Grease Fittings	79
Add a Circuit	7	Cutting Fluid	81	Grinding	78
Adhesive	81	Cutting Fluid	18	Grinding Aluminum Disks	75
Aluminum Rivets	25	Cutting Wax	85	GripLock Rivet	24
Aluminum Zip Cuts	75	Deck Screws	58	GripRite Insert Nuts	26
Anchor Bolts and Epoxy	72	Degreaser (Ultra One)	85	GripRite Rivets	25
Anti-Seize	81	Die Nuts Imperial	16	GRK Screws	57
ANL Fuses	7	Die Nuts Metric	17	Hand Cleaner	86
Annular Cutters	19	Diesel Treatment	82	Hand Sprayer Pressure	84
Back Stand Belts	74	Double End Bits	13	Heat Shrink Tubing	9
Back up Pads	75	Drill Bits (Letter)	13	Heavy Hex Nuts	28
Banding Steel	73	Drill Bits (number)	14	Heli-Coil	22
Barrier Cream	86	Drill Bits 12" & 6"	12	Hex Cap Screws Fine Thread	36
Batteries	73 & 81	Drill Indexes	12	Hex Cap Screws Grade 8	35
Battery Cable	10	Drive Bits	86	Hex Cap Screws Stainless	43
Battery Cable Tinned	11	Drive Rivets	24	Hex Drive Bits	85
Battery Cleaner	93	Drop in Anchor	70	Hex Nuts Stainless	46
Battery Terminals	6	Drywall Anchors	69	Hex Sheet Metal Stainless	49
Bevel Washer	32	Duct Tape	81	Hex Tec Screw (Self Drilling)	55
Bolt Bins	80	Ear Plugs	86	High Collar Lock Stainless	45
Brake Clean	93	Electrical Connectors (mics)	7	Hilti Anchor	71
Bullet Terminals Heat Shrink	8	Electrical Terminals Heat Shrink	9	Hinges	74
Butt Connectors Heat Shrink	8	Electrical Terminals Nylon	3	Hole Cutters	20
Button Head Stainless	48	Emery Cloth	74	Hole Saw Arbors	18
Cable Clamps	83	Epoxy Adhesive	72	Hole Saws	18
Cable Steel	83	Extension Cord Ends	81	Hollow Wall Anchors	69
CabTire Wire	10	Eye Bolts Stainless	83	Hose Clamps	79
Carbide Burrs	21	EZee Outs	15	Inline Fuse Holders	7
Carbide Hole Cutters	20	Fender Washers	31	Jam Nuts	29
Carriage Bolts Plated	40	Fender Washers Stainless	45	Jam Nuts Stainless	46
Carriage Bolts Stainless	44	Fine Thread Hex Cap Stainless	45	Jig Saw Blades	18
Chain Hoists	84	Finishing Washers Stainless	45	Kep Nuts	29
Clamps (wire)	10	Flange Bolts Metric	67	Kits & Assortments	80
Clamps Nylon	9	Flange Bolts Metric	37	Knife	85
Cleaner	84	Flange Nuts Metric	61	Lag Bolts Plated	41
Closed End Rivets	25	Flanged Frame Bolts	37	Lag Bolts Stainless	44
Coated Tec's (Self Drilling)	55	Flanged Nuts	37	Large Flange Rivets	23
Cobalt Drills	15	Flanged Nuts	30	Latches	74
Concrete Anchors	71	Flap Disks	78	LED Work Lights	82
Concrete Bits	72	Flap Wheels	76	Left Hand Drills	13
Concrete Screws	70	Flat Head Machine Screws	56	Letter Bits	14
Cord Ends	81	Floor Board Screws	57	Lever Hoists	84
Corrosion Protection	81	Foam Tape	81	Lifting Shackle	84
Cotter Pins	79	Frame Bolts & Nuts	37	Lifting Straps	85
Counter Sinks	15	Full Thread Bolts	34	Load Binders	84
Coupling Nuts	30	Fuses & Holders	7	Lock Washer Metric	60
Coupling Nuts Metric	61	Galvanized Hex Nuts	28	Lock Washers S.A.E. Alloy	32
Coupling Nuts Stainless	46	Galvanized Washers	31		
Crimp Tools	8	Glasses Safety	87		

Description	Page	Description	Page	Description	Page
Lubricant	83	Primary Wire	10	Stover Nuts	30
Machine Screws Imperial	56	Q-Deck Clips	97	Stover Nuts Metric	61
Machine Screws Metric	65	Quick Links	85	Strapping (Banding)	73
Machine Screws Stainless	51	Reamers	12	Surface Preparation	76
Marine Battery Terminals	6	Red Heads	71	T Handle Latch	74
Metric Fine Thread Bolts	67	Redi Rod	42	T-Nuts	29
Metric Flange Bolts	67	Ring Terminal Lugs	5	T-Nuts Stainless	47
Metric Flange Nuts	61	Ring Terminals Heat Shrink	8	Tamper Resistant Screws	52
Metric Hex Bolts	64	RivBolt	24	Tap & Drill Combo	15
Metric Hex Bolts 10.9	63	Rivet Hand Tool	27	Tap Bolts	34
Metric Stover Nuts	61	Rivet Nut Hand Tool	27	Tap Handles	15
Metric Hex Bolts 10.9	63	Rivets	25	Taps Imperial	16
Metric Machine Screws	65	RivNuts	26	Taps Metric	17
Metric Nuts	59	Roloc Disks	76	Tec Screw (Self Drilling)	55
Metric Socket Cap Screws	66	Roofing Screws	57	Tec Screw (Self Drilling) Stainless	49
Metric Stainless Bolts	68	"S" Hooks	83	Terminals Electrical	9
Metric Stover Nuts	61	Sabre Saw Blades	18	Thick Washers Alloy	32
Metric Washers	62	Safety Glasses	88	Thread Repair	22
Modified Truss Tec (Self Drilling)	55	Sanding Disks	76	Threaded Rod	42
MultiGrip Rivets	23	Saws All Blades	18	Threaded Rod Metric	67
Never Seize	81	Screw Drivers	86	Timber Washers	31
Non-Insulated Ring Terminals	5	Screw Extractors	15	Tinned Wire	11
NP1 Polyurethane	81	SDS Drill Bits	72	Titan Concrete Anchor	71
Number Bits	14	Seal (Banding)	73	Torx Bits	86
Nuts	30	Security Screws	52	Trailer Decking Screws	57
Nuts Metric	59	Self Drilling Screws	55	Trailer Wire Multi Conductor	10
Nuts Stainless	46	Set Screws	53	Truss Head Machine Stainless	53
Nylon Clamps	9	Shackles	84	Truss Head Sheet Metal Stainless	49
Nylon Nuts	29	Sheet Metal Screws	54	Ty-Wrap Mounts	6
Nylon Nuts Metric	59	Sheet Metal Screws Stainless	49	Ty-Wraps	6
Nylon Nuts Stainless	46	Ship to Shore	81	USS Washers Alloy	32
Nylon Terminals	4	Shot Pins	71	Utility Knives	84
Nylon Tubing	90	Sika Flex	81	Wafer Tec (Self Drilling)	55
Over Center Latches	73	Silicone	82	Wall Anchors	69
Oval Head Machine Screws	53	Slotted Nuts	30	Washers Metric	62
Oval Head Stainless	50	Smackies	72	Washers Plated Steel	31
Paint & Glue Brush	85	Socket Cap Screws	39	Washers S.A.E	32
Pan Head Machine Screws	56	Socket Cap Screws Flat Head	38	Wax Cutting	18
Pan Head Machine Stainless	51	Socket Cap Stainless	48	Wedge Anchors	71
Pan Head Tec (Self Drilling)	55	Solid Aluminum Rivets	26	Well Nuts	31
Panel Tec's (Self Drilling)	55	Spray Bottle	84	Weld On Hinges	74
Paper Towels	84	Spring Bolt	74	Welding Wire	10
Particle Board Screws	58	Stainless Bolts Metric	68	Wing Nuts Metric	60
Pear Hooks	84	Stainless Deck Screws	58	Wing Nuts Stainless	47
PermaBolts	24	Stainless Machine Screws	53	Wire (Tinned)	11
Piano Hinge	73	Stainless Rivets	25	Wire Wheels	74
Pin Bolts	72	Stainless Sheet Metal Screws	51	Wood Screws	58
Pin Hammer Plastic	70	Star Washers	32	Work Lights	82
Pipe Fittings	89	Star Washers Stainless	45	Worx Hand Cleaner	86
PLID (Super Spray)	93	Step Bits	15	Za-Mac PIn Bolts	72
Plow Bolts	37	Storage Tray & Bins	80	Zap Straps	6
Polyurethane Sealant	81			Zip Cuts	77
Prentice Drill Bits	14				